

**FOR USE ON INDOOR
& OUTDOOR PLANTS**

LO210156010



ROSE & FLOWER

INSECT KILLER
READY TO USE INSECTICIDA



KILLS 100+ LISTED INSECTS FAST

KEEP OUT OF REACH OF CHILDREN
CAUTION See back panel booklet for additional precautionary statements.

MANTENGA FUERA DEL ALCANCE DE LOS NIÑOS
PRECAUCION Consulte el folleto del panel posterior para conocer los avisos de precaución adicionales.

INTENDED FOR RESIDENTIAL USE

Active Ingredient	
Acetamiprid	0.006%
Other Ingredients	99.994%
Total	100.000%

FPO

LB2561

NET CONTENTS / CONTENIDO NETO 24 fl oz (709 ml)



PRIMEROS AUXILIOS

En Caso de Ingerir:	<ul style="list-style-type: none"> • Consulte a un médico o a un centro de control de envenenamientos inmediatamente para obtener asesoramiento sobre el tratamiento. • No induzca el vómito a menos que así se lo indique un médico o un centro de control de envenenamientos. • Si la persona puede tragar, haga que beba poco a poco un vaso de agua. • No administre nada por boca a una persona que haya perdido el conocimiento.
Si Entra en los Ojos:	<ul style="list-style-type: none"> • Mantenga los ojos abiertos y enjuague con agua lentamente, con cuidado, durante 15 a 20 minutos. • Si usa lentes de contacto, retírelos después de los primeros 5 minutos, luego continúe enjuagando los ojos. • Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.
Si Entra en Contacto con la Piel o la Ropa:	<ul style="list-style-type: none"> • Quítese la ropa contaminada. • Lave inmediatamente la piel con abundante agua durante 15 a 20 minutos. • Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.
En Caso de Inhalar:	<ul style="list-style-type: none"> • Traslade a la persona a un lugar con aire fresco. • Si no respira, llame al 911 o a una ambulancia, luego realícele respiración artificial, de boca a boca, de ser posible. • Llame a un centro de control de envenenamientos o a un médico para obtener más recomendaciones sobre el tratamiento.

En caso de emergencias MEDICAS, llame a la línea disponible las 24 horas 1-800-225-2883. Cuando llame a un centro de control de envenenamientos o a un médico, o intente obtener tratamiento, tenga a mano el envase o la etiqueta del producto.

NOTA PARA LOS MEDICOS: No existe un antídoto específico. Los tratamientos deben administrarse según los signos y los síntomas evidentes de malestar del paciente. Quizá se produjo exposición excesiva a otros materiales diferentes al producto.

GARANTIA

Conforme a los límites de la ley aplicable, el comprador asume toda responsabilidad por la seguridad y el uso que no concuerden con las instrucciones.

LA GARANTIA ORTHO®: Si por cualquier razón usted, el consumidor, no está satisfecho con este producto, envíenos por correo el comprobante original de compra para recibir un reembolso total del precio de compra.

8

ORTHO®

ROSE & FLOWER

INSECT KILLER READY TO USE

Dual Action Insect Killer as listed
2 in 1 Contact + Systemic Action

OPEN
Resealable
Label for
Directions &
Precautions
Español ver
página 5

KILLS INSECTS



WHERE TO USE:



WHEN TO APPLY:

Apply to indoor and outdoor plants as soon as insect problems are noticed.



Questions, Comments or Medical Information
Preguntas, comentarios o información médica
1-800-225-2883

Sold by **The ORTHO Group**
P.O. Box 190, Marysville, OH 43040
Product of Japan.
EPA Reg. No. 8033-21-239
EPA Est. No. 239-IA-31, 239-MS-001M,
58996-MO-1A, 085652-OH-1W
Superscript is first letter of lot number.

FPO
LB2550

0 71549 03450 4 2006

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in any manner inconsistent with its labeling. **Shake container gently before using.**

How to Apply	<ul style="list-style-type: none">• Adjust spray nozzle to give a fine spray.• Hold sprayer 8 to 12 inches from the plant to be treated.• Direct spray toward the upper and lower leaf surfaces and stems where pests appear.• Spray only until plant surface is wet.
When to Apply	<ul style="list-style-type: none">• Apply to indoor and outdoor plants as soon as insect problems are noticed.

RESTRICTIONS

- For indoor and outdoor residential use only.
- Do not apply this product in a way that the spray will contact persons, either directly or through drift.
- Keep children and pets out of treated areas until sprays have thoroughly dried.
- Do not apply if wind speed exceeds 10 mph.
- Always stand "up wind" when applying this product.
- Not for use on plants being grown for sale or other commercial use.

INSECTS CONTROLLED

Aphids (including Green Peach, Woolly, Melon, and Cotton), Army Worms (including Fall Army Worm, and Southern Army Worm), Banded Grape Bug, Beetles (including Bean Leaf Beetle, Colorado Potato Beetle, Flea Beetle, Japanese Beetle, Mexican Bean Beetle and Oriental Beetle), Cucumber Beetle (including Spotted, Striped and Western Striped), Bollworm, Borers (including Dogwood Borer, European Corn Borer, Peach Twig Borer and Squash Vine Borer), Budworm (including Tobacco Bud Worm), Caterpillars (including Red Humped Caterpillar, Tomato Fruitworm, and Cabbage Looper), Rose Chafer, Plum Curculio, European Chafer, European Pine Sawfly, Filbertworm, Flea Hopper, Fruit Fly (including Cherry, Black Cherry and Western Cherry), Western Grapeleaf Skeletonizer, Hickory Shuckworm, Hornworms, Katydid, Phylloxera (aerial form only), Leafhoppers (including Glassy Wing Sharpshooter and Potato Leafhopper), Leaf Miners (including Chrysanthemum, Citrus, and Tentiform), Lesser Apple Worm, Apple Maggot, Mealybugs (including Citrus, Grape, Obscure, Longtail, Pink Hibiscus, and Maderia), Melonworm, Moths (including Codling, Diamondback Moth, Gypsy Moths and Oriental Fruit Moth), Navel Orangeworm, Pecan Nut Casebearer, Pickleworm, Plantbugs (including Tarnished, and Mullein Plant Bug), Psyllids, European Apple Sawfly, Scale (including Asian Cycad Scale, Caribbean Black

Scale, California Red Scale, Citricola Scale, Cottony Maple Scale, Euonymus Scale, Fletcher Scale, Florida Wax Scale, Green Shield Scale, Indian Wax Scale, Oyster Shell Scale, Pine Needle Scale, Red Scale, San Jose Scale and Tea Scale), Squash Bug, Stinkbug, Swede Midge, Thrips (including Citrus, Cotton, Palm, and Western Flower), Weevils (including Pecan Weevil, Pepper Weevil and Strawberry Weevil), Whiteflies (including Greenhouse, Sweet Potato, Silverleaf, Banded and Giant).

	Days to Wait to Harvest	Days to Wait to Reapply	Max Applications per season
Flowers, Ornamental Plants and Houseplants	N/A	7	5

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage	Store unused product in a cool, ventilated, dry, locked area. Do not allow prolonged storage in areas where temperatures frequently exceed 115° F (46° C). NEVER TRANSFER THIS PRODUCT TO ANOTHER CONTAINER FOR STORAGE.
Pesticide Container Disposal	If empty: Non-refillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

CAUTION

HAZARDS TO HUMANS (& DOMESTIC ANIMALS)

Harmful if inhaled or absorbed through the skin. Avoid breathing vapors or spray mist. Avoid contact with eyes, skin or clothing. Users of this product must wear long-sleeved shirt, long pants, shoes and socks. Keep out of reach of children and domestic animals. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off treatment area. This pesticide is toxic to wildlife. This product is toxic to bees exposed to direct treatment. Do not apply this product while bees are visiting the treated area.

FIRST AID

If Swallowed:	<ul style="list-style-type: none">• Immediately call a poison control center or doctor for treatment advice.• Do not induce vomiting unless told to do so by a poison control center or doctor.• Have person sip a glass of water if able to swallow.• Do not give anything by mouth to an unconscious person.
If in Eyes:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.• Call a poison control center or doctor for treatment advice.
If on Skin or Clothing:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
If Inhaled:	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.• Call a poison control center or doctor for further treatment advice.

For MEDICAL emergencies, Call 24 Hours a Day 1-800-225-2883
Have the product container or label with you when calling a poison control center or doctor or going for treatment.

NOTE TO PHYSICIAN: There is no specific antidote. All treatments should be based on observed signs and symptoms of distress in the patient. Overexposure to other materials other than this product may have occurred.

WARRANTY

To the extent consistent with applicable law, buyer assumes all responsibility for safety and use, not in accordance with directions.

THE ORTHO® GUARANTEE: If for any reason you, the consumer, are not satisfied with this product, mail us your original proof of purchase to obtain a full refund of your purchase price.

4

Insecticida para Rosas y Flores de ORTHO®

Listo para usar

MODO DE EMPLEO

Se considera una violación a la ley federal usar este producto con otros fines que los indicados en la etiqueta.

Agite el envase con cuidado antes de usar.

Cómo Aplicar	<ul style="list-style-type: none">• Ajuste la boquilla del rociador para producir un rociado fino.• Mantenga el rociador a una distancia de 20 a 30 cm de la planta que desea tratar.• Rocíe directamente la parte superior e inferior de las superficies de las hojas y los tallos que contengan plagas.• Rocíe hasta que la superficie de la planta esté húmeda.
Cuándo Aplicar	Aplique el producto a las plantas para interiores y exteriores tan pronto como detecte los problemas de insectos.

RESTRICCIONES

- Únicamente para uso residencial en interiores y exteriores.
- No aplique este producto de forma que entre en contacto con otras personas, ya sea directamente o a través de la desviación del producto.
- Mantenga a los niños y a las mascotas alejados de las áreas tratadas hasta que el rociado se haya secado completamente.
- No aplique si la velocidad del viento es mayor que 16 km/h (10 millas/h).
- Siempre aplique el producto en la dirección del viento.
- No debe utilizarse en plantas que se cultivan para la venta o para otro uso comercial.

INSECTOS QUE CONTROLA

Áfidos (incluido el áfido verde del duraznero, el áfido lanudo, el áfido del melón, el áfido del algodón), gusanos militares (incluido el gusano militar del otoño y el gusano militar del sur), chinche de la uva, escarabajos (incluido el escarabajo de la hoja del frijol, escarabajo de la patata, escarabajo pulga, escarabajo japonés, escarabajo del frijol mexicano y escarabajo oriental), escarabajos del pepino (inclusive con manchas, rayas y con rayas occidental), larvas, barrenadoras (incluida la barrenadora del cuerno, la barrenadora del maíz europeo, la minadora del duraznero y la barrenadora de la calabaza), gusanos del abeto (incluido el gusano del tabaco), orugas (incluida la oruga roja, la oruga del tomate y el gusano falso medidor), escarabajos de la rosa, picudos de la ciruela, escarabajos europeos, moscas de los pinos, gusanos de la avellana, salta pulgas, mosca de la fruta (inclusive de la cereza, de la

5

guinda y de la cereza occidental), descarnadores de la hoja, gusano barrenador del ruzno, gusanos de cuerno, grillos de matorral, filoxeras (sólo en su forma aérea), saltahojas (incluida la chicharrita de las alas cristalinas y el saltahoja cotorrita), minadores de las hojas (incluido el minador del crisantemo, de los cítricos y punteado), gusanos pequeños de la manzana, cresas de la manzana, cochinillas (inclusive de los cítricos, de la uva, oscura, de colalarga, del hibisco rosado y de la madera), gusanos del melón, polillas (incluida la carpocapsa, la polilla dorso de diamante, la polilla gitana y la polilla oriental de la fruta), gusanos naranja de ombligo, gusano barrenador de la nuez, gusano barrenador del fruto, insectos de planta (incluida la chinche lygus y la chinche campiloma), silidos, hoplocampas del manzano europeo, cocoideos (incluida la escama de las cicadas asiáticas, la escama negra del Caribe, la cochinilla roja californiana, la escama citricola, la escama algodonosa del arce, la escama del evónimo, la escama flechera, la cochinilla cerosa de Florida, la escama de escudo verde, la cochinilla cerosa de la India, la escama del carapacho de ostra, la escama de la aguja del pino, la escama roja, la escama de San José y la escama del té), chinches de la calabaza, chinches hediondas, mosquitos de las agallas, tripsidos (incluidos los citricolas, de algodón, de palmera y de flores occidentales), gorgojos (incluido el gorgojo de la pacana, el gorgojo de la pimienta y el gorgojo de la fresa), moscas blancas (inclusive de invernadero, de batata, de cenizo, de bandas y gigante).

	Días de Espera Hasta la Cosecha	Días de Espera Hasta una Nueva Aplicación	Aplicaciones Máximas por Estación
Flores, Plantas Ornamentales y Plantas de Interior	N/A	7	5

ALMACENAMIENTO Y ELIMINACION

No contamine agua, alimentos o forraje durante el almacenamiento y la eliminación del producto.

Almacenamiento del Pesticida	Almacene el producto sin usar en un lugar fresco, ventilado, seco y con llave. No almacene por mucho tiempo en lugares donde la temperatura sea frecuentemente mayor a 46° C. NUNCA TRANSFIERA ESTE PRODUCTO A OTRO RECIPIENTE PARA SU ALMACENAMIENTO.
Eliminación del Envase del Pesticida	Si está vacío: Envase no recargable. No vuelva a utilizar o llenar este envase. Colóquelo en la basura o recíclolo, si corresponde. Si está parcialmente lleno: Llame a su agencia de desechos sólidos local para obtener instrucciones sobre cómo eliminar el producto. Nunca tire el producto restante por un drenaje interno ni externo.

AVISOS DE PRECAUCION

PRECAUCION

RIESGOS PARA SERES HUMANOS (Y ANIMALES DOMESTICOS)

Este producto es nocivo si se inhala o se absorbe por la piel. Evite inhalar las emanaciones o vapores del rociado. Evite el contacto con la piel, los ojos o la ropa. Al utilizar este producto debe usar camisa de mangas largas, pantalones largos, calcetines y zapatos. Mantenga fuera del alcance de los niños y los animales domésticos. Lávese bien con agua y jabón después de manipular el producto. Debe quitarse y lavar la ropa contaminada antes de volver a usarla.

RIESGOS AMBIENTALES

Para proteger el medio ambiente, no permita que el pesticida ingrese o discurra a desagües del tormenta, zanjas de drenaje, canalones o aguas superficiales. La aplicación de este producto en un clima tranquilo, cuando no se pronostica lluvia para las próximas 24 horas, asegurará que el viento o la lluvia no soplen o laven el pesticida del área de tratamiento. Este pesticida es tóxico para animales y plantas silvestres. Este producto es tóxico para las abejas expuestas al tratamiento de manera directa. No aplique este producto mientras las abejas estén visitando activamente el área tratada.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage Store unused product in a cool, ventilated, dry, locked area. Do not allow prolonged storage in areas where temperatures frequently exceed 115°F (46°C). NEVER TRANSFER THIS PRODUCT TO ANOTHER CONTAINER FOR STORAGE.

Pesticide Container Disposal **If empty:** Non-refillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.
If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

CAUTION

HAZARDS TO HUMANS (& DOMESTIC ANIMALS)

Harmful if inhaled or absorbed through the skin. Avoid breathing vapors or spray mist. Avoid contact with eyes, skin or clothing. Users of this product must wear long-sleeved shirt, long pants, shoes and socks. Keep out of reach of children and domestic animals. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off treatment area. This pesticide is toxic to wildlife. This product is toxic to bees exposed to direct treatment. Do not apply this product while bees are visiting the treated area.


FIRST AID

If Swallowed:	<ul style="list-style-type: none">• Immediately call a poison control center or doctor for treatment advice.• Do not induce vomiting unless told to do so by a poison control center or doctor.• Have person sip a glass of water if able to swallow.• Do not give anything by mouth to an unconscious person.
If in Eyes:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.• Call a poison control center or doctor for treatment advice.
If on Skin or Clothing:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
If Inhaled:	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.• Call a poison control center or doctor for further treatment advice.

For MEDICAL emergencies, Call 24 Hours a Day 1-800-225-2883

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

NOT TO PHYSICIAN: There is no specific antidote. All treatments should be based on observed signs and symptoms of distress in the patient. Overexposure to other materials other than this product may have occurred.

 **Questions, Comments or Medical Information**
Preguntas, comentarios o información médica
1-800-225-2883

Sold by The ORTHO Group, P.O. Box 190, Marysville, OH 43040

Product of Japan

©2012 The ORTHO Group.

World rights reserved.

EPA Reg. No. 8033-21-239

EPA Est. No. 239-1A-31, 239-MS-001M,

58996-MO-1A, 085652-OH-1W

Superscript is first letter of lot number.

PRESS TO RESEAL

PRESIONE PARA VOLVER A CERRAR