

54824

NEW DW  
JUL 14 2010  
DATE REVIEWER

500

FOR FLOWERS, FRUITS  
AND VEGETABLES

L0273656000

2.15625

OR 67702-1-239  
SEP 00 2010

3.3125"



ORTHO®

elementals™

GARDEN DISEASE CONTROL

Control de Enfermedades del Jardín

Use to control a wide range of listed plant diseases\*

Úselo para controlar una amplia variedad de enfermedades en las plantas

For organic gardening

Para jardinería orgánica



OMRI™  
Listed  
Organic Materials Review Institute

ACTIVE INGREDIENT	
Copper Octanoate (Copper Soap)	.08%
OTHER INGREDIENTS	99.92%
Total	100.00%
Metallic Copper Equivalent	0.017%

KEEP OUT OF REACH OF CHILDREN

CAUTION See back booklet label for additional first aid.

MANTENER FUERA DEL ALCANCE DE LOS NIÑOS

PRECAUCION Consulte los primeros auxilios adicionales en la parte posterior.

NET CONTENTS / CONTENIDO NETO 24 FL. OZ. (709 mL)

3.875"

3.3125"

**ALMACENAMIENTO Y ELIMINACION**

**ALMACENAMIENTO DEL PESTICIDA:** Almacene este producto en su envase original y manténgalo en un área de almacenamiento segura, fuera del alcance de los niños y animales domésticos. Almacene en un lugar seguro, alejado del fuego abierto o llamas. Mantenga el envase cerrado y vuelva a sellarlo después de usarlo. El producto puede dañarse si se congela. No almacene el producto a una temperatura inferior a 4° C (40° F). En caso de derrame, use materiales absorbentes y deséchelo siguiendo procedimientos aprobados.

**ELIMINACION DEL PESTICIDA Y MANEJO DEL ENVASE:** Envase no rellenable. No vuelva a usar ni rellenar este envase.

**Si está vacío:** Colóquelo en la basura o recíclolo, si corresponde.

**Si está parcialmente lleno:** Llame a su agencia de desechos sólidos local para obtener instrucciones sobre cómo eliminar el producto. Nunca tire el producto restante por un drenaje interno ni externo.

**Preguntas, comentarios o información médica**  
1-800-225-2883 [www.ortho.com](http://www.ortho.com)

**La garantía ORTHO®:** Si por algún motivo no está satisfecho con este producto, envíenos por correo el comprobante de compra para recibir el reembolso total del precio de compra.

**ORTHO**

**elementals™**  
**GARDEN DISEASE CONTROL**



- Use to control a wide range of listed plant diseases:
  - \* Powdery mildew, rusts, black spot, leaf & fruit spot, downy mildew, fruit rot, late blight
- For flowers, fruits and vegetables
- For organic gardening

peel here  
despegue aquí

Questions, Comments or Medical Information 1-800-225-2883 [www.ortho.com](http://www.ortho.com)



This container is made with a minimum of 25% recycled material.

©2010 The Ortho Group. World Rights Reserved.  
Distributed by The ORTHO Group  
P.O. Box 190, Marysville, OH 43040  
EPA Reg. 67702-1-239  
EPA Est. 58996-MO-1A, 239-1A-31,  
85652-OH-1W, 84064-1A-1P  
Superscript is first letter of lot number.

Made in the USA  
from U.S. and  
imported products.

Placement  
area for  
Data Matrix  
Code



0 71549 07455 5  
LB27330M000 .1005

3.375"

3.375"

6.75"

3.3125"

**DIRECCIONES PARA EL USO**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ AND FOLLOW ALL APPLICABLE DIRECTIONS AND PRECAUTIONS ON THIS LABEL BEFORE USING**

**APPLICATION DIRECTIONS:** Using the provided hand pump sprayer, spray all plant surfaces (top and bottom of leaves) thoroughly with ORTHO® Elementals™ Garden Disease Control. One 24 oz. bottle will treat 7.6 sq. yards (or 70 square ft.).

**To control powdery mildews,** begin treatment 2 weeks before disease normally appears. Alternatively, begin treatment when disease first appears, and repeat at 7 to 10 day intervals for as long as needed. Spray every 7 days when the amount of disease is increasing rapidly. If possible, time applications so that 12 hours of dry weather follows application.

On plants that are very susceptible to powdery mildew, such as home-greenhouse-grown cucumber, it is best to spray the plants twice a week during the first 2 weeks after emergence, and weekly thereafter. On outdoor plants, reapply after rain.

**To control downy mildews, leaf and fruit spots, blights, and rust,** begin treatment 2 weeks before disease normally appears or when weather forecasts predict a long period of wet weather. Alternatively, begin treatment when disease first appears, and repeat at 7 to 10 day intervals for as long as needed. Spray all plant parts thoroughly. Reapply following heavy rain. Apply every 7 days when the amount of disease is increasing rapidly. Sprays every 5 to 7 days should be used for preventing late blight on potatoes and tomatoes. If possible, time applications so that at least 12 hours of dry weather follows applications. **To prevent fruit rots,** spray ORTHO® Elementals™ Garden Disease Control thoroughly onto flowers and fruit. Apply at the start of flowering and continue every 7 to 10 days until harvest. Fungicidal sprays are especially warranted when weather forecasts predict a long period of wet weather. Reapply after rain.

**En caso de ingerir el producto:** Consulte a un médico o a un centro de control de envenenamientos inmediatamente para obtener asesoramiento sobre el tratamiento.

Si la persona puede tragar, haga que beba poco a poco un vaso de agua. No induzca el vómito a menos que así se lo indique un médico o un centro de control de envenenamientos. No administre nada por boca a una persona que haya perdido el conocimiento.

**En caso de inhalación:** Traslade a la persona al aire fresco. Si no respira, llame al 911 o a una ambulancia, luego realícele respiración artificial, de boca a boca, de ser posible. Llame a un centro de control de envenenamientos o a un médico para obtener más recomendaciones sobre el tratamiento. Cuando llame a un centro de control de envenenamientos o a un médico, o intente obtener tratamiento, tenga a mano el envase o la etiqueta del producto.

**MANTENER FUERA DEL ALCANCE DE LOS NIÑOS**

**AVISOS DE PRECAUCIÓN**

**RIESGOS PARA SERES HUMANOS Y ANIMALES DOMESTICOS:**

**PRECAUCION:** Nocivo si se ingiere, se inhala o entra en contacto con la piel. Lávese bien con agua y jabón después de manipular el producto.

Evite el contacto con la piel, los ojos o la ropa. Evite inhalar el vapor del rociado. Qítense y lave la ropa contaminada antes de volver a usarla.

**RIESGOS AMBIENTALES:** Este producto es tóxico para los peces y los organismos acuáticos y puede contaminar el agua a través de la desviación. No aplique directamente al agua. No contamine el agua cuando elimine el agua de lavado de los equipos.

3.3125"

3.375"

3.375"

6.75"

3.3125"

Para controlar el hongo lanoso, las manchas de las hojas y las frutas, añublos y roya: Comience el tratamiento 2 semanas antes del inicio habitual de la enfermedad o cuando el pronóstico anuncie un período de clima húmedo prolongado. O bien, comience el tratamiento cuando la enfermedad aparezca por primera vez y repita la aplicación a intervalos de 7 a 10 días durante el tiempo que sea necesario. Rocíe bien sobre todas las partes de la planta. Repita la aplicación después de una lluvia intensa. Rocíe cada 7 días si la enfermedad avanza rápidamente. Es aconsejable rociar cada 5 a 7 días para prevenir el añublo tardío en papas y tomates. Si es posible, programe las aplicaciones de manera que haya al menos 12 horas de clima seco después de la aplicación.

Para prevenir que se pudran las frutas: Rocíe el ORTHO® Elementals™ Garden Disease Control sobre todas las partes de las frutas y las flores. Aplique al comienzo de la floración y continúe con la aplicación cada 7 a 10 días hasta la cosecha. Recomendamos especialmente rociar con fungicidas cuando haya pronósticos de períodos de clima húmedo prolongados. Repita la aplicación después de la lluvia.

**PRIMEROS AUXILIOS**

Si el producto entra en contacto con los ojos: Mantenga los ojos abiertos y enjuague con agua lentamente, con cuidado, durante 15 a 20 minutos. Si usa lentes de contacto, retírelos después de los primeros 5 minutos, luego continúe enjuagando los ojos. Consulte a un médico o a un centro de control de envenenamientos para obtener asesoramiento sobre el tratamiento.

Si entra en contacto con la piel o la ropa: Quitese la ropa contaminada. Lave inmediatamente la piel con bastante agua entre 15 y 20 minutos. Consulte a un médico, o a un centro de control de envenenamientos inmediatamente para obtener asesoramiento sobre el tratamiento.

**FIRST AID**

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**If swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting, unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**If inhaled:** Move person to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

**KEEP OUT OF REACH OF CHILDREN**

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS & DOMESTIC ANIMALS:**

**CAUTION:** Harmful if swallowed, absorbed through skin or inhaled. Wash thoroughly with soap and water after handling. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist. Remove contaminated clothing and wash clothing before reuse.

3.375"

3.375"

6.75"

3.3125"

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish and aquatic organisms and may contaminate water through runoff. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

**STORAGE AND DISPOSAL**

**PESTICIDE STORAGE:** Store this product in its original container and keep in a secure storage area out of reach of children and domestic animals. Store in a secure place, away from open fire or flame. Keep container closed and reseal after use. Product may be damaged by freezing. Do not store product below 40° F (4° C). If spilled, use absorbent materials and dispose of in an approved manner.

**PESTICIDE DISPOSAL AND CONTAINER HANDLING:** Non-refillable container. Do not reuse or refill this container.

**If empty:** Place in trash or offer for recycling if available.

**If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**Questions, Comments or Medical Information**

1-800-225-2883 www.ortho.com

**The ORTHO® Guarantee:** If for any reason you are not satisfied with this product, mail us proof of purchase to obtain a full refund of your purchase price.

**EL ORTHO® Elementals™  
Garden Disease Control  
(Control de Enfermedades del Jardín)**

• Úselo para controlar una amplia variedad de enfermedades de las plantas: \*hongo polvoroso, roya, manchas negras, manchas de hojas y frutas, hongo lanoso, pudrición de frutas, añublo tardío. • Para flores, frutas y vegetales. • Para jardinería orgánica.

**INSTRUCCIONES DE USO**

Se considera una violación a la ley federal usar este producto con otros fines que los indicados en la etiqueta.

**ANTES DE USAR EL PRODUCTO, LEA Y SIGA TODAS LAS INSTRUCCIONES Y LAS PRECAUCIONES CORRESPONDIENTES INCLUIDAS EN ESTA ETIQUETA.**

**INSTRUCCIONES PARA LA APLICACION:** Use el rociador de bomba de mano provisto para rociar bien las superficies de las plantas (parte superior e inferior de las hojas) con el ORTHO® Elementals™ Garden Disease Control (Control de Enfermedades del Jardín). Una botella de 710 ml tratará 6 metros cuadrados.

**Para controlar hongo polvoroso:** Comience el tratamiento 2 semanas antes del inicio habitual de la enfermedad. O bien, comience el tratamiento cuando la enfermedad aparezca por primera vez y repita la aplicación a intervalos de 7 a 10 días durante el tiempo que sea necesario. Rocíe cada 7 días si la enfermedad avanza rápidamente. Si es posible, programe las aplicaciones de manera que haya 12 horas de clima seco después de la aplicación. En las plantas que son muy sensibles al hongo polvoroso, como el pepino cultivado en invernaderos domésticos, es mejor rociar las plantas dos veces por semana durante las dos primeras semanas después de la aparición y una vez por semana de allí en adelante. En las plantas exteriores, repita la aplicación después de lluvia.

3.375"

3.375"

6.75"

# Base

3.3125"

## FIRST AID

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**If swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**If inhaled:** Move person to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

## KEEP OUT OF REACH OF CHILDREN

### PRECAUTIONARY STATEMENTS

**HAZARDS TO HUMANS & DOMESTIC ANIMALS: CAUTION:** Harmful if swallowed, absorbed through skin or inhaled. Wash thoroughly with soap and water after handling. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist. Remove contaminated clothing and wash clothing before reuse.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish and aquatic organisms and may contaminate water through runoff. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

### STORAGE AND DISPOSAL

**PESTICIDE STORAGE:** Store this product in its original container and keep in a secure storage area out of reach of children and domestic animals. Store in a secure place, away from open fire or flame. Keep container closed and resealed after use. Product may be damaged by freezing. Do not store product below 40° F (4° C). If spilled, use absorbent materials and dispose of in an approved manner.

**PESTICIDE DISPOSAL AND CONTAINER HANDLING:** Non-refillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Questions, Comments, Medical Information 1-800-225-2865 www.ortho.com

©2010 The Ortho Group. World Rights Reserved.

Distributed by The ORTHO Group, P.O. Box 190, Marysville, OH 43040

EPA Reg. No. 67702-1-239 EPA Est. 58996-MO-1A, 239-1A-31

85652-OH-1W, 84064-1A-1P Superscript is first letter of lot number.

Made in the USA from U.S. and imported products. LB27330M000 Manufactured under a license of W. Neudorff GmbH KG



3.875"