

42AG-8

KILLS RATS & HOUSE MICE



MOTOMCO FARM & HOME® WITH



CAN BE USED HORIZONTALLY OR VERTICALLY

CAN BE USED IN A VARIETY OF LOCATIONS

1 PREFILLED, DISPOSABLE BAIT STATION



RAT KILLER

This Bait Station is Resistant to Weather and to Tampering by Children and Dogs. For Use Indoors and Outdoors.



BEHIND APPLIANCES



IN CORNERS



GARAGES



BASEMENTS



ATTICS



EXTERIOR OF HOMES

Must adhere to the USE RESTRICTIONS in the DIRECTIONS FOR USE section of this label.

- For Use Indoors and Outdoors
- Contains One Bait Station Prefilled with 4oz. Block Bait



U.S. Patent No. 9,532,564
*Based on no-choice laboratory testing

KID & DOG RESISTANT STATION



MADE IN USA

KEEP OUT OF REACH OF CHILDREN
CAUTION

ACTIVE INGREDIENT:
Bromethalin (CAS #63333-95-7): 0.01%
OTHER INGREDIENTS*: 99.99%
TOTAL 100.00%
*Contains Denatonium Benzoate
See back panel for First Aid, additional
Precautionary Statements, and Directions for Use.

NET WT.
4 oz
4 oz x 1 Bait
Station (11.3g)

KILLS RATS & HOUSE MICE




HORIZONTAL



VERTICAL

SEE-THRU LID FOR EASY BAIT MONITORING



DISPOSABLE



KILLS RATS & HOUSE MICE

FIRST AID
HAVE LABEL WHEN OBTAINING TREATMENT ADVICE

If Swallowed:

- Call a poison control center, doctor, or 1-877-854-2494 immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.

If on Skin:

- Wash with plenty of soap and water.

TREATMENT FOR PET POISONING
If an animal eats this bait, call a veterinarian, or 1-877-854-2494 at once.

NOTE TO PHYSICIAN OR VETERINARIAN
Contains the nerve poison bromethalin. This product is not an anticoagulant type rodenticide. For humans or animals ingesting bait and/or showing poisoning signs (such as muscle tremors, loss of hind limb use, or seizures for animals), limit absorption by other emesis or gastric lavage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.

PRECAUTIONARY STATEMENTS
Hazards to Humans And Domestic Animals
CAUTION: Harmful if swallowed. Keep away from children, domestic animals and pets. Any person who releases carcasses or unused bait following application of this product must wear waterproof gloves.

USER SAFETY REQUIREMENTS: As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco, or using the toilet.

ENVIRONMENTAL HAZARDS
This product is extremely toxic to fish, birds and other wildlife. Dogs, cats and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water.

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **READ THIS LABEL:** Read this entire label and follow all use directions and use precautions. Use only for the sites, pests and application methods described on this label.

USE RESTRICTIONS:
This bait station may be used in areas accessible to children and pets, consistent with all use restrictions and other requirements indicated on this label. Do not apply further than 50 feet from home or building.

For control only of rats and house mice, TOMCAT® RAT KILLER must be used in and around buildings consistent with all use restrictions and other requirements indicated on this label. Do not place this bait station in any area where there is a possibility of contaminating food or surfaces that come into direct contact with food.

SELECTION OF TREATMENT AREAS:
Optimal areas where rats and/or house mice will most likely find and consume the bait. Generally, these areas are beside burrows, along walls, by gressed openings, in corners and concealed places.

APPLICATION DIRECTIONS:
Place the bait station, horizontally or vertically at point of highest activity beside burrows, along a wall, or in corners where rats and/or mice or their signs have been seen. If additional units are to be used, place bait station at 15- to 30- foot intervals. Maintain an uninterrupted supply of fresh bait for at least 10 days or until signs of rat and/or mouse activity cease in infested areas. While wearing waterproof gloves, remove bait station if bait has been consumed or contaminated. Replace bait stations if contents are consumed or contaminated.

Follow-up:
Wearing waterproof gloves, collect and properly dispose of any leftover bait or carcasses. To discourage reinfestation, eliminate food, water and harborage as much as possible. If reinfestation does occur, repeat treatment.

STORAGE AND DISPOSAL
Do not contaminate water, food or feed by storage or disposal.
Pesticide Storage: Store only in original container in a cool, dry place inaccessible to children and pets.
Pesticide Disposal and Container Handling: Nonrefillable Container. Do not reuse or refill container except as described in the Directions For Use.
If Empty: Place in trash or offer for recycling if available.
If Partly Filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

WARRANTY: To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Available Exclusively from:
MOTOMCO 3699 Kinman Blvd.
Madison, WI 53704 U.S.A.
www.motomco.com
MADE IN USA
The World Leader In Rodent Control Technology®

0421003-01





RAT KILLER

CAN BE USED
HORIZONTALLY OR VERTICALLY



HORIZONTAL



VERTICAL

SEE-THRU LID FOR
EASY BAIT MONITORING



DISPOSABLE



KILLS RATS & HOUSE MICE

MOTOMCO FARM & HOME®

1 PREFILLED,
DISPOSABLE
BAIT STATION

WITH
EACH 4 oz BLOCK
KILLS
up to
10 RATS*
BROMETHALIN



RAT KILLER

This Bait Station is Resistant to Weather and to Tampering by Children and Dogs. For Use Indoors and Outdoors.

- For Use Indoors and Outdoors
- Contains One Bait Station Prefilled with 4oz. Block Bait



KID & DOG
RESISTANT STATION



MADE IN USA

U.S. Patent No. 9,532,564

*Based on no-choice laboratory testing

KEEP OUT OF REACH OF CHILDREN CAUTION

EPA REG. NO. 12455-122-3240
EPA EST. NOs. 12455-WI-1K, 12455-WI-2P, 12455-WI-3W
Superscript is first letter of the lot number.

ACTIVE INGREDIENT:
Bromethalin (CAS #63333-35-7): 0.01%
OTHER INGREDIENTS:99.99%
TOTAL 100.00%

*Contains Denatonium Benzoate
See back panel for First Aid, additional
Precautionary Statements, and Directions for Use.

NET WT.
4 oz
4 oz x 1 Bait
Station (113g)



RAT KILLER

CAN BE USED IN A
VARIETY OF LOCATIONS



BEHIND APPLIANCES



IN CORNERS



GARAGES



BASEMENTS



ATTICS



EXTERIOR OF HOMES

Must adhere to the **USE RESTRICTIONS** in the **DIRECTIONS FOR USE** section of this label.

KILLS RATS & HOUSE MICE



RAT KILLER

FIRST AID HAVE LABEL WHEN OBTAINING TREATMENT ADVICE	
If Swallowed:	<ul style="list-style-type: none"> • Call a poison control center, doctor, or 1-877-854-2494 immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor.
If on Skin:	<ul style="list-style-type: none"> • Wash with plenty of soap and water.
TREATMENT FOR PET POISONING	
If an animal eats this bait, call a veterinarian, or 1-877-854-2494 at once.	
NOTE TO PHYSICIAN OR VETERINARIAN	
Contains the nerve poison bromethalin. This product is not an anticoagulant type rodenticide. For humans or animals ingesting bait and/or showing poisoning signs (such as muscle tremors, loss of hind limb use, or seizures for animals), limit absorption by either emesis or gastric lavage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.	

PRECAUTIONARY STATEMENTS

Hazards To Humans And Domestic Animals

CAUTION: Harmful if swallowed. Keep away from children, domestic animals and pets. Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves.

USER SAFETY REQUIREMENTS: As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco, or using the toilet.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish, birds and other wildlife. Dogs, cats and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **READ THIS LABEL:** Read this entire label and follow all use directions and use precautions. Use only for the sites, pests and application methods described on this label.

USE RESTRICTIONS:

This bait station may be used in areas accessible to children and pets, consistent with all use restrictions and other requirements indicated on this label. Do not apply further than 50 feet from home or building.

For control only of rats and house mice. TOMCAT® RAT KILLER must be used in and around buildings consistent with all use restrictions and other requirements indicated on this label. Do not place this bait station in any area where there is a possibility of contaminating food or surfaces that come into direct contact with food.

SELECTION OF TREATMENT AREAS:

Determine areas where rats and/or house mice will most likely find and consume the bait. Generally, these areas are beside burrows, along walls, by gnawed openings, in corners and concealed places.

APPLICATION DIRECTIONS:

Place the bait station, horizontally or vertically, at point of highest activity beside burrows, along a wall, or in corners where rats and/or mice or their signs have been seen. If additional units are to be used, place bait station at 15- to 30- foot intervals. Maintain an uninterrupted supply of fresh bait for at least 10 days or until signs of rat and/or mouse activity cease in infested areas. While wearing waterproof gloves, remove bait station if bait has been consumed or contaminated. Replace bait stations if contents are consumed or contaminated.

Follow-up:

Wearing waterproof gloves, collect and properly dispose of any leftover bait or carcasses. To discourage reinfestation, eliminate food, water and harborage as much as possible. If reinfestation does occur, repeat treatment.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store only in original container in a cool, dry place inaccessible to children and pets.

Pesticide Disposal and Container Handling: Nonrefillable Container. Do not reuse or refill container except as described in the Directions For Use.

If Empty: Place in trash or offer for recycling if available.

If Partly Filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

WARRANTY: To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Available Exclusively from:


MOTOMCO

3699 Kinsman Blvd.
Madison, WI 53704 U.S.A.
www.motomco.com
MADE IN USA

The World Leader In Rodent Control Technology®

042120/03-20

***KILLS RATS
&
HOUSE MICE***



0 48745 22880 8

TOMCAT[®] RAT KILLER

This Bait Station is Resistant to Weather and to Tampering by Children and Dogs. For Use Indoors and Outdoors.

ACTIVE INGREDIENT: Bromethalin (CAS #63333-35-7): . . . 0.01%
OTHER INGREDIENTS†: 99.99%
†Contains Denatonium Benzoate **TOTAL 100.00%**

EPA REG. NO. 12455-122-3240

EPA EST. NOS. 12455-WI-1^k, 12455-WI-2^p, 12455-WI-3^w

Superscript is first letter of the lot number.

KEEP OUT OF REACH OF CHILDREN CAUTION

DO NOT ALLOW CHILDREN OR PETS TO PLAY WITH THE BAIT STATION

NET WEIGHT: 4 oz (113 g)

If swallowed, call a poison control center, doctor, or 1-877-854-2494.

See Outer Packaging Label for First Aid, additional
Precautionary Statements, and Directions for Use.

6232-3

U.S. PATENT NO. 9,532,564
MODEL NO. RD1