

Low Temp Dishmachine Sanitizer

Liquid Sanitizer

D

ACTIVE INGREDIENT:
Sodium Hypochlorite 8.4%

OTHER INGREDIENTS: 91.6%


TOTAL..... 100.0%

(provides a minimum available chlorine of 8%)

**KEEP OUT OF REACH OF CHILDREN
DANGER**

Product No.
8000016
Net Contents: 5 U.S. gal/18.9 L

FIRST AID
IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF SWALLOWED: Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
FOR EMERGENCY MEDICAL INFORMATION IN USA OR CANADA, CALL: 1-800-328-0026.
FOR EMERGENCY MEDICAL INFORMATION WORLDWIDE, CALL: 1-651-222-5352 (IN THE USA). Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.



FOR INDUSTRIAL USE

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: CORROSIVE. Causes severe skin and eye irritation or chemical burns to broken skin. Causes eye damage. Wear rubber gloves, chemical goggles and protective clothing. Wash after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS

STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces, etc.) will release chlorine gas which is irritating to eyes, lungs and mucous membranes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

NOTE: This product degrades with age. Use a chlorine test kit and increase dosage, as necessary, to obtain the required level of available chlorine.

TABLEWARE SANITIZER AND DESTAINER FOR MECHANICAL SPRAY WAREWASHING MACHINES

For sanitizing tableware in low-temperature warewashing machines, inject *Low Temp Dishmachine Sanitizer* into the final rinse water at concentration of 100 ppm available chlorine. Do not exceed 200 ppm. Air dry. To ensure that available chlorine concentration does not fall below 50 ppm, periodically test the rinse solution with a suitable test kit and adjust the dispensing rate accordingly. Consult your local PureForce Sales Service Route Manager for technical assistance and further information on sanitizing tableware in warewashing machines.

FORMULATED FOR USE WITH PUREFORCE AUTOMATIC DISPENSING SYSTEMS.
DO NOT USE ON SILVER AND SILVER PLATE.

For questions or comments,
call 1-866-444-7450
www.pureforcesvc.com

Distributed by:
PureForce
370 Wabasha Street North
St. Paul, MN 55102

© 2010 PureForce
All Rights Reserved
Made in U.S.A.
749243/7100/0410

DO NOT MIX WITH ANYTHING BUT WATER.

AVAILABLE CHLORINE TABLE OF PROPORTIONS
100 ppm - 2 oz. in 13 gal. water/1 oz. in 6.5 gal. water
200 ppm - 4 oz. in 13 gal. water/2 oz. in 6.5 gal. water

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL

PESTICIDE STORAGE: Store unmixed concentrates in a cool, dark, dry place in the original containers. Always replace covers. In case of spill, flood the area with large quantities of water.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Offer for recycling, if available, or discard in trash.


EPA Reg. No. 1677-52-541

EPA Est. No. 1677-IL-2 (J), 1677-TX-1 (D), 1677-GA-1 (M), 1677-CA-1 (S), 1677-MN-1 (P), 70271-CA-2 (A), 1677-CA-2 (R), 303-IN-1 (L), 1677-WV-1 (V).

Superscript refers to first letter of date code



Hypochlorite Solution,
UN1791



PRECAUTION

PRECAUCIONES



Children can fall into bucket and drown.
Keep children away from bucket with even a small amount of water.

Los niños pueden caerse dentro del balde y ahogarse.
Mantenga a los niños alejados de los baldes aún cuando solamente tengan un poco de líquido.