Coverage

Estimate 150 to 300 sq. ft. per gallon for brush coat or 5 to 10 gallons per 1000 board feet for dipping dimensional lumber. Recommended for

COPPER-GREEN® Brown Wood Preservative is an easy to use wood preservative for above ground, ground contact and below ground contact and below ground uses: e.g. window sills, trellises, greenhouse benches, foundations, sills, planter boxes, fence posts, lawn furniture, and decise. For use wherever wood meets soil or water. Must not be applied to food or feed contact surfaces.

THIS WILL TURN WOOD BROWN. Use wherever wood meets water or soil. Seals wood - kills termites & wood-eating insects. Prevents deterioration caused by: Termites, Rot & Decay, Fungus & Mold (Previene la deterioración causada por: Termitas, Putrefacción y Decalmiento, Hongo y Molo). Full Strength - No thinning - No Diluting. FOR EXTENIOR USE ONLY. Application of this product may produce a strong, lingering, unpleasant odor. Wood to be protected against subternanean termites must be treated before use in construction. Termites will not attack wood treated with COPPER-GREEN® Brown Wood Praenvative

Directions for Use: It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Wood to be treated must be dry and well seasoned before treatment with COPPER-GREEN® Brown Wood Preservative. Lumber and wood products must be dip treated for at least 3 minutes per inch trickness. If dipping is not possible, treat with several flowing ceats by spray. The more COPPER-GREEN® Brown Wood Preservative absorbs, the better it will be protected. Do not try to extend the coverage.

Fence posts and heavy timbers must be free from bark, dry and well seasoned and must be immersed in COPPER-GREEN® Brown Wood Preservative for 12-48 hours to give effective control for wood destroying pests.

Apply prior to use in construction. Ends or edges cut or bored after initial treatment must be sprayed with COPPER-GREEN® Brown Wood Preservative. Do not install treated articles until thoroughly dry.

Use one coat on materials to be finished with paint. If no finish is to be used, apply two liberal coats within the hour. Thoroughly cover the ends. The more preservative absorbed into the wood, the longer and more effective the protection.

The copper fungicide gives a brown cast to COPPER-GREEN® Brown Wood Preservative. This product is not intended for use as a stain. The brown color will fade within a few months when exposed to sunlight. Oil or Alkyd stains or paints can be applied over COPPER-GREEN® Brown Wood Preservative after thorough drying (about 48 hours), but the brown may bleed through lighter colors.

This product is supplied at proper application consistency and is to be applied without thinning or dituting under normal environmental and application conditions. Brushes and other application equipment may be cleaned with paint thinner (mineral spirits).

GREEN PRODUCTS CO. 810 Market Avenue • Richmend, CA 94801-1325 (510) 235-9667 EPA Establishment No. 68591-CA-01 EPA RES. Mo. 88591-1

NOTICE: Green Products Co. liability under any expressed or implied warranty is limited solely to replacement of Green Products Co. products proved defective and does NOT include labor or other consequential damages. We assume no liability for damages. The suitability of the product for any intended use is solely up to the user.





Precautionary Statements Hazards to humans and domestic animals

WARNING: May be fatal if swallowed. Causes eye and elkin britation. Do not get in eyes, on skin or on clothing. Do not breath vapor or spray mist. Wear a mask or pesticide respirator jointly approved by the Mine Safety and Health Administration and the National Institute for Occupational Safety and Health. Wash thoroughly with soap and water after handling and before eating. Remove contaminated clothing and wesh clothing before reusa. Biender/spray operators must wear organic vapor respirators while applying naphthenate salts to non-pressure treated wood. Do not use in airless sprayers.

	FIRST AID
F IN EYER:	Held upo open and rham alonly and gently with valer for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, the continue rising. Call a Poten Cattled Center or doctor for treatment addes.
IF ON SICH On CLOTHENS:	Take off conteminated circling. Rines alth immediately with plurity of water for 15-20 minutes. Call a Poleon Carded Carder or doctor for treatment advice.
F SWALLOWED:	Call a Palson Control Counter or doctor immediately for treatment statics. So not induce voniting unless told to do so by a Poleon Control Counter or doctor. Do not give any Rigad to this pareon. Do not give any Rigad by manufact to an unconnections pareon.
F BOWALED:	More person to fresh siz: If person is not breaking, call 911 or an ambulance, then give artificial recoinston, prohenible mouth-to-mouth if possible. Call a histon Control Contra or doctor immediately for treatment article.

Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment. In case of medical questions, emergencies or accidents involving this product call INFOTTAC at (800) 535-5053

HOTE TO PHYSICIAN

Contains petroleum distillates - vomiting may cause aspiration pneumonis

Environmental Hazards

This product is took to aquatic invertebrates, strimps, and cysters/clams. Do not discharge effluent containing this product into lakes, streams, ponds, estuarles, cosans, or other waters unless in accordance with the requirements of a national Pollution Discharge Elimination System (NPDES) permit and permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidence contact your State Water Board or Regional Office of the EPA. Wood treated with Copper-Green® Brown Wood Preservative shall not be used in the construction of beehives.

Physical or Chemical Hazards

Do not use, pour, spill or store near heat or open flame. Use only with adequate ventilation. Close container when not in use.

Storage and Disposal

Storage: Store in a secure, well ventilated area, protected from extreme temperatures. If the product has been spilled or is leaking, remove the source of the spill or leak. Recover free liquid. Spread absorbent, then pick up and place in containers. Then, where applicable, wash area with detergent and water. Store product in the original container only. Do not contaminate water, food or feed by storage or disposal. Keep container closed when not in use.

Pesticide Disposal: Pesticide wastes are toxic. Improper disposal of excess pesticides, spray moture, or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

Container Disposal: Nonrefillable container. Securely wrap original container in several layers of newspaper and discard in trash. Do not reuse container. Rinse thoroughly before discarding in trash.

This Product Will Turn Wood Brown