


new 2-3-11 48

# GREENVIEW®

## BROADLEAF WEED CONTROL

### PLUS LAWN FOOD



Enhanced Efficiency Fertilizer

**GREENSMART**  
For a Green Lawn

Helps lawns retain water to  
**protect against heat & drought**

Speeds root growth to  
**improve nutrient absorption**

Feeds your lawn up to 12 weeks


Apply when weeds are  
growing in spring or early fall



For more information, visit [www.greenviewfertilizer.com](http://www.greenviewfertilizer.com)

**Kills Over  
250 Weeds**

Enhanced Efficiency Fertilizer



**GREENSMART**  
For a Green Lawn

**GREENVIEW**  
**BROADLEAF WEED CONTROL**  
**PLUS LAWN FOOD**

**NET WEIGHT 13 lbs. (5.9 kg)**  
**Covers 5,000 sq. ft.**

<b>ACTIVE INGREDIENTS:</b>	
2,4-D, dimethyl ester	1.00%
Metoprotosol	0.07%
Diuron	0.07%
<b>OTHER INGREDIENTS:</b>	
	98.86%
<b>TOTAL</b>	<b>100.00%</b>

**THIS PRODUCT CONTAINS:**  
2,4-D, 2,4-Dichlorophenoxyacetic acid dimethyl ester, CAS 94-74-6  
Metoprotosol, 1-methyl-2-propyl-4-isopropyl-5-pyridinylmethylcarbamate, CAS 6174-92-9  
Diuron, 3-(3,4-dichlorophenyl)-1,1-dimethylurea, CAS 330-54-1

Greenview Fertilizer, LLC  
Greenview is a registered trademark of FMC Technologies, Inc.

**KEEP OUT OF REACH  
OF CHILDREN  
CAUTION**  
See label for first aid and  
Additional Precautionary Statements



**GREENVIEW BROADLEAF WEED CONTROL**  
**PLUS LAWN FOOD**





Enhanced Efficiency Fertilizer

# GREENSMART


For a Green Lawn

Helps lawns retain water to  
**protect against heat & drought**

Speeds root growth to  
**improve nutrient absorption**

Feeds your lawn up to 12 weeks

Apply when weeds are  
growing in spring or early fall



For more information, visit [www.greenviewfertilizer.com](http://www.greenviewfertilizer.com)

## Kills Over 250 Weeds

**NET WEIGHT 13 lbs. (5.9 kg)**  
**Covers 5,000 sq. ft.**

**ACTIVE INGREDIENTS:**  
2,4-D, 2-ethylhexyl ester 1.108%  
metsulfuron-methyl 0.167%  
Dicamba acid 0.071%  
**OTHER INGREDIENTS:** 96.654%  
**TOTAL:** 100.00%

**THIS PRODUCT CONTAINS:**  
17.70 lb 2,4-dichlorophenoxyacetic acid equivalent per ton at 0.796% CAS 1828-43-4  
3.84 lb (4-[6-(2-methyl-4-chlorophenoxy)pyridine-3-carboxamido]benzoic acid equivalent per ton at 0.167% CAS 16484-77-8  
1.42 lb 3,5-dichlorobenzoic acid equivalent per ton at 0.071% CAS 1018-00-0

Isomer Specific by ADAC Methods  
TRIMEC is a registered trademark of PBI Gordon Corporation

**KEEP OUT OF REACH  
OF CHILDREN**

**CAUTION**

See back panel for First Aid and  
Additional Precautionary Statements.





**STOP! READ THE ENTIRE LABEL FIRST.**

**OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.**

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**  
**CAUTION**

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

**First Aid**

If in eyes: •Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.  
•Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For Emergency Medical Treatment Information call (888)208-1368.

**Environmental Hazards**

This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn will help to prevent run off to water bodies or drainage systems.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

- Do not apply this product in a way that will contact any person or pet either directly or through drift.
- This product is for residential use.
- Do not allow people (other than applicator) or pets on treatment area during treatment. Do not enter treatment area until dust has settled.

**Application Instructions**

GreenView Broadleaf Weed Control plus Lawn Food contains Trimec® Herbicide. Trimec® controls a wide range of lawn weeds, including dandelion, chickweed, plantain, henbit, spurge and many other weeds commonly found in home lawns. In addition, a 27-0-4 fertilizer provides a supply of lawn food. Possible retreatment may be necessary if (a) the lawn is heavily overrun by weeds or, (b) if adverse low moisture conditions prevail and weeds are in a state of poor growth. A second application may be made after 30 days. Treated areas may be seeded 3 weeks after application.

**USE PRECAUTIONS:**

Do not use on dichondra, carpetgrass, 'Floritam' St. Augustinegrass, creeping bentgrass, or turfgrass where desirable clovers are present.

Do not apply this product to newly seeded grasses until well-established or after the second or third mowing.

Do not use this product on flowers, vegetables, groundcovers, gardens or landscape plantings including shrubs and trees. Do not exceed specified dosage for any area and do not apply this product within the dripline of or over surface roots of trees, shrubs, and other ornamentals.

Reseeding or overseeding areas may occur three (3) weeks after the application of this product.

Do not use this product on or near desirable plants and avoid spreading granules onto exposed root systems or adventitious shoots (rhizomes) within the drip line of the roots of desirable trees and shrubs, since injury may result.

Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. Apply this product directly to your lawn, and sweep any product landing on the driveway, sidewalk, gutter, or street back onto the treated area. To prevent product run-off, do not over water the treated area(s) to the point of runoff or apply when raining or when rain is expected that day.

**HOW MUCH TO APPLY:**

**For use on: Kentucky bluegrass, fescue spp., perennial ryegrass, common bermudagrass, bahiagrass, zoysiagrass, St. Augustinegrass, centipedegrass, hybrid bermudagrass, and colonial bentgrass.** Apply 2.6 pounds of product per 1,000 square feet of turfgrass. A second application may be made after 30 days. The maximum number of broadcast applications per treatment site is 2 per year.

**Maximum use rate statement**

Do not apply more than 2.6 pounds of product per 1000 square feet of turfgrass per application. If necessary, a second application may be made no sooner than 30 days after the first. Do not apply more than 5.2 pounds of product per 1000 square feet per year.

## WHEN TO APPLY:

Apply when broadleaf weeds are actively growing in spring or early fall.

Apply when the air is calm to ensure uniform coverage and avoid spreading granules onto flowers, vegetables, and ornamental shrubbery.

## APPLICATION INSTRUCTIONS:

1. Mow lawn to normal height 1 to 2 days before application.
2. Water lawn thoroughly at least 1 to 2 days before application to sustain moisture until the next watering (see step 5).
3. Apply when weeds are young and actively growing, preferably in the morning when the dew is on the grass.  
If grass is not moist at time of application, sprinkle lightly with water before applying product.
4. Avoid applying when temperatures are consistently above 90°F.
5. Do not wash from weed leaves for 1 to 2 days after application. At this time, a thorough watering should be made.


## GreenView Broadleaf Weed Control plus Lawn Food Kills more than 250 weeds!

Amaranth, purple	Clover, white sweet	Knotweed, prostrate	Poison oak	Thistle, wavyleaf
Amaranth, slender	Clover, white	Kochia	Pokeweed	Thistle, yellow (horrible)
Aster, heath	Cockle	Lambsquarters	Prairie Sunflower	Trailing crownvetch
Aster, white heath	Cocklebur	Lespedeza	Prickly lettuce	Velvetleaf
Aster, purple	Cocklebur, oriental	Mallow, alkali	(compass plant)	Vervain, blue
Aster, white prairie	Cocklebur, spiny	Mallow, bristly	Prickly sida	Vervain, hoary
Artichoke	Common mullein	Mallow, common	Prostrate knotweed	Vervain, prostrate
Austrian fieldcress	Corn Spurry	Mallow, dwarf	Puncturevine	Vervain, tall
Bedstraw, Catchweed	Creeping Beggarweed	Mallow, venice	Purslane, common	Vetch, bird
Bedstraw, smooth	Creeping Jenny	Marcela	Pusley, brazil	Vetch, hairy
Bedstraw, Northern	(creeping charlie)	Matchweed	Pusley, florida	Vetch, milk
Bedstraw, pineywoods	Cupid shaving Brush	Mexicanweed	Pusley, large flower	Vetch, narrowleaf
Beggarticks, hairy	Cudweed	Moneywort	Ragweed, bur	Vetch, wild
Betony, Florida	Daisy, English	Morningglory, bigroot	Ragweed, common	Virginia creeper
Bindweed, Field	Daisy, oxeye	Morningglory, ivyleaf	Ragweed, lancleaf	Western clematis
Bindweed, Hedge	Dandelion, common	Morningglory, mexican	Ragweed, western	Western salsify
Bitter Wintercress	Dandelion, false	Morningglory, red	Redstem filaree	Wild aster
Bittercress, hairy	Day flower	Morningglory, tall	Rough cinquefoil	Wild buckweat
Bitterweed	Deadnettle	Morningglory, woolly	Scarlet pimpernel	Wild carrot
Black-eyed Susan	Dichondra	Mugwort	Shepardspurse	Wild four-o'clock
Black Medic	Dock, broadleaf	Mustard, ball	Smartweed, ladythumb	Wild garlic
Blood flower milkweed	Dock, curly	Mustard, black	Smartweed, pale	Wild lettuce
Blue lettuce	Dogbane	Mustard, blue	Smartweed, pennsylvania	Wild marigold
Brassbuttons	Dogfennel	Mustard, hedge	Smooth chaff-flower	Wild mustard
Bristly oxtongue	Dollarweed (Pennywort)	Mustard, indian	Smoothdock	(yellow rocket)
Broomweed	Dove weed	Mustard, tansy	Sorrel, red (sheep)	Wild onion
Buckhorn	Elderberry	Mustard, tumble	Sowthistle, annual	Wild parsnip
Bullnettle	Falseflax	Mustard, white	Sowthistle, spiny	Wild radish
Burclover	False sunflower	Mustard, wormseed	Spanish needles	Wild rape
Burdock	Fiddleneck	Nettle, stinging (burning)	Speedwell, bi-lobed	Wild strawberry
Burweed, lawn	Filaree, redstem	Nettle, tall	Speedwell, common	Wild sweet potato
(spurweed)	Filaree, whitestem	Nettle, wood	Speedwell, corn	Wild violet
Buttercup, bulbous	Fleabane, daisy (annual)	Parsley-piert	Speedwell, ivyleaf	Woodsorrel, creeping
Buttercup, creeping	Fleabane, rough	Parsnip	Speedwell, persian	Woodsorrel, violet
Buttonweed, common	Galinsoga, hairy	Pearlwort	Speedwell, purslane	Woodsorrel, yellow
(poorjoe)	Galinsoga, smallflower	Pennycress (frenchweed)	Speedwell, slender	(Oxalis)
Buttonweed, virginia	Goldenrod	Pepperweed, perennial	Speedwell, snow	Woolly croton
Carolina geranium (wild)	Ground ivy	Pepperweed, virginia	Speedwell, thymeleaf	Wormseed
Carpetweed	Groundsel	(Peppergrass)	Spiny amaranth	Yarrow, common
Catnip	Gumweed	Pigweed, prostate	Spurge, spotted	Yarrow, western
Catsear, spotted	Hairy fleabane	Pigweed, redroot	Spurge, prostrate	Yarrow, yellow
(false dandelion)	Hawkweed, meadow	Pigweed, russian	Spurweed	
Chamber bitter	Hawkweed, mouseear	Pigweed, smooth	Star of Bethlehem	
Chickweed, common	Hawkweed, orange	Pigweed, tumble	Strawberry, India mock	
Chickweed, mouseear	Hawkweed, yellow	Pineapple weed	Tansy ragwort	
Chickweed, sticky	Healall	Plains coreopsis (tickseed)	Tanweed	
Chicory	Heartleaf drymary	Plantain, blackseed	Thistle, blessed	
Cinquefoil	Hemp	Plantain, bracted	Thistle, bull	
Clover, crimson	Henbit	Plantain, broadleaf	Thistle, canada	
Clover, alyce	Hoary cress	Plantain, buckhorn	Thistle, flodman (prairie)	
Clover, hop	Horsenettle	Plantain, hoary	Thistle, musk	
Clover, rabbit foot	Horseweed	Plantain, narrowleaf	Thistle, platte	
Clover, red	Jimsonweed	Plantain, slender	Thistle, plumeless	
Clover, strawberry	Johnny-Jumpup violet	Plantain, woolly	Thistle, russian	
Clover, yellow sweet	Knawel	Poison ivy	Thistle, scotch	

## Spreader Settings

### Spreader Directions:

#### Determining Your Lawn's Square Footage



To determine how much of this product to apply, you must determine the square footage of your lawn. An easy way to do this is to walk the length of your lawn, figuring that one pace equals about 3 feet. Do the same with the width of the lawn. Then multiply the length by the width to arrive at the total. Make sure you subtract the square footage of your home and driveway when calculating the total square footage of your lawn. If your lawn has an irregular shape, try dividing it up into a number of square areas. Calculate the square footage for each area, then add the figures together to reach your total lawn size.


### Spreader Tips

The two main types of spreaders are the Drop Spreader, which drops the material straight down the width of the spreader as you push, and the Broadcast Spreader (also known as a rotary), which throws the material from the spreader.


Broadcast Spreader				Setting 2.6 Lbs./1,000 Sq. Ft.		Drop Spreader				Setting 2.6 Lbs./1,000 Sq. Ft.	
Agri-Fab® Rotary	4	Scotts Edgeguard	4½		Agri-Fab Drop	4					
Cyclone Rotary	4½	Scotts Speedy Green 1000	4½		Greenview® Drop-Spred® XP1	15					
Earthway Rotary	14	Scotts Speedy Green 2000	4½		Red Devil Drop (1-5)	3					
Greenview Jet-Spred SS1	14	Scotts Speedy Green 3000	4½		Republic Drop	5					
Lesco (letter/numeric)	G/15	Sears Craftsman Rotary	4		Scotts AccuGreen	5					
Red Devil Rotary (1-20)	3½	Sta-Green Rotary (1-10)	3½		Scotts Drop PF1 (2-18)	4½					
Republic Rotary	4	True-Temper Rotary	3½		Sta-Green Drop (1-5)	3½					
Scotts EasyGreen	22	Vigoro Rotary (1-10)	3½								

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

**Broadcast Spreader:** Apply in a single pass by starting on the outside border and apply in a circular path working toward the center.



**Drop Spreader:** First make two passes along the top of the area you'll be covering. Then make two passes along the bottom area. Then move back and forth along the long part of the lawn. On each pass, as you reach the strips at the top and bottom of the area to be covered, shut off the spreader. It's also important to shut off the spreader when you are stopped.



Note: if spreader model does not appear above please call 800-233-1067, 8 am - 5 pm ET, Monday - Friday for additional model settings.

The above spreader settings are approximate. To check your spreader: 1 lb. of material should cover approximately 385 sq. ft. (2.6 lbs. of material per 1,000 sq. ft.)

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

**Pesticide Storage:** Store product in its original container in a cool, dry, locked place out of the reach of children and animals.

**Pesticide Disposal and Container Handling:** Nonrefillable container. Do not reuse or refill this container.

**If empty:** Place in trash or offer for recycling if available.

**If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.



**WARRANTY**  
**IMPORTANT: READ BEFORE USE**

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability.

**CONDITIONS:** The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Lebanon Seaboard Corporation. All such risks shall be assumed by the user or buyer.

**DISCLAIMER OF WARRANTIES:** To the extent consistent with applicable law, LEBANON SEABOARD CORPORATION MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Lebanon Seaboard Corporation is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, Lebanon Seaboard Corporation DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

**LIMITATIONS OF LIABILITY:** To the extent consistent with applicable law, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT LEBANON SEABOARD CORPORATION'S ELECTION, THE REPLACEMENT OF PRODUCT.

## GUARANTEED ANALYSIS

# 27-0-4

Total Nitrogen (N)	27%
2.5% Ammoniacal Nitrogen	
1.5% Water Insoluble Nitrogen*	
20.4% Urea Nitrogen	
2.6% Other Water Soluble Nitrogen*	
Soluble Potash ( $K_2O$ )	4%
Sulfur (S)	2.8%
2.8% Combined Sulfur (S)	
Derived From: Ammonium Sulfate, Methylene Ureas, Urea, Muriate of Potash.	
Chlorine (Cl) not more than	4.0%
* 4.1% Slowly Available Nitrogen from Methylene Ureas.	

F699

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.regulatory-info-lebsea.com>.



Lebanon Seaboard Corporation guarantees you will be satisfied with the performance of this product when used as directed, or your money back. If not satisfied, describe the nature of your problem and simply send proof of purchase to Lebanon Seaboard Corporation, 1600 East Cumberland Street, Lebanon, PA 17042.

- For more information on our complete line of GreenView® Lawn and Garden Products, visit our website at [www.greenviewfertilizer.com](http://www.greenviewfertilizer.com)
- GreenView® is a registered trademark of Lebanon Seaboard Corporation.
- GREENSMART and Design is a trademark of Lebanon Seaboard Corporation.

Manufactured by:  
Lebanon Seaboard Corporation  
1600 East Cumberland Street  
Lebanon, PA 17042  
Made in the USA

# 21-31169

EPA Reg. No. 961-415

(L) (D) (BE)  
EPA Est. Nos. 961-PA-01, 961-IL-01, 59144-GA-1  
Superscript is first letter(s) of lot number.