

*The Easier  
Way To A  
Beautiful  
Lawn!*



**snap**  
PAC

## FERTILIZER WITH Crabgrass Preventer

Fertiliza y Previene el Zcate Mano de Cangrejo



Apply in  
Early Spring

Feeds For A Thick Green Lawn  
**PREVENTS CRABGRASS ALL SEASON**

**snap**



**lock**



**go!**



See Back Panel for Setup Guide  
Intended for residential lawn use only

NET WT./PESO NETO  
11.60 LBS (5.26 kg)

KEEP OUT OF REACH OF CHILDREN  
**CAUTION** SEE BACK FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS.

ACTIVE INGREDIENT: ..... 0.20%  
OTHER INGREDIENTS: ..... 99.80%  
Total: ..... 100.00%

MANTENGA FUERA DEL ALCANCE DE LOS NIOS  
**PRECAUCION** CONSULTE LA PARTE POSTERIOR PARA  
CONOCER LAS PRECAUCIONES ADICIONALES.

30-0-4  
Covers 4,000 SQ FT



## FERTILIZER WITH Crabgrass Preventer

Fertiliza y Previene el Zúcate Mano de Cangrejo

Use Only with the Scotts® Snap® Spreader System



Improves lawn's ability to absorb water and nutrients. Well-fed lawns are more efficient at using available water. Feeding with Scotts® fertilizer helps grow a thick lawn with more roots to better absorb water and nutrients than on unfed lawns. This helps protect your lawn against heat, drought and other stresses.

lock

**lock**  
Snap Pac® connects directly to the Scotts® Snap® Spreader. There's no cutting and no pouring from heavy bags.

Snap Pac® se conecta directamente al esparcador Scotts® Snap®. No hay necesidad de cortar ni verter bolsas pesadas.

go

**go**  
Flip the lever to lock Snap Pac® into place: Snap Pac® automatically sets the proper application rate. Tire de la palanca para asegurar el Snap Pac® en el lugar. El Snap Pac® establece automáticamente la proporción de aplicación adecuada.

store

**store**  
Easy to apply: Follow directions for use below. Fácil de aplicar: Siga las instrucciones de uso más abajo.

store

**store**  
Easy to finish & store: Just flip the lever back to remove the Snap Pac®. It self-seals for no touch, no mess, easy cleanup & storage. De fácil finalización y almacenamiento: Sólo vuelva a tirar de la palanca para retirar el Snap Pac®. Se sella automáticamente para que no sea necesario limpiar y para evitar desorden al limpiar y almacenar.

Get expert advice for your lawn now.

Want information on what to use and when? Sign up today to get free expert advice specifically for your lawn.

Scotts® toll-free consumer hotline  
1-800-543-TURF (8873)

Visit our website  
www.scottssnap.com

### FOR BEST RESULTS, WATER LAWN WITHIN 2-3 DAYS AFTER APPLICATION

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This package applies 2.9 pounds of product per 1,000 sq. ft. and 0.25 pounds of Dithiopyr per acre. IN NEW YORK, the maximum application rate of Dithiopyr is 0.25 pounds of active ingredient per acre per year. Do not make more than 1 application of this product to the same area in the same year. FOR ALL OTHER STATES, the maximum number of applications is 2 per year. Allow at least a 4-month interval between applications.

#### USE PRECAUTIONS

- People and Pets may re-enter lawn after granules are watered in and treated area has dried or dusts have settled.
- Do not use grass clippings as mulch around vegetables or fruit trees.

#### When to Apply

- Wait at least 12 weeks after using this product before reseeding, overseeding or sprigging of grass into areas that have been treated.
- In New York, product may be applied only in the early Spring or early Fall for the prevention of weeds.
- In all other states the product may be applied in early Spring and early Fall for the prevention of weeds.

- To prevent listed weeds other than crabgrass, application must be made before weeds emerge.
- Product will provide up to 4 months of control of listed weeds when used as directed, although length of control can be affected by weather, grass conditions and weed pressures.

#### Where to Apply

- Apply only to lawns that are well established.
- When applying around ponds or other bodies of water, do not apply in windy conditions or where product can run off into water.

#### How to Apply

- Each pass should be within 5 feet of another pass to ensure proper overlap.
- Use of product on lawns or grass that has been weakened or stressed by drought, excessive temperatures or pests increase chance of injury to grass.
- This product forms a protective barrier on the soil. Raking the lawn will disturb the barrier and reduce its effectiveness.
- For best results, water within 2-3 days after application.

#### WEEDS PREVENTED:

Crabgrass, Goosegrass, Foxtail, Spurge, Annual Bluegrass, Chickweed, and Henbit

#### PRECAUTIONARY STATEMENTS

##### Hazards to Humans and Domestic Animals

**CAUTION:** Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Harmful if inhaled. Avoid breathing dust. Remove and wash contaminated clothing before reuse. Prolonged or repeated skin contact may cause allergic skin reactions in some individuals.

##### FIRST AID

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

**If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor, or going for treatment. Call: 1-877-561-6584

##### ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and highly toxic to other aquatic organisms including oysters and shrimp. Drift and runoff from treated turf may adversely affect aquatic organisms in adjacent aquatic sites. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems. Do not apply when weather conditions favor drift from treated areas.

##### STORAGE AND DISPOSAL

**PESTICIDE STORAGE:** Store product in clean, dry place until your next application. Product can be used until empty.

**PESTICIDE CONTAINER DISPOSAL:** Non-refillable container. Do not reuse or refill this container.

**If empty:** Place in trash or offer for recycling if available.

**If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

### PARA OBTENER MEJORES RESULTADOS, RIEGUE EL CESPED DENTRO DE LOS 2 O 3 DIAS DESPUES DE LA APLICACION

#### INSTRUCCIONES DE USO

Se considera una violación a la ley federal usar este producto con otros fines que los indicados en la etiqueta.

Con este paquete, se puede aplicar 1.3 kg de producto por cada 93 metros cuadrados y 0.1 kg de dithiopyr por acre. EN NUEVA YORK, la proporción de aplicación máxima de dithiopyr es de 1.3 kg de ingrediente activo por acre por año. No realice este producto más de una vez al año en la misma área. EN TODOS LOS OTROS ESTADOS, la cantidad máxima son 2 aplicaciones por año. Espere, al menos, intervalos de 4 meses entre cada aplicación.

#### PRECAUCIONES DE USO

- No permita que personas ni mascotas ingresen al área tratada hasta que los granos estén regados y la superficie está seca, o el polvo del producto se haya asentado.
- No utilice los recortes de césped como compuesto orgánico cerca de verduras y árboles frutales.

#### Cuándo aplicar

- Espere, al menos, 12 semanas después de usar este producto antes de volver a sembrar, hacer sobresiembrar o plantar césped en áreas tratadas.
- En Nueva York, el producto puede aplicarse solamente a comienzos de la primavera o a comienzos del otoño para prevenir el crecimiento de malezas.
- Para evitar el crecimiento de las malezas listadas, aparte del zúcate mano de cangrejo, la aplicación debe realizarse antes de que aparezca la maleza.
- Si se usa como se indica, el producto brinda hasta 4 meses de control de las malezas listadas, aunque el control puede verse afectado por el clima, las condiciones del césped y la presión de la maleza.

#### Dónde aplicar

- Aplique solamente sobre césped bien establecido.
- Al aplicar alrededor de estanques o superficies de agua, no aplique cuando haya viento o si el producto puede derramarse en el agua.

#### Cómo aplicar

- Cada aplicación debe hacerse a menos de 1.5 metros de la adyacente para lograr la superposición adecuada.
- El uso del producto en céspedes debilitados por falta de agua, temperaturas excesivas o riegos, aumenta las posibilidades de dañar el césped.
- Este producto crea una barrera protectora en el suelo. Rasillar el césped puede alterar la barrera y reducir su efectividad.
- Para obtener mejores resultados, riegue el césped 2 o 3 días después de la aplicación.

#### MALEZAS CONTROLADAS:

Zúcate mano de cangrejo, amor de hortelano, coles de zorra, lechuguilla, pasto azul, estallajo y origano mensa

#### DECLARACIONES DE PRECAUCION

##### Peligroso para seres humanos y animales domésticos

**PRECAUCION:** Causa irritación moderada a los ojos. Evite el contacto con la piel, los ojos o la ropa. Lávese bien con agua y jabón después de manipular el producto y antes de comer, beber, masticar chicle o usar tabaco. Es nocivo si se inhala. Evite inhalar el polvo. Debe quitarse y lavar la ropa contaminada antes de volver a usarla. En algunas personas, el contacto prolongado o repetido con la piel puede provocar reacciones alérgicas.

##### PRIMEROS AUXILIOS

**Si el producto entra en contacto con los ojos:** Mantenga los ojos abiertos y enjuague con agua lentamente, con cuidado, durante 15 a 20 minutos. Si usa lentes de contacto, retírelas después de los primeros 5 minutos, luego continúe enjuagando los ojos.

**En caso de inhalar el producto:** Traslade a la persona a un lugar con aire fresco. Si no respira, llame al 911 o a una ambulancia, después realice respiración artificial, de boca a boca, de ser posible.

llame a un centro de control de envenenamiento o a un médico para recibir instrucciones de tratamiento. Cuando llame a un centro de control de envenenamiento o a un médico, o intente obtener tratamiento, tenga a mano el envase o la etiqueta del producto. Llame al: 1-877-561-6584

##### RIESGOS AMBIENTALES

Este pesticida es tóxico para las peces y altamente tóxico para otros organismos acuáticos, tales como ostras y camarones. El desplazamiento o el escurrimiento desde el césped tratado puede afectar negativamente a los organismos acuáticos en los sitios adyacentes. Para proteger el medio ambiente, no permita que el pesticida ingrese o discurra a desagües de tormenta, zanjas de drenaje, canales o aguas superficiales. La aplicación de este producto en un clima tranquilo, cuando no haya un pronóstico de lluvia para las siguientes 24 horas, asegurará que el viento o la lluvia no arrastren o laven el pesticida del área de tratamiento. Barra el producto que caiga sobre la entrada de automóviles, la vereda o la calle hacia el área tratada del césped o jardín para evitar que discurra a cuerpos de agua o sistemas de drenaje. No aplique cuando las condiciones climáticas favorecen el escurrimiento del producto desde las áreas tratadas.

##### ALMACENAMIENTO Y ELIMINACION

**ALMACENAMIENTO DEL PESTICIDA:** Almacene el producto en un lugar limpio y seco hasta la próxima aplicación. El producto puede utilizarse hasta que el envase quede vacío.

**ELIMINACION DEL ENVASE DEL PESTICIDA:** Envase no reutilizable. No vuelva a utilizar ni llenar este envase.

**Si está vacío:** Colóquelo en la basura o reciclado, si es posible. Si está parcialmente lleno: Llame a su agencia local de desechos sólidos para obtener instrucciones sobre cómo eliminar el producto. Nunca elimine el producto no utilizado en drenajes internos o externos.

#### GUARANTEED ANALYSIS

Scotts® Snap Pac® Fertilizer with Crabgrass Preventer

30-0-4

Total nitrogen (N).....

30%

30% urea nitrogen

Soluble potash (K<sub>2</sub>O).....

4%

Derived from: Polymer coated urea, Urea, and Potassium Chloride

\*Contains 6.1% slowly available nitrogen from polymer-coated urea.

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info-sc.com>

NOTICE: To the extent consistent with the applicable law, buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

#### Dedicated To A Beautiful World®

Trusted by generations of homeowners, Scotts is dedicated to helping enhance and protect the beauty of your home environment.

Con la confianza de generaciones de propietarios de casas, Scotts se ha dedicado a ayudarte a mejorar y a proteger la belleza del ambiente en su hogar.

Scotts®



...the lawn people

#### Scotts® Guarantee

If for any reason you the consumer are not satisfied with the results after using this product, you are entitled to get your money back.

Simply send us proof of purchase and we will mail you a refund promptly.

Si por alguna razón usted, el consumidor, no está completamente satisfecho con los resultados luego de utilizar este producto, tiene derecho a que le devolvamos su dinero.

Sólo deberá enviarnos el comprobante de compra y le enviaremos un reembolso por correo inmediatamente.

PROOF OF PURCHASE  
P24520-21 161045 110D-PP



SNAP PAC® FERTILIZER WITH CRABGRASS PREVENTER 4M 24520-2

Sold and Guaranteed by:  
The Scotts Company  
14111 Scottsblvd Rd.  
Marysville, OH 43041

EPA Reg. No. 538-318  
EPA Est. Nos. 84175-TX-1B,  
538-0H-2V

Superscript used is first letter of run code on end of container.

© 2011 The Scotts Company LLC.  
World Rights Reserved.

EPA Reg No. 538-318 (4M)

Scotts Snap Pac Fertilizer with Crabgrass Preventer

*The Easier  
Way To A  
Beautiful  
Lawn!*



**snap**<sup>®</sup>  
PAC

## FERTILIZER WITH Crabgrass Preventer

Fertiliza y Previene el Zcate Mano de Cangrejo



Apply in  
Early Spring

Feeds For A Thick Green Lawn  
**PREVENTS CRABGRASS ALL SEASON**

Rev. 02-08-2012

snap



See Back Panel for Setup Guide  
Intended for residential lawn use only

**NET WT./PESO NETO**  
**11.60 LBS (5.26 kg)**

lock



**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION** SEE BACK FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS.

ACTIVE INGREDIENT:  
Dithiopyr<sup>1</sup> ..... 0.20%  
OTHER INGREDIENTS: ..... 99.80%  
Total ..... 100.00%

go!



**MANTENGA FUERA DEL ALCANCE DE LOS NIÑOS**  
**PRECAUCION** CONSULTE LA PARTE POSTERIOR PARA  
CONOCER LAS PRECAUCIONES ADICIONALES.

**30-0-4**  
**Covers 4,000 SQ FT**

# Scotts® snap<sup>®</sup> PAC<sup>®</sup>

## FERTILIZER WITH Crabgrass Preventer

Fertiliza y Previene el Zúcate Mano de Cangrejo

Use Only with the Scotts® Snap® Spreader System



Improves lawn's ability to absorb water and nutrients. Well-fed lawns are more efficient at using available water. Feeding with Scotts® fertilizer helps grow a thick lawn with more roots to better absorb water and nutrients than an unfed lawn. This helps protect your lawn against heat, drought and other stresses.

snap

Snap Pac® connects directly to the Scotts® Snap® Spreader. There's no cutting and no pouring from heavy bags.

Snap Pac® se conecta directamente al esparcador Scotts® Snap®. No hay necesidad de cortar ni verter bolsas pesadas.

lock

Flip the lever to lock Snap Pac® into place: Snap Pac® automatically sets the proper application rate.  
Tire de la palanca para asegurar el Snap Pac® en el lugar. El Snap Pac® establece automáticamente la proporción de aplicación adecuada.

go

Easy to apply: Follow directions for use below.  
Fácil de aplicar: Siga las instrucciones de uso más abajo.

store

Easy to finish & store: Just flip the lever back to remove the Snap Pac®. It self-seals for no touch, no mess, easy cleanup & storage.  
De fácil finalización y almacenamiento: Sólo vuelva a tirar de la palanca para retirar el Snap Pac®. Se sella automáticamente para que no sea necesario tocarlo y para evitar desorden al limpiar y almacenar.

Get expert advice for your lawn now.

Want information on what to use and when? Sign up today to get free expert advice specifically for your lawn.

Scotts® toll-free consumer hotline  
1-800-543-TURF (8873)

Visit our website  
[www.scottssnap.com](http://www.scottssnap.com)

### FOR BEST RESULTS, WATER LAWN WITHIN 2-3 DAYS AFTER APPLICATION

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This package applies 2.9 pounds of product per 1,000 sq. ft. and 0.25 pounds of Dithiopyr per acre. In NEW YORK, the maximum application rate of Dithiopyr is 0.25 pounds of active ingredient per acre per year. Do not make more than 1 application of this product to the same area in the same year. FOR ALL OTHER STATES, the maximum number of applications is 2 per year. Allow at least a 4-month interval between applications.

#### USE PRECAUTIONS

- People and Pets may re-enter lawn after granules are watered in and treated area has dried or dusts have settled.
- Do not use grass clippings as mulch around vegetables or fruit trees.

#### When to Apply

- Wait at least 12 weeks after using this product before reseeding, overseeding or sprigging of grass into areas that have been treated.
- In New York, product may be applied only in the early Spring OR early Fall for the prevention of weeds.
- In all other states the product may be applied in early Spring and early Fall for the prevention of weeds.

- To prevent listed weeds other than crabgrass, application must be made before weeds emerge.

- Product will provide up to 4 months control of listed weeds when used as directed, although length of control can be affected by weather, grass conditions and weed pressures.

#### Where to Apply

- Apply only to lawns that are well established.
- When applying around ponds or other bodies of water, do not apply in windy conditions or where product can run off into water.

#### How to Apply

- Each pass should be within 5 feet of another pass to ensure proper overlap.
- Use of product on lawns or grass that has been weakened or stressed by drought, excessive temperatures or pests increase chance of injury to grass.
- This product forms a protective barrier on the soil. Raking the lawn will disturb the barrier and reduce its effectiveness.
- For best results, water within 2-3 days after application.

#### WEEDS PREVENTED:

Crabgrass, Goosegrass, Foxtail, Spurge, Annual Bluegrass, Chickweed, and Henbit

#### PRECAUTIONARY STATEMENTS

##### Hazards to Humans and Domestic Animals

**CAUTION:** Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Harmful if inhaled. Avoid breathing dust. Remove and wash contaminated clothing before reuse. Prolonged or repeated skin contact may cause allergic skin reactions in some individuals.

##### FIRST AID

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

**If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor, or going for treatment. Call: 1-877-561-6584

##### ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and highly toxic to other aquatic organisms including oysters and shrimp. Drift and runoff from treated turf may adversely affect aquatic organisms in adjacent aquatic sites. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems. Do not apply when weather conditions favor drift from treated areas.

#### STORAGE AND DISPOSAL

**PESTICIDE STORAGE:** Store product in clean, dry place until your next application. Product can be used until empty.

**PESTICIDE CONTAINER DISPOSAL:** Non-refillable container. Do not reuse or refill this container.

If empty: Place in trash or offer for recycling if available.  
If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

### PARA OBTENER MEJORES RESULTADOS, RIEGUE EL CESPED DENTRO DE LOS 2 O 3 DIAS DESPUES DE LA APLICACION

#### INSTRUCCIONES DE USO

Se considera una violación a la ley federal usar este producto con otros fines que los indicados en la etiqueta.

Con este paquete, se puede aplicar 1.3 kg de producto por cada 93 metros cuadrados o 0.1 kg de ditiopir por acre. EN NUEVA YORK, la proporción de aplicación máxima de ditiopir es de 1.3 kg de ingrediente activo por acre por año. No aplique este producto más de una vez al año en la misma área. EN TODOS LOS OTROS ESTADOS, la cantidad máxima son 2 aplicaciones por año. Espere, al menos, intervalos de 4 meses entre cada aplicación.

#### PRECAUCIONES DE USO

- No permita que personas ni mascotas ingresen al área tratada hasta que los granúlos estén regados y la superficie esté seca, o el polvo del producto se haya asentado.
- No utilice los recortes de césped como compuesto orgánico cerca de verduras y árboles frutales.

#### Cuándo aplicar

- Espere, al menos, 12 semanas después de usar este producto antes de volver a sembrar, hacer sobriembria o plantar césped en áreas tratadas.
- En Nueva York, el producto puede aplicarse solamente a comienzos de la primavera o a comienzos del otoño para prevenir el crecimiento de malezas.
- En todos los otros estados, el producto puede aplicarse a comienzos de la primavera y del otoño para prevenir el crecimiento de malezas.
- Para evitar el crecimiento de las malezas listadas, aparte del zúcate mano de cangrejo, la aplicación debe realizarse antes de que aparezca la maleza.
- Si se usa como se indica, el producto brinda hasta 4 meses de control de las malezas listadas, aunque el control puede verse afectado por el clima, las condiciones del césped y la presión de la maleza.

#### Dónde aplicar

- Aplique solamente sobre césped bien establecido.
- Al aplicar alrededor de estanques o superficies de agua, no aplique cuando haya viento o si el producto puede derramarse en el agua.

#### Cómo aplicar

- Cada aplicación debe hacerse a menos de 1.5 metros de la adyacente para lograr la sobrepesposición adecuada.
- El uso del producto en céspedes debilitados por falta de agua, temperaturas excesivas o insectos, aumenta las posibilidades de dañar el césped.
- Este producto crea una barrera protectora en el suelo. Rasillar el césped puede alterar la barrera y reducir su efectividad.
- Para obtener mejores resultados, riegue el césped 2 o 3 días después de la aplicación.

#### MALEZAS CONTROLADAS:

Zúcate mano de cangrejo, amor de hortelano, colas de zorra, lechetrera, pasto azul, estallaria y oruga mansa

#### DECLARACIONES DE PRECAUCION

##### Peligroso para seres humanos y animales domésticos

**PRECAUCION:** Causa irritación moderada a los ojos. Evite el contacto con la piel, los ojos o la ropa. Lávese bien con agua y jabón después de manipular el producto y antes de comer, beber, masticar chicle o usar tabaco. Es nocivo si se inhala. Evite inhalar el polvo. Debe quitarse y lavar la ropa contaminada antes de volver a usarla. En algunas personas, el contacto prolongado o repetido con la piel puede provocar reacciones alérgicas.

##### PRIMEROS AUXILIOS

Si el producto entra en contacto con los ojos: Mantenga los ojos abiertos y enjuague con agua lentamente, con cuidado, durante 15 a 20 minutos. Si usa lentes de contacto, retírelos después de los primeros 5 minutos, luego continúe enjuagando los ojos.

En caso de inhalar el producto: Transfiera a la persona a un lugar con aire fresco. Si no respira, llame al 911 o a una ambulancia, después realice respiración artificial, de boca a boca, de ser posible.

Llame a un centro de control de envenenamiento o a un médico para recibir instrucciones de tratamiento. Cuando llame a un centro de control de envenenamiento o a un médico, o intente obtener tratamiento, tenga a mano el envase o la etiqueta del producto. Llame al: 1-877-561-6584

##### RIESGOS AMBIENTALES

Este pesticida es tóxico para los peces y altamente tóxico para otros organismos acuáticos, tales como ostras y camarones. El desplazamiento o el escurrimiento desde el césped tratado puede afectar negativamente a los organismos acuáticos en los sitios acuáticos adyacentes. Para proteger el medio ambiente, no permita que el pesticida ingrese o discorra a desagües de tormenta, zanjas de drenaje, canales o aguas superficiales. La aplicación de este producto en un clima tranquilo, cuando no haya un pronóstico de lluvia para las siguientes 24 horas, asegurará que el viento o la lluvia no arrastren o laven el pesticida del área de tratamiento. Barra el producto que caiga sobre la entrada de automóviles, la vereda o la calle hacia el área tratada del césped o jardín para evitar que discorra a cuerpos de agua o sistemas de drenaje. No aplique cuando las condiciones climáticas favorecen el escurrimiento del producto desde las áreas tratadas.

#### ALMACENAMIENTO Y ELIMINACION

**ALMACENAMIENTO DEL PESTICIDA:** Almacene el producto en un lugar limpio y seco hasta la próxima aplicación. El producto puede utilizarse hasta que el envase quede vacío.

**ELIMINACION DEL ENVASE DEL PESTICIDA:** Envase no rellenable. No vuelva a utilizar ni llenar este envase.

Si está vacío: Colóquelo en la basura o recíclalo, si es posible. Si está parcialmente lleno: Llame a su agencia local de desechos sólidos para obtener instrucciones sobre cómo eliminar el producto. Nunca elimine el producto no utilizado en drenajes internos o externos.

GUARANTEED ANALYSIS  
Scotts® Snap Pac® Fertilizer with Crabgrass Preventer

30-0-4  
Total nitrogen (N)..... F643  
30% urea nitrogen..... 30%

Soluble potash (K<sub>2</sub>O)..... 4%  
Derived from: Polymer coated urea, Urea, and Potassium Chloride  
Contains 0.1M chitosan available nitrogen from polymer-coated urea

Rev. 02-08-2012

# **GUARANTEED ANALYSIS** **Scotts® Snap Pac® Fertilizer with Crabgrass Preventer**

|                                                                    |      |
|--------------------------------------------------------------------|------|
| 30-0-4                                                             | F543 |
| Total nitrogen (N).....                                            | 30%  |
| 30% urea nitrogen*                                                 | 4%   |
| Soluble potash (K <sub>2</sub> O).....                             |      |
| Derived from: Polymer coated urea, urea, and Potassium Chloride    |      |
| *Contains 6.1% slowly available nitrogen from polymer-coated urea. |      |

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.regulatory-info-sc.com>  
 NOTICE: To the extent consistent with the applicable law, buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

## **Dedicated To A Beautiful World®**

Trusted by generations of homeowners, Scotts is dedicated to helping enhance and protect the beauty of your home environment.  
 Con la confianza de generaciones de propietarios de casas, Scotts se ha dedicado a ayudarle a mejorar y a proteger la belleza del ambiente en su hogar.



...the lawn people

de la aplicación.

## **MALEZAS CONTROLADAS:**

Zacate mano de cangrejo, amor de hortelano, colas de zorra, lechetezuela, pasto azul, estalaria y ortiga mansa

CAS #97886-45-8

## **Scotts® Guarantee**

If for any reason you the consumer are not satisfied with the results after using this product, you are entitled to get your money back.  
 Simply send us proof of purchase and we will mail you a refund promptly.

Si por alguna razón usted, el consumidor, no está completamente satisfecho con los resultados luego de utilizar este producto, tiene derecho a que le devolvamos su dinero. Sólo deberá enviarnos el comprobante de compra y le enviaremos un reembolso por correo inmediatamente.

PROOF OF PURCHASE  
 P24520-2 | BG1045 | VID-PP



SNAP PAC® FERTILIZER WITH  
 CRABGRASS PREVENTER 4M 24520-2

Sold and Guaranteed by:  
 The Scotts Company  
 14111 Scottslawn Rd.  
 Marysville, OH 43041  
 EPA Reg. No. 538-318  
 EPA Est. Nos. 84175-TX-1B;  
 538-OH-2V  
 Superscript used is first letter  
 of run code on end of container.

© 2011 The Scotts Company LLC.  
 World Rights Reserved.

EPA Reg No. 538-318 (4M)

Scotts Snap Pac Fertilizer with Crabgrass Preventer