


DECON-QUAT[®] 200C



Disinfectant • Non-Food Contact Sanitizer • Mildewstat • Fungicide • Virucide*

ACTIVE INGREDIENTS:

Didecyl Dimethyl Ammonium Chloride..... 10.14%

Alkyl (50% C14, 40% C12, 10% C16)

Dimethyl Benzyl Ammonium Chloride..... 6.76%

OTHER INGREDIENTS:..... 83.10%

TOTAL:..... 100.00%

KEEP OUT OF REACH OF CHILDREN DANGER PELIGRO

See side panel for additional precautionary statements.

FIRST AID

In case of emergency, call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. **IF ON SKIN:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **IF SWALLOWED:** Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. Call a poison control center or doctor immediately for treatment advice. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

Net Contents:

24 x 8 fl oz (Total: 1.5 Gallons)
Reorder # DQ200C-03-8Z

4 x 1 Gallon (Total: 4 Gallons)
Reorder # DQ200C-02

24 x 2 fl oz (Total: 1.5 Quarts)
Reorder # DQ200C-03-2Z

For chemical or environmental emergencies, call CARECHEM 24 at 866-928-0789.

Case Label: DQ200C-00 • Rev 01/23 • SDS: VIL-110 • K-22

Veltek Associates, Inc.

15 Lee Blvd., Malvern, PA 19355-1234

Tel: 610-644-8335

www.sterile.com

Patents: www.sterile.com/patents

For EPA Est. No. see the final character of the lot #:

L = 68959-PA-01, C = 68959-PA-03, T = 68959-PA-02.

EPA Reg. No. 10324-141-68959

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER.

Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and chemical-resistant gloves and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, aquatic invertebrates, oysters and shrimp.

DISINFECTION PERFORMANCE: This product kills the following bacteria in 10 minutes at 0.5 oz. per gal. of 400 ppm hard water (660 ppm active) and 5% soil on hard, non-porous surfaces: *Acinetobacter baumannii* (ATCC 19003), *Acinetobacter Iwoffii* (ATCC 9957), *Acinetobacter Iwoffii* (ATCC 15309), *Bordetella bronchiseptica* (ATCC 10580), *Chlamydia psittaci* (VR-125), *Citrobacter freundii* (ATCC 8090), *Enterobacter agglomerans* (ATCC 27155), *Enterobacter cloacae* (ATCC 13047), *Escherichia coli* (ATCC 11229), *Escherichia coli* 0157:H7 (ATCC 35150), *Escherichia coli* (Carbapenem Resistant) (CDC 81371), *Escherichia coli* (Extended Spectrum B-Lactamase) (ESBL) (ATCC BAA-196), *Escherichia coli* (Tetracycline Resistant) (ATCC 47041), *Enterococcus faecalis* (ATCC 19433), *Enterococcus faecalis* (Vancomycin Resistant) (VRE) (ATCC 51299), *Enterococcus hirae* (ATCC 10541), *Fusobacterium necrophorum* (ATCC 27852), *Klebsiella aerogenes* (ATCC 13048), *Klebsiella oxytoca* (ATCC 13182), *Klebsiella pneumoniae* (ATCC 13883), *Klebsiella pneumoniae* (Carbapenem-Resistant) (NDM-1) (ATCC BAA-2146), *Listeria monocytogenes* (ATCC 19117), *Micrococcus luteus* (ATCC 14452), *Micrococcus luteus* (ATCC 4698), *Pasturella multocida* (ATCC 12947), *Proteus vulgaris* (ATCC 9920), *Proteus vulgaris* (ATCC 13315), *Pseudomonas aeruginosa* (ATCC 15442), *Pseudomonas aeruginosa* (Tetracycline Resistant) (ATCC 27853), *Pseudomonas cepacia* (ATCC 25416), *Salmonella enterica* (ATCC 23564), *Salmonella enterica* (ATCC 10708), *Salmonella enteritidis* (ATCC 4931), *Salmonella enterica* serotype pullorum (ATCC 19945), *Salmonella typhi* (ATCC 6539), *Salmonella typhimurium* (ATCC 23564), *Serratia marcescens* (ATCC 9103), *Serratia marcescens* (ATCC 14756), *Shigella flexneri* (ATCC 9380), *Shigella flexneri* (ATCC 12022), *Shigella sonnei* (ATCC 25931), *Staphylococcus aureus* (ATCC 6538), *Staphylococcus aureus* (ATCC 25923), *Staphylococcus aureus* (ATCC 33586), *Staphylococcus aureus* (ATCC 14154), *Staphylococcus aureus* (Community Associated Methicillin Resistant) (CA-MRSA) (Genotype USA 300), *Staphylococcus aureus* (Community Associated Methicillin Resistant) (CA-MRSA) (Genotype USA 400), *Staphylococcus aureus* (Methicillin Resistant) (MRSA) (ATCC 33592), *Staphylococcus epidermidis* (ATCC 14990), *Staphylococcus epidermidis* (Ampicillin, Cefazolin, Oxacillin, Penicillin Resistant) (ATCC 51628), *Streptococcus agalactiae* (ATCC 13813), *Staphylococcus haemolyticus* (ATCC 29970), *Streptococcus pneumoniae* (Penicillin Resistant) (ATCC 51915), *Streptococcus pyogenes* (ATCC 19615), *Streptococcus mutans* (ATCC 25175), *Staphylococcus aureus* (Vancomycin Intermediate Resistant) (VISA) (HIP 5836), *Vibrio cholerae* (ATCC 11623), *Yersinia enterocolitica* (ATCC 23175)

VRUCIDAL PERFORMANCE: This product kills the following viruses in 10 minutes at 0.5 oz. per gal. of 400 ppm hard water (660 ppm active) and 5% soil on hard, non-porous surfaces: Avian Influenza A (H5N1) Virus (Reassortant Strain) (CDC 2006719965), Avian Influenza A (H3N2) Virus (Avian Reassortant) (VR-2072), Cytomegalovirus (AD-169), Coronavirus (SARS-associated) (CDC 200300592), Hepatitis B Virus (HBV) (Duck Hepatitis B Virus), Hepatitis C Virus (HCV) (Bovine Viral Diarrhea Virus), Herpes Simplex Virus Type 1 (VR-733), Herpes Simplex Virus Type 2 (VR-734), Human Coronavirus (VR-740), Human Immunodeficiency Virus Type 1*** (HIV 1) (AIDS Virus), Influenza A Virus (H1N1) (Strain A/PR/8/34), Influenza A Virus (H3N2) (Hong Kong Strain) (VR-544), Respiratory Syncytial Virus (VR-26), SARS-CoV-2*** (SARS Coronavirus 2) (USA-WA1/2020) (BEI NR-52281) (COVID-19 Virus), Vaccinia Virus (VR-119).

*** Indicates a 2-minute contact time is required for this claim.

NON-FOOD CONTACT SANITIZING PERFORMANCE: This product is an effective one-step sanitizer in 3 minutes at 0.5 oz. per gal. of 400 ppm hard water (660 ppm active) and 5% soil on hard, non-porous surfaces against: *Klebsiella pneumoniae* (ATCC 4352), *Staphylococcus aureus* (ATCC 6538)

FUNGICIDAL PERFORMANCE: This product kills the following fungi in 10 minutes at 0.5 oz. per gal. of 400 ppm hard water (660 ppm active) and 5% soil on hard, non-porous surfaces: *Candida albicans* (ATCC 10231), *Trichophyton interdigitale* (form *T. mentagrophytes*) (ATCC 9533) (Athlete's foot fungus) (Ringworm fungus)

MILDEWSTATIC PERFORMANCE: This product controls the following mold for up to 7 days at 0.5 oz. per gal. of 400 ppm hard water (660 ppm active) and 5% soil on hard, non-porous surfaces: *Aspergillus niger* (ATCC 16404)

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Rinse hard, non-porous food contact surfaces with potable water after application of product. This product is not for use on medical device surfaces.

FOR USE AS A ONE-STEP, GENERAL, HOSPITAL, MEDICAL DISINFECTANT, FUNGICIDE, VIRUCIDE*, CLEANER:

1. Pre-clean visibly soiled areas.
2. Prepare a use solution of 0.5 oz. of this product per gal. of water. To disinfect hard, non-porous, non-food contact surfaces, apply use solution with a sponge, brush, cloth, mop, by immersion, coarse trigger spray device. For spray applications, spray 6 - 8 inches from surface. Do not breathe spray.
3. Treated surfaces must remain visibly wet for 2 minutes to kill SARS-CoV-2 or for 10 minutes to kill all organisms listed on the label.
4. Wipe dry with a clean cloth or allow to air dry. Rinsing of floors is not necessary unless they are to be waxed or polished.

BLOODBORNE PATHOGEN INSTRUCTIONS:

***KILLS HIV, HBV AND HCV ON PRE-CLEANED HARD, NON-POROUS SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of hard, non-porous surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS), Hepatitis B Virus (HBV) and Hepatitis C Virus (HCV).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV AND HCV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

Personal Protection: Wear protective latex gloves, gowns, masks, and eye protection. **Cleaning Procedure:** Blood and other body fluids containing HIV-1, HBV & HCV must be thoroughly cleaned from hard, non-porous surfaces and objects before application of this product. **Disposal of Infectious Materials:** Blood and other body fluids, cleaning materials and clothing must be autoclaved and disposed of according to federal, state, and local regulations for infectious waste disposal. **Contact Time:** Allow hard, non-porous surfaces to remain visibly wet for 2 minutes to kill HIV and 10 minutes for all organisms listed on the label.

TO CONTROL MOLD/MILDEW: Pre-clean visibly soiled areas. Prepare use solution by adding 0.5 oz. of this product per gal. of water (or equivalent use dilution). Apply use solution to hard, non-porous surfaces which will effectively inhibit the growth of mold and mildew and their odors. Repeat treatment every 7 days, or more often if new growth appears.

NON-FOOD CONTACT SURFACE SANITIZING: Pre-clean visibly soiled areas. Add 0.5 oz. of this product per gal. of water (or equivalent use dilution). Apply solution to hard, non-porous surfaces with a sponge, brush, cloth, mop, by immersion, or coarse trigger spray device. For spray applications, spray 6 - 8 inches from surface. Do not breathe spray. Treated surfaces must remain visibly wet for 3 minutes. Prepare a fresh solution daily or when visibly dirty.

GENERAL DEODORIZATION: To deodorize, apply 0.5 - 1 oz. of this product per gal. of water (or equivalent use dilution) to hard, non-porous surfaces. Rinse and allow to air dry. Rinse with potable water after use on surfaces that come in contact with food.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Store only in original container. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING: Non-Refillable Container. Do not reuse or refill this container. Triple rinse container promptly after emptying. Triple rinse as follows: Fill the container ¼ full with water and recap. Shake for 10 seconds. Drain for 10 seconds after the flow begins to drip. Follow Pesticide Disposal instructions for rinsate disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration.

DESCRIPTION: Case DQ200C-00 • (5" x 11") • Rev 01/23

Colors: PMS 263, Black

Reference Code: K-22

Made in USA

