



CONCENTRATE YEAR-LONG VEGETATION CONTROL

COVERS 1,200 SQ. FT.*

**YEAR-LONG CONTROL OF
TOUGH WEEDS AND BRUSH****

OFFERS LONG-TERM WEED CONTROL IN
PLACES WHERE NO GROWTH IS WANTED



**Apply Only Where No
Vegetation Growth is
Wanted For Up to 1 Year**



Makes Up to 4 Gallons*

ACTIVE INGREDIENTS:

Imazapyr, isopropylamine salt..... 0.266%

Glyphosate, isopropylamine salt 0.583%

OTHER INGREDIENTS:..... 99.151%

TOTAL 100.000%

THIS PRODUCT CONTAINS: 0.018 lb. Imazapyr

(2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-
5-oxo-1H-imidazol-2-yl]-3-pyridinecarboxylic acid)

acid equivalent per gallon or 0.217%

0.036 lb. Glyphosate (N-(phosphonomethyl)glycine)
acid equivalent per gallon or 0.433%

*When mixed 1 gallon of product with 3 gallons of water.

**See inside booklet for complete list of weeds controlled.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See attached booklet for Precautionary Statements and
Directions for Use (including First Aid and Storage and Disposal).

NET CONTENTS: 1 GAL. (128 FL. OZ.) 819/10-2018



CONCENTRATE YEAR-LONG VEGETATION CONTROL

COVERS 1,200 SQ. FT.*
**YEAR-LONG CONTROL OF
TOUGH WEEDS AND BRUSH****

OFFERS LONG-TERM WEED CONTROL IN
PLACES WHERE NO GROWTH IS WANTED

1,200 sq. ft. (111.5 sq. meters)

819/2-2019 AP091415

EPA REG. NO. 2217-960

EPA EST. NO. 2217-KS-1 (Q1) 2217-KS-2 (Q2)

Circled digit is first digit of lot number.

Manufactured by:
PBI/GORDON CORPORATION
P.O. BOX 860350
SHAWNEE, KANSAS 66286

Available exclusively for:
TRACTOR SUPPLY COMPANY
5401 VIRGINIA WAY
BRENTWOOD, TN 37027
For customer support,
call: 1-888-376-9601
www.TractorSupply.com

NET CONTENTS:
1 GAL. (128 FL. OZ.)



**Apply Only Where No
Vegetation Growth is
Wanted For Up to 1 Year**



Makes Up to 4 Gallons*

See inside pages for complete Precautionary
Statements and Directions for Use (including
First Aid and Storage and Disposal).

*When mixed 1 gallon of product with
3 gallons of water.

**See inside booklet for complete list
of weeds controlled.

4501579





CONCENTRATE YEAR-LONG VEGETATION CONTROL

ACTIVE INGREDIENTS:

Imazapyr, isopropylamine salt. 0.266%

Glyphosate, isopropylamine salt 0.583%

OTHER INGREDIENTS: 99.151%

TOTAL 100.000%

THIS PRODUCT CONTAINS:

0.018 lb Imazapyr (2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo-1H-imidazol-2-yl]-3-pyridinecarboxylic acid) acid equivalent per gallon or 0.217%

0.036 lb Glyphosate (N-(phosphonomethyl)glycine) acid equivalent per gallon or 0.433%

KEEP OUT OF REACH OF CHILDREN CAUTION



READ THE ENTIRE LABEL FIRST.
OBSERVE ALL PRECAUTIONS AND
FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

FIRST AID

If in eyes:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For additional information in case of emergency, call toll free 1-877-800-5556.

Environmental Hazards

This product is toxic to plants. Drift and run-off may be hazardous to plants in water adjacent to treated areas. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters or rinsate. See Directions for Use for additional precautions and requirements.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

1. Application Restrictions

- Do not enter or allow others to enter treated areas until sprays have dried.
- Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.
- Do not use on feed or food crops.

2. What It Does

GroundWork® Concentrate Year-Long Vegetation Control is a nonselective herbicide which kills most annual and perennial grasses, broadleaf weeds, vines, brush, and trees. The product is absorbed through leaves, stems, and roots and moves throughout the plant. Treated plants stop growing soon after application. GroundWork® Concentrate Year-Long Vegetation Control will also provide residual control for up to 12 months in the treated area. Heavy rainfall will reduce the length of residual control. Heavy clay soils may increase the length of residual control.

3. Where To Use

GroundWork® Concentrate Year-Long Vegetation Control may be used to control weeds in: In fencerows. Around domestic dwellings, outdoor buildings, structures and shelters such as dairy barns. In roadsides, paved areas (including crack and crevice), curbs, sidewalks, driveways, parking areas, brick walks, gravel paths, paths, patios, and vacant lots, urban areas, play areas, and tennis courts. Along fences.

IMPORTANT: Use only in areas where you want to 1) kill all existing vegetation and 2) suppress regrowth for up to 12 months. Do not use in gardens, flower beds or in areas intended to be seeded or planted within 12 months. Newly planted trees, shrubs and flowers are especially sensitive. This product is not intended for treating aquatic plants. In lawns, do not use for individual weed control.

4. Weeds Controlled

GroundWork® Concentrate Year-Long Vegetation Control will control or suppress listed grasses, broadleaf weeds, woody brush, vines, and trees. The degree of control and residual varies by plant species.

GRASSES	
Annual bluegrass	Itchgrass
Bahiagrass	Johnsongrass
Barnyardgrass	Kentucky bluegrass
Beardgrass	Lovegrass
Bermudagrass	Orchardgrass
Big bluestem	<i>Panicum</i> spp.
Broadleaf signalgrass	Prairie cordgrass
Canada bluegrass	Prairie threeawn
Cheat	Quackgrass
Cogongrass	Reed canarygrass
Crabgrass	Sand dropseed
Crowfootgrass	Sandbur
Dallisgrass	Smooth brome
Downy brome	Timothy
Fall panicum	Torpedograss
Feathertop	Vaseygrass
Fescue	Wild barley
Foxtail	Wild oats
Giant reed	Wirestem muhly
Goosegrass	Witchgrass
Guineagrass	Woolly cupgrass
Italian ryegrass	

BROADLEAF WEEDS	
Arrowwood	Mullein
Broom snakeweed	Nettleleaf goosefoot
Bull thistle	Oxeye daisy
Burclover	Pepperweed
Burdock	Pigweed
Camphorweed	Plantain
Canada thistle	Pokeweed
Carolina geranium	Primrose
Carpetweed	Puncturevine
Chickweed, mouseear	Purple loosestrife
Clover	Purslane
Cocklebur	Pusley, Florida
Common chickweed	Rocket, London
Common ragweed	Rush skeletonweed
Cudweed	Russian knapweed
Dandelion	Russian thistle
Desert camelthorn	Saltbush
Diffuse knapweed	Shepherd's purse
Dock	Silverleaf nightshade
Dogfennel	Smartweed
Fiddleneck	Sorrell
Filaree	Sowthistle
Fleabane	Spurge, annual
Giant ragweed	Stinging nettle
Goldenrod	Sunflower
Gray rabbitbrush	Sweet clover
Henbit	Tansymustard
Hoary vervain	Texas thistle
Horseweed	Velvetleaf
Indian mustard	Western ragweed
Japanese bamboo/ knotweed	Wild carrot
Knotweed, prostrate	Wild lettuce
Kochia	Wild parsnip
Lambsquarters	Wild turnip
Little mallow	Woollyleaf bursage
Milkweed	Yellow starthistle
Miner's lettuce	Yellow woodsorrel

VINES	
Field bindweed	Virginia creeper
Hedge bindweed	Wild buckwheat
Honeysuckle	Wild grape
Morningglory	Wild rose (Including: Multiflora and Macartney rose)
Poison ivy	
Redvine	
Trumpet creeper	

5. Application Directions

The maximum number of applications is 1 broadcast and 1 spot treatment per year OR 2 spot treatments per year OR 1 brush control application per year. The maximum annual rate is 2 gallons per 1,200 sq.ft. per year.

Equipment Cleanup: Thoroughly flush application equipment with water after using this product. Do not flush equipment near desirable plants or their root zones.

5.1 For Total Vegetation Control (Including Bareground Treatment)

Use hand-operated spray equipment such as backpack sprayers, pump-up sprayers, or sprinkling can. Dilute product with water before applying. For maximum effectiveness, apply when weeds are vigorously growing.

For Broadcast Treatments: Uniformly spray or sprinkle the area where no vegetation is desired. Mix 1 gallon of product with 3 gallons of water to cover 1,200 sq.ft.

For Fence Lines: Uniformly spray or sprinkle the strip where no vegetation is desired. Mix 1 gallon of product with 3 gallons of water to cover 1,200 sq.ft. (equal to 2,400 linear feet of fence line with a 6-inch band width).

For Spot Treatments: Spray or sprinkle the spots where no vegetation is desired. Mix 1 gallon of

product with 3 gallons of water to cover 1,200 sq.ft. One spot treatment may be used after a broadcast treatment if weeds persist.

5.2 For Brush Control

Use hand-operated spray equipment such as backpack sprayers or pump-up sprayers. Apply product undiluted. Uniformly spray the foliage of woody weeds. Do not wet foliage excessively. Weeds should be growing vigorously at the time of application for maximum herbicide activity.

6. For All Application Types: Avoiding Injury to Non-Target Plants

Movement of the product from the target plant or site may injure non-target plants. Follow these precautions to manage off-target movement.

1. **Runoff:** Do not over apply causing runoff from the treated foliage. Do not apply to slopes.
2. **Spray Drift:** Spray drift from applying this product may result in damage to sensitive plants adjacent to the treatment area. Avoiding spray drift is the responsibility of the applicator. Applications with wind speeds greater than 10 mph are prohibited. Applications into temperature inversions are prohibited.
3. **Roots of Trees and Shrubs:** Untreated plants can be affected by root uptake. Do not use over the root zone of desirable trees and shrubs. Roots extend beyond the drip line and can extend under fences, driveways, patios, sidewalks, paths, and similar landscape elements.
4. **Movement of Treated Soil:** Do not treat powdery, dry or light sandy soils when the soil may be blown by wind. If necessary soil

surface should be settled by rain or irrigation.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in original container in a locked storage area. Keep from freezing.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

LIMITED WARRANTY AND DISCLAIMER

FOR USE ONLY AS DIRECTED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY EXPRESSLY DISCLAIMED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO CASE SHALL THE MANUFACTURER BE LIABLE FOR INCIDENTAL, CONSEQUENTIAL, OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. If these terms are not acceptable, return this product unopened immediately to the point of purchase, and the purchase price will be refunded in full. The terms of this LIMITED WARRANTY STATEMENT cannot be varied by any written or verbal statements or agreements at the point of sale or elsewhere.

819/2-2019 AP091415

EPA REG. NO. 2217-960

EPA EST. NO. 2217-KS-1 ①, 2217-KS-2 ②

Circled digit is first digit of lot number.

MANUFACTURED BY

PBI/GORDON CORPORATION

P.O. BOX 860350

SHAWNEE, KANSAS 66286

AVAILABLE EXCLUSIVELY FOR:

TRACTOR SUPPLY COMPANY

5401 VIRGINIA WAY

BRENTWOOD, TN 37027

For customer support,

call: 1-888-376-9601

www.TractorSupply.com



CONCENTRATE YEAR-LONG VEGETATION CONTROL

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

FIRST AID	
If in eyes:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. For additional information in case of emergency, call toll free 1-877-800-5556.	

Environmental Hazards

This product is toxic to plants. Drift and run-off may be hazardous to plants in water adjacent to treated areas. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters or rinsate. See Directions for Use for additional precautions and requirements.

819/2-2019 AP091415

EPA REG. NO. 2217-960

EPA EST. NO. 2217-KS-1 (01), 2217-KS-2 (02)

Circled digit is first digit of lot number.

MANUFACTURED BY
PBI/GORDON CORPORATION
P.O. BOX 860350
SHAWNEE, KANSAS 66286

AVAILABLE EXCLUSIVELY FOR:
TRACTOR SUPPLY COMPANY
5401 VIRGINIA WAY
BRENTWOOD, TN 37027
For customer support,
call: 1-888-376-9601
www.TractorSupply.com