4-401_Bi-Mart Owner's Choice Lawn Weed Killer Ready to Use_20130224_231.pdf



BIMART OWNER'S CHOICE™ LAWN WEED KILLER READY TO USE

- **Kills** Dandelion, Clover, Chickweed, Oxalis and over 200 other broadleaf weeds to the root!
- **Use** on all types of Lawns - won't harm lawn grasses when used as directed
- **Starts** working over night

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

Store and transport in an upright position.

EPA Reg. No. 4-401
EPA Est. No. 4-NY-1

Buyers guarantee limited to label claims.
©Bonide Products, Inc. All Rights Reserved

Bonide Products, Inc.
6301 Sutliff Road
Oriskany, NY 13424

Quart

BM

0 37321 11305 8

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

PRECAUTIONS AND RESTRICTIONS

- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until sprays have dried.
- Do not exceed specified dosage. This product is intended for spot spraying individual weeds only.
- Do not apply as a fine mist because of potential for injury to desirable plants.
- Do not use this product on or near desirable plants, including contact of spray on exposed root systems or adventitious shoots within the drip line of desirable trees and shrubs, since injury may result.
- Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. To prevent product run-off, do not over water the treated area(s) to the point of runoff or apply when raining or when rain is expected that day.

WHAT IT IS & HOW TO USE IT

This product contains Trimec® turf herbicide, a combination of three proven weed killers 2,4-D, mecoprop and dicamba. Together they control a wide range of broadleaf lawn weeds; some of which are listed on this label.

Use to "spot treat" weeds in the lawn. For best results, apply when weeds are actively growing. Do not water within 24 hours after spraying. Use as is. Do not mix. Do not dilute. Aim at weed and spray. Only a short burst is needed. Overspraying only wastes the product and may cause damage to grasses such as centipedegrass, St. Augustinegrass, and Floratam. Effects begin to show after a few days and weeds gradually die. Up to 4 weeks may be required for complete kill. Repeat in 30 days if necessary. The number of spot treatments is limited to 2 per year.

CONTROLS - WEEDS

Annual yellow sweetclover	Bulbous buttercup	Clover, white	Heartleaf drymary
Aster	Bull thistle	Cockle	Heath aster
Austrian fieldcress	Bullnettle	Cocklebur	Hedge bindweed
Bedstraw	Burclover	Common mullein	Hedge mustard
Beggarticks	Burdock	Creeping charlie	Henbit
Betony, Florida	Burning nettle	Creeping jenny	Hoary cress
Bindweed, field	Burweed	Cudweed	Hoary plantain
Bird vetch	Buttercup	Curly dock	Hoary vervain
Bitter wintercress	Buttonweed	Daisy, English	Horsenettle
Bittercress, hairy	Canada thistle	Daisy fleabane	Jimsonweed
Bitterweed	Carolina geranium	Daisy, oxeye	Knawel
Black-eyed Susan	Carpetweed	Dandelion	Knotweed
Black medic	Catchweed bedstraw	Dichondra	Kochia
Black mustard	Catnip	Dogfennel	Lambsquarters
Blackseed plantain	Catsear	Dollarweed	Lespedeza
Blessed thistle	Chickweed, common	False dandelion	Mallow
Bloodflower milkweed	Chickweed, mouseear	Falseflax	Matchweed
Blue lettuce	Chicory	False sunflower	Mexicanweed
Blue vervain	Cinquefoil	Fiddleneck	Milk vetch
Bracted plantain	Clover, crimson	Florida pusley	Morningglory
Bristly oxtongue	Clover, hop	Frenchweed	Mouseear hawkweed
Broadleaf dock	Clover, red	Galinsoga	Mugwort
Broadleaf plantain	Clover, strawberry	Goldenrod	Musk thistle
Broomweed	Clover, sweet	Ground ivy	Mustard
Buckhorn		Gumweed	Narrowleaf plantain
Buckhorn plantain		Hairy fleabane	Narrowleaf vetch
		Hawkweed	
		Healall	

CONTROLS - WEEDS Cont.

Nettle	Ragweed	Stinging nettle	Wild carrot
Orange hawkweed	Red sorrel	Strawberry, India mock	Wild four-o'clock
Oriental cocklebur	Redroot pigweed	Tall nettle	Wild garlic
Oxalis	Redstem filaree	Tall vervain	Wild geranium
Parsley-piert	Rough cinquefoil	Tansy ragwort	Wild lettuce
Parsnip	Rough fleabane	Tansy mustard	Wild marigold
Pearlwort	Russian pigweed	Tanweed	Wild mustard
Pennycress	Russian thistle	Thistle	Wild onion
Pepperweed	Scarlet pimpernel	Trailing crownvetch	Wild parsnip
Pigweed	Scotch thistle	Tumble mustard	Wild radish
Pineywoods bedstraw	Sheep sorrel	Tumble pigweed	Wild rape
Plains coreopsis	Shepherdspurse	Velvetleaf	Wild strawberry
Plantain	Slender plantain	Venice mallow	Wild sweet potato
Poison ivy	Smallflower galinsoga	Virginia buttonweed	Wild vetch
Poison oak	Smooth dock	Virginia creeper	Woodsorrel
Pokeweed	Smooth pigweed	Virginia pepperweed	Woolly croton
Poorjoe	Sorrel	Virginia	Woolly morningglory
Prairie sunflower	Sowthistle	Wavyleaf bullthistle	Woolly plantain
Prickly lettuce	Spanishneedles	Western clematis	Wormseed
Prickly sida	Speedwell	Western salsify	Yarrow
Prostrate knotweed	Spiny amaranth	White mustard	Yellow rocket
Prostrate pigweed	Spiny cocklebur	Wild aster	Yellowflower pepperweed
Prostrate spurge	Spiny sowthistle	Wild buckwheat	Yellow sweetclover and other broad-leaf weeds
Prostrate vervain	Spotted catsear		
Puncturevine	Spotted spurge		
Purslane, common	Spurweed		

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION - Harmful if absorbed through skin. Harmful if swallowed. Avoid contact with skin, eyes, or clothing. Causes moderate eye irritation. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Wear long-sleeved shirt, long pants, socks, shoes, and gloves. Remove and wash contaminated clothing before reuse.

Environmental Hazards

This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store in original container in a locked storage area inaccessible to children and pets.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. *If Empty* - Do not reuse this container. Place in trash or offer for recycling if available. *If Partly Filled* - Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

FIRST AID

If in eyes:	• Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If swallowed:	• Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If on skin or clothing:	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 - 20 minutes. • Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER: Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact the National Pesticide Information Center at 1-800-858-7378 for emergency medical treatment information.

LIMITED WARRANTY AND DISCLAIMER

For use only as directed. To the extent consistent with applicable law, the manufacturer neither makes nor intends any express or implied warranties, including any warranty of merchantability or fitness for a particular purpose, which are hereby expressly disclaimed. To the extent consistent with applicable law, in no case shall the manufacturer be liable for incidental, consequential, or special damages resulting from the use or handling of this product. If these terms are not acceptable, return this product unopened immediately to the point of purchase, and the purchase price will be refunded in full. The terms of this LIMITED WARRANTY AND DISCLAIMER cannot be varied by any written or verbal statements or agreements at the point of sale or elsewhere.

For information on pesticide products (including health concerns, medical emergencies or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.