

ACTIVE INGREDIENT:

Boric Acid 5.40%

OTHER INGREDIENTS 94.60%

TOTAL 100.00%

EPA Est. No. 4-NY-1

EPA Reg. No. 4-424

*Ants will carry bait
back to nests*



4 refillable
containers

3 fl. oz. liquid
ant bait

16 baitings



Destroys the entire colony

*Kills sweet and
grease eating ants*

Instrucciones en español dentro de la caja

Keep Out Of Reach Of Children

CAUTION (See back panel for additional
Precautionary Statements and First Aid)
Net Contents: 3 FL. OZ. (88.72 cc)



Bonide Products, Inc.
6301 Sutliff Road
Oriskany, NY 13424



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Product to be used in the immediate area around the home, indoors, patio, play yard, garage. Place product where ants are seen.

FOR SWEET EATING ANTS: place a few drops of Revenge Liquid Ant Bait wherever ants are seen and in mouth of ant hills. Ants will carry bait to nests. Repeat as needed, or twice monthly as preventative.

FOR GREASE EATING ANTS: mix one or two drops of salad oil with a few drops of Revenge Liquid Ant Bait and place wherever ants are seen. Apply only in areas inaccessible to children and pets. Avoid contamination of feed and foodstuffs.

USING REVENGE LIQUID ANT BAIT:

Do not skip on bait placements; the more bait placements, the better. Since invading ants usually have outdoor nesting sites, it often helps to put the product outside, close to where ants are found entering the structure, ants typically follow defined trails from the nest to food or water. Placing Revenge Liquid Ant Bait close to these trails will improve control.

CONTROLLING AND ELIMINATING ANTS: First ants will come in large numbers, but soon disappear. This product is specifically formulated to allow worker ants to consume the product and survive long enough to carry the liquid back to the nest and deliver a dose to the rest of the colony.

The key to obtaining effective control is to monitor the placements and ensure there is always a fresh supply of Revenge Liquid Ant Bait on each placement. Complete control may take up to two weeks.



FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the National Pesticide Information Center at 1-800-858-7378 for emergency medical treatment information.

If Swallowed:	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by the poison control center or doctor.• Do not give anything by mouth to an unconscious person.
If on Skin or Clothing:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
If in Eyes:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through the skin. Causes eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

STORAGE AND DISPOSAL

Storage: Store and transport in an upright position. Store in a cool dry area inaccessible to children or pets.
Disposal: *If empty* - Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. *If partly filled* - Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

For information on pesticide products (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.