

For Best Results Apply to a Wet Lawn

**FALL IS THE BEST
TIME TO FEED!**

Scotts®

Turf Builder®

**WINTERGUARD®
FALL WEED & FEED I**

Fertilizante para césped para el otoño con control de malezas



**KILLS DANDELIONS
AND OTHER LAWN WEEDS*
FOR A BETTER LAWN NEXT SPRING**

Feeds to Build Strong, Deep Grass Roots

*as listed

COVERS 5,000 SQ FT

**NET WT./PESO NETO
14.29 lb (6.48 kg)**

ACTIVE INGREDIENTS:
2,4-D¹¹ 1.21%
Mecoprop-p¹¹ 0.61%
OTHER INGREDIENTS 98.18%
TOTAL 100.00%

¹¹USP: 80.0-85.0% wet equivalent per pound of product
¹²USP: 80.0-85.0% wet equivalent per pound of product

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

**MANTENER FUERA DEL ALCANCE DE LOS NIÑOS
PRECAUCIÓN**

100% SIZE
12-digit UPC-A
(non-suppress)
For Position On

0 32247 50225 2

PROOF OF PURCHASE
UPC 0-32247-50225-2

50225

1

Scotts®

**Turf Builder®
WINTERGUARD®
FALL WEED & FEED I**

*Won't Burn Lawn
Guaranteed!*

28-0-10

7/26/12 SSL
Page 2 of 6

**FALL IS THE BEST
TIME TO FEED!**

For Best Results Apply to a Wet Lawn



Turf Builder[®]

**WINTERGUARD[®]
FALL WEED & FEED I**

Fertilizante para césped para el otoño con control de malezas





KILLS DANDELIONS AND OTHER LAWN WEEDS⁺ FOR A BETTER LAWN NEXT SPRING

Feeds to Build Strong, Deep Grass Roots

⁺as listed

COVERS 5,000 SQ FT

**NET WT./PESO NETO
14.29 lb (6.48 kg)**

ACTIVE INGREDIENTS:

2,4-D ^{††}	1.21%
Mecoprop-p ^{†††}	0.61%
OTHER INGREDIENTS	98.18%
TOTAL	100.00%

[†]0.0121 lbs 2,4-D acid equivalent per pound of product
^{††}0.0061 lbs MCP-P acid equivalent per pound of product

**KEEP OUT OF REACH OF CHILDREN
CAUTION** SEE BACK FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

**MANTENER FUERA DEL ALCANCE DE LOS NIÑOS
PRECAUCION** CONSULTE EL PANEL POSTERIOR PARA
CONOCER LOS AVISOS DE PRECAUCION ADICIONALES



Turf Builder
WINTERGUARD®
FALL WEED & FEED_I

*Won't Burn Lawn
Guaranteed!*

28-0-10

Scotts®

DIRECTIONS FOR USE INSTRUCCIONES DE USO

It is a violation of federal law to use this product in a manner inconsistent with its labeling.
This product applies 1.5 pounds of 2,4-D per acre per application.
Se considera una violación a la ley federal usar este producto con otros fines que los indicados en la etiqueta.
Este producto aplica 0.7 kg de 2,4-D por acre por aplicación.

Scotts® QUICK START GUIDE: You're Just Three Simple Steps Away From A Beautiful Scotts® Lawn Guía de inicio rápido de Scotts®: ¡Está a sólo tres sencillos pasos de tener un hermoso césped con Scotts®!



FILL & SET SPREADER Llenar y ajustar el esparcidor



Scotts®
Broadcast /
Rotary Spreaders **3 3/4**



Scotts®
Drop Spreaders **6**

Scotts® products are designed to work with Scotts spreaders.
For additional spreader settings, please call 1-800-543-8873.
This package applies 2.9 lbs of product per 1,000 sq. ft.
Los productos Scotts® están diseñados para funcionar con los esparcidores Scotts. Para ajustes adicionales del esparcidor, llame al 1-800-543-8873.
Con este paquete, se aplican 1.3 kg de producto por cada 93 m².



APPLY Aplicar

- Apply on a calm day.
- Apply to moist grass. Make sure that the grass is wet from dew or sprinkling before applying. This helps particles adhere to weed leaves to produce best results.
- Apply when weeds are actively growing (when daytime temperatures are consistently between 60°F and 90°F).
- Tall grass should be mowed a day or two before application.
- For even application walk at a steady pace slightly overlapping each pass.
- Scotts® Drop Spreaders: Align hopper arrow with previous wheel track.
- Scotts® Broadcast/Rotary Spreaders: Line up each pass approximately 5 ft. from wheel track.
- Aplíquelo un día que no haya brisa.
- Aplíquelo sobre el césped húmedo. Asegúrese de que el césped esté húmedo con rocío o riego antes de aplicar el producto. Esto ayudará a que las partículas se adhieran a las hojas de las malezas para producir mejores resultados.
- Aplíquelo cuando las malezas estén creciendo activamente (cuando las temperaturas diurnas estén, constantemente, entre los 15.5 °C y los 32 °C).
- Se debe cortar el césped alto uno o dos días antes de la aplicación.
- Para asegurar una aplicación uniforme, camine a ritmo constante superponiendo ligeramente cada pasada.
- Esparcidores de goteo Scotts®: Alinee la flecha de la tolva con la huella anterior de la rueda.
- Esparcidores giratorios/a voleo Scotts®: Alinee cada pasada, aproximadamente, a 1.5 m de la huella de la rueda.



CLEAN-UP Limpiar

Sweep product from hard surfaces onto the lawn to keep valuable feeding nutrients on the grass.

Barra el producto derramado en las superficies duras hacia el césped para mantener los valiosos nutrientes del fertilizante en el césped.



YOU'RE DONE! WHAT'S NEXT? ¡Listo! ¿Qué sigue?

Do not allow product to contact people or pets directly or through drift. Keep people and pets off lawn during application. Do not allow people or pets to enter treated areas until dusts have settled.

No permita que el producto entre en contacto con personas o mascotas, de forma directa ni a través de la desviación. Mantenga a las personas y a las mascotas lejos del césped durante la aplicación. No permita que las personas o las mascotas ingresen al área tratada hasta que el polvo del producto se haya asentado.

Questions? Call
1-800-543-TURF
¿Preguntas? Llame al 1-800-543-TURF
www.scotts.com

RESTRICTIONS

- Do not apply more than twice per year.
- A minimum of 30 days between applications is required.
- Apply only to grass. Do not allow granules or dust to drift onto flowers, shrubs, fruit or vegetable plants.
- Do not apply on St. Augustinegrass, Floratam, dichondra, lippia, carpetgrass or bentgrass. On bermudagrass, bahia, centipedegrass, zoysia lawns, under certain conditions, some temporary discoloration may result.
- On bahia and centipede lawns, wait until after the second mowing of the year but NOT before mid-March. In the fall, DO NOT treat centipede after the first of October and DO NOT treat bahia after the first of November.
- Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. Apply this product directly to your lawn and sweep any product landing on the driveway, sidewalk, gutter, or street, back onto the treated area. To prevent product run-off, do not overwater the treated area to the point of runoff or apply when raining or when rain is expected that day.

Watering or Rain

- Do not water your lawn for 24 hours after application or apply if rain is expected within the next 24 hours.

Extreme Temperatures

- Avoid applying when temperatures are above 90°F.

Seeding/Sodding/Sprigging

- Delay application on newly seeded, sodded, or sprigged areas until new grass has been mowed 4 times.
- Wait at least one month after using this product to seed, sod or plant grass sprigs.

RESTRICCIONES

- No aplicar más de dos veces por año.
- Espere, al menos, 30 días antes de realizar una nueva aplicación.
- Sólo aplique al césped. No permita que los granúlos ni el polvillo entren en contacto con las flores, los arbustos, las plantas frutales ni las verduras.
- No aplique en césped San Agustín, floratam, oreja de ratón, lippia, césped alfombra ni agrostis. En céspedes Bermuda, Bahía, ciempiés y zoysia, en determinadas circunstancias, puede producirse una decoloración temporal.
- En céspedes Bahía y ciempiés, espere al segundo corte del año, pero NO antes de mediados de marzo. En el otoño, NO trate el césped ciempiés luego del 1 de octubre y NO trate el césped Bahía después del 1 de noviembre.
- No aplique el producto directamente sobre ni cerca de agua, drenajes de tormenta, canalones, alcantarillas ni zanjas de drenaje. No aplique el producto a menos de 8 m de ríos, estanques de peces, lagos, arroyos, embalses, pantanos, estuarios, bahías y océanos. No aplique el producto cuando hay viento. Aplique este producto directamente sobre su césped y barra el producto que caiga sobre la entrada de automóviles, la acera o la calle de regreso al área tratada. Para evitar el escurrimiento del producto, no riegue el área tratada en exceso, ni lo aplique en condiciones de lluvia o en días con pronóstico de lluvia.

Riego o lluvia

- No riegue el césped durante 24 horas después de la aplicación ni aplique si se prevén lluvias dentro de las próximas 24 horas.

Temperaturas extremas

- Evite aplicar el producto cuando las temperaturas superen los 32° C.

Sembrado de semillas/tepes/retoños

- Retrase la aplicación en zonas recientemente sembradas, cubiertas de tepes o donde se plantaron retoños hasta que haya cortado el césped nuevo cuatro veces.
- Espere, al menos, un mes después de utilizar este producto para sembrar, cubrir de tepe o plantar retoños.

WEED CONTROL

- Kills listed weeds.
- Weed stems and leaves will begin to twist and curl in a few days, but a month or more may be required for control.

Aster
Bittercress

Buckhorn
Burclover

Catsear (Coast Dandelion)
Chickweed/Stitchwort (Stellaria spp.)

Clover
Dandelion

Henbit
Mustard

Plantain (broadleaf)
Spurweed/Lawn Burweed

TIPS FOR LAWCARE SUCCESS

SCOTT'S® RECOMMENDED

Feed Regularly

Benefits of Multiple Feedings

EPA Reg No. 538-282

Scotts Turf Builder Winterguard Fall Weed & Feed I

TIPS FOR LAWCARE SUCCESS

**Feed Regularly**

Regular feedings provide the nutrients your lawn needs to look its best and withstand the stresses of weeds, heat, drought & family activity.

**Mow and Leave the Grass Clippings on Your Lawn**

Mowing high allows the grass to develop a deep root system & helps your lawn use water more effectively. Grass clippings recycle the plant nutrients back into the soil.

**Conserve Water**

Well-fed lawns are more efficient at using available water. Feeding with Scotts® lawn food helps grow a thick lawn with more roots to better absorb water and nutrients than an unfed lawn. This helps protect your lawn against heat, drought and other stresses. Remember your lawn will begin to wilt when water is needed. As much as possible take advantage of nature's sprinkler and rely on the rain to water your lawn.

Benefits of Multiple Feedings

1 ANNUAL FEEDING



2-3 ANNUAL FEEDINGS



4 ANNUAL FEEDINGS



& Your Environment

We care. Scotts® products are designed with care to grow a thicker, greener lawn. **A Green Lawn Is a Good Lawn** - A healthy lawn can clean the air, produce oxygen and prevent runoff and soil erosion. **You can make a difference** - Help keep our water resources clean. Apply this product only to your lawn, and sweep any product that lands in the driveway, sidewalk or street back onto your lawn.



SCOTT'S® RECOMMENDED FEEDING ROUTINE

**EARLY SPRING**

An early spring feeding helps grass green-up after winter. You should feed around the first time you mow your grass.

**LATE SPRING**

Feeding now prepares grass for summer stress by thickening the blades on top and building deep roots below.

**EARLY FALL**

An early fall feeding replenishes the nutrients lost in the harsh summer months for quicker recovery. You should feed when your grass comes out of dormancy.

**LATE FALL**

Late fall is the best feeding time because it builds strong deep roots and prepares grass for winter. You should feed when all the leaves have fallen.

Florida Annual Fertilizer Applications: On centipede lawns, do not exceed rate of 2 lbs. of Nitrogen per 1,000 sq. ft. in the north and 3 lbs. of Nitrogen per 1,000 sq. ft. in the central and south. On Bahia lawns, do not exceed rate of 3 lbs. of Nitrogen per 1,000 sq. ft. in the north. North Florida is north of Ocala. Central Florida is defined as south of Ocala to a line extending from Vero Beach to Tampa. South Florida includes the remaining southern portion of the state.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear long-sleeved shirt, long pants, shoes and socks. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor, or going for treatment.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn will help to prevent run off to water bodies or drainage systems.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store in a dry place. Store in original container in a secure area away from children and pets.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. If Empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Scotts® Turf Builder®
WINTERGUARD® Fall Weed & Feed I

28-0-10 F643

GUARANTEED ANALYSIS

Total Nitrogen (N) 28%
1.3% Ammoniacal Nitrogen
14.5% Urea Nitrogen
11.2% Other Water Soluble Nitrogen*
1.0% Water Insoluble Nitrogen*
Soluble Potash (K₂O) 10%
Sulfur (S) 5%
5.0% Combined Sulfur (S)
Derived from: methyleneureas, urea, ammonium sulfate and potassium sulfate.
*Contains 8.9% slowly available nitrogen from methyleneureas.

EPA Reg. No. 538-282
EPA Est. No. 538-OH-15, 85653-OH-15
Superscript used is first letter of run code on end of container.

†CAS #94-75-7

††CAS #16484-77-9

QUESTIONS / INFORMATION**Preguntas/Información**

Sold and Guaranteed By:
The Scotts Company
14111 Scottslawn Rd.
Marysville, OH 43041



Questions? Call
1-800-543-8873

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.regulatory-info-sc.com>

La información relacionada con los contenidos y los niveles de metales de este producto está disponible en Internet en <http://www.regulatory-info-sc.com> o en <http://www.aapico/metals.org>

©2012 The Scotts Company LLC
World rights reserved.

AVISOS DE PRECAUCION

Riesgos para humanos y animales domésticos

PRECAUCION: Causa irritación moderada a los ojos. Evite el contacto con los ojos o la ropa. Use camisa de mangas largas, pantalones largos, zapatos y calcetines. En algunas personas, el contacto prolongado o frecuente con la piel puede provocar reacciones alérgicas.

PRIMEROS AUXILIOS

SI ENTRA EN CONTACTO CON LOS OJOS: Mantenga los ojos abiertos y enjuague con agua lentamente, con cuidado, durante 15 a 20 minutos. Si usa lentes de contacto, retírelos después de los primeros 5 minutos y luego continúe enjuagando los ojos.

Llame a un centro de control de envenenamiento o a un médico para recibir instrucciones de tratamiento. Cuando llame a un centro de control de envenenamiento o a un médico, o intente obtener tratamiento, tenga a mano el envase o la etiqueta del producto.

RIESGOS AMBIENTALES: Este pesticida es tóxico para los peces y los invertebrados acuáticos, y puede dañar las plantas no indicadas para el tratamiento. El desplazamiento y el escurrimiento del producto pueden ser peligrosos para los organismos acuáticos en aguas adyacentes a las áreas tratadas. Para proteger el medio ambiente, no permita que el pesticida ingrese o discorra a desagües de tormenta, zanjas de drenaje, canales o aguas superficiales. La aplicación de este producto en un clima tranquilo, cuando no haya un pronóstico de lluvia para las siguientes 24 horas, asegurará que el viento o la lluvia no arrastren o laven el pesticida del área de tratamiento. Barra el producto que caiga sobre la entrada de automóviles, la vereda o la calle hacia el área tratada del césped para evitar que discorra a cuerpos de agua o sistemas de drenaje.

Este producto químico tiene propiedades y características asociadas con las sustancias químicas detectadas en aguas subterráneas. La utilización de este producto químico en áreas donde los suelos son permeables, en particular donde el manto freático es superficial, puede derivar en la contaminación de las aguas subterráneas. La aplicación en torno a una cisterna o a un pozo puede provocar la contaminación del agua potable o las aguas subterráneas.

ALMACENAMIENTO Y ELIMINACION

ALMACENAMIENTO DEL PESTICIDA: Guarde el producto en un lugar seco. Almacene el pesticida en su envase original en un lugar seguro, lejos de niños y mascotas.

ELIMINACION DEL PESTICIDA Y MANEJO DEL ENVASE: Envase no reutilizable. No vuelva a utilizar ni a llenar este envase. Si está vacío: Colóquelo en la basura o reciclélo, si corresponde. Si está parcialmente lleno: Llame a su agencia de desechos sólidos local para obtener instrucciones sobre cómo eliminar el producto. Nunca elimine el producto no utilizado en drenajes internos o externos.

NOTICE: To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

NOTA: En conformidad con la ley aplicable, el comprador asume todos los riesgos de uso, almacenamiento o manejo de este producto si no se siguen las instrucciones correspondientes.

SCOTT'S NO-QUIBBLE GUARANTEE®

If for any reason you, the consumer, are not satisfied after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

Si por alguna razón usted, el consumidor, no está completamente satisfecho con los resultados después de utilizar este producto, tiene derecho a que le devolvamos su dinero. Sólo deberá enviarnos el comprobante de compra y le enviaremos un cheque de reembolso por correo inmediatamente.

PROOF OF PURCHASE UPC 0-32247-50225-2
50225-1 VID-PP BG1901

115% SIZE
12-digit UPC-A
(non-suppressed)
For Position Only

0 32247 50225 2

SCOTT'S® TURF BUILDER®
WINTERGUARD® FALL WEED & FEED I
5M 50225-1