

TO OPEN...
CUT HERE!



ferti·lome®



MoleGO™

Granules

Burrowing Animal Repellent

- Repels Moles, Gophers, Voles, Armadillos, Skunks, Ground Hogs, Ground Squirrels & other burrowing animals
 - Protects new plantings from burrowing pests
- For year-round control, apply in Spring, Summer & Fall

ACTIVE INGREDIENT:	
Castor Oil.....	10.00%
OTHER INGREDIENTS*:	
*Paper	90.00%
TOTAL:	100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

(SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS)

NET WEIGHT 10 LBS. (4.53 KG)

13317



ferti·lome®

MoleGo™
Granules
13317



Burrowing Animal Repellent

PRODUCT INFORMATION

ferti•lome® MoleGo™ Granules effectively rids lawn, gardens and plantings of Moles, Voles, Gophers, Armadillos, Skunks, Ground Hogs, Ground Squirrels and other burrowing animals.

This product is an effective means of repelling burrowing animals from desirable turf and ornamental planting areas. This product can be safely used around children and pets, when used as directed. **ferti•lome® MoleGo™ Granules** is biodegradable and will not harm lawns, gardens, flowerbeds or other desirable plants.

DIRECTIONS FOR USE

How To Use: Apply 1 pound per 500 sq. ft. Lightly watering in the granules after application speeds up the release of material and its penetration into the soil, or you can choose to simply wait for the next rainfall.

After application, Mole, Vole & Gopher activity may increase, as they leave the treated area. Reapply if you see new activity in mounds and tunnels.

APPLICATION EQUIPMENT AND INSTRUCTIONS

This product can be applied with a hand held, drop, or broadcast (rotary) spreader. For best results, apply this product evenly and uniformly over the treated area avoiding streaking, skips or overlaps.

Before each application, determine the correct amount (lbs.) of product to place in the spreader hopper for the area to be treated. For example, if the label states to apply 2 lbs. per 1,000 sq. ft. and your area to treat is 2,000 sq. ft. then place 4 lbs. of product in the hopper and set the spreader setting at 2 ¼ (per table below) if using an Accugreen drop spreader.

A more uniform application can be made by spreading one-half of the recommended amount of this product over the treated area and then applying the remaining one-half of this product at a right angle to the previous application direction.

NOTE: The spreader settings listed below are approximate. The speed at which you walk and the working condition of the spreader will affect the rate of application.

Spreader	Spreader Settings
	Lbs. of product per 1,000 sq. ft.
	2 lbs.
Scotts®/Republic Accugreen (Drop)	2¼
Scotts®/Republic Speedy Green (Broadcast)	2½
ferti•lome®/Earthway Ev-N-Spred (Broadcast)	13

USE WHEN PLANTING

For Bulbs: After placing bulb in hole, apply one (1) tablespoon of product into the hole, making sure granules surround the bulb, then backfill with soil.

For Ornamental Flowers and Shrubs such as Roses, Azaleas, Rhododendrons, Mums, etc.: Apply two (2) tablespoons to the bottom of the planting hole and three (3) to four (4) tablespoons to the soil mix before backfilling.

CAUTION: Product can cause moderate eye irritation. For certain individuals, skin irritation may occur. In case of eye contact, flush with plenty of water, seek medical attention if irritation persists. In case of skin irritation, wash area thoroughly with soap and water, seek medical attention if irritation persists.

This product has not been registered by the United States Environmental Protection Agency. Voluntary Purchasing Groups, Inc. represents that this product qualifies for exemption from registration under the Federal Insecticide, Fungicide, and Rodenticide Act. FIFRA 25(b) Exempt Pesticide.

Other Precautions: Do not apply directly to water.

STORAGE AND DISPOSAL

Store only in original container, in a dry place inaccessible to children and pets. Do not reuse empty container. Discard empty container in trash.

13317



230 FM 87 • BONHAM, TEXAS 75418
Product Questions? 855-270-4776



613317



ferti·lome®

MoleGo™
Granules
13317