

For Medical Emergencies Only.

727983 O/M 1-6 NET CONTENTS 1 GALLON (3.78L)

Cap (877) 325-7840

OTHER INGREDIENTS

TOTAL 100.0%

KEEP OUT OF REACH OF CHILDREN CAUTION See back panel for First Aid and additional Precautionury Statements.

SS & WEED KILLER2 Ready-to-use

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.



READ ENTIRE LABEL.

Use only in accordance with label instructions.

Do it Best® Grass & Weed Killer is a nonselective ready-to-use herbicide that controls annual and perennial grasses, broadleaf weeds and sedges. Do it Best® Grass & Weed Killer can be used in flower beds, mulch beds, around trees and shrubs, vegetable gardens along fences, sidewalks, walkways, patios, driveways, curbs, gutters, foundations and buildings where there is unwanted vegetation. Spray carefully. Avoid spray or drift onto desirable lawn grasses, shrubs or Irees. Do it Best® Grass & Weed Killer can kill or damage all vegetation contacted.

PRODUCT FACTS

Kills: Al: types of weeds and grasses

Where to Use: On and around driveways, gutters, curbs, walkways, gravel, paties or mulch beds, around flowers, trees and shrubs, in flower beds and vegetable gardens, other areas of yard, along fences and foundations, on wooded or vacant lots, in recreational areas, parks and sports facilities, around homes, buildings, cabins, loages and camp sites.

WHEN TO USE: Use anytime weeds are actively growing and when the air is calm. For best results, apply when temperatures are above 60°F. Do not apply when rain is expected within 24 hours. Do it Best® Grass & Weed Killer starts working within hours. Most weeds and grasses will show signs of yellowing and wilting within 1 week and complete kill in 2 to 3 weeks for most weeds. Established weeds may require a repeat application.

HOW TO USE: This product is formulated for "spot" treatment of individual weeds and grasses around trees, shrubs, fences, walks, and In flower gardens. Avoid contact with desirable plants as injury will occur. Adjust the sprayer nozale to a coarse spray. Position tip approximately 1 to 2 feet away from the target plant. Spray until foliage is wet, stopping just before the spray begins to drip or run off. Wait 7 days after last application to rake, till, or plant with seed or sod.

IMPORTANT: This product can infure or kill as vegetation contacted. Avoid drift onto desirable lawn grasses, trees and shrubs. If accidental spray contacts desirable vegetation, wash off immediately with water. Avoid mowing, cutting or otherwise disturbing treated vegetation for at least 7 days.

CONTROL & WICERS AND CRASSES INCLUDING

CONTROLS WEEDS AND GRASSES INCLUDING:		
Bahiagrass,	Field Bindweed,	Poison Oak,
Barnyardgrass,	Field Sandbur,	Quackgrass,
Bermudagrass,	Foxtail,	Red Clover,
Canada Thistle,	Johnsongrass,	Shepherdspurse,
Chickweed,	Kentucky Bluegrass,	Smooth Bromegrass,
Common Ragweed,	Lambsquarter,	Sowthistle,
Crabgrass,	Orchardgrass,	White Clover,
Dandelion,	Perennial Ryegrass,	Yellow Nutsedge
Fescuses,	Po∈son Ivy,	

WHEN TO REPLANT:

- All prnamental flowers, trees & shrubs as well as the following berries, fruits. vegetables and herbs may be planted 1 day after application; artichoke (Jerusalem), beans (all), beet greens, blackberry, blueberry, boysenberry, broccoli, Brusse's sprout, cabbage (all), carrot, cauliflower, celery, chard (Swiss), chicory, collards, cranberry, currant, dewberry, elderberry, endive, gooseberry, horseracish, huckleberry, kale, kohlrabi, leek, lentil, lettuce, loganberry, mustard greens, okra, olallieberry, onion, parsley, parsnip, potato, radish rape greens, raspberry (black and red), rhubarb, rutabaga, spinach, sweet potato, turnip and yams.
- The following fruits, vegetables and herbs may be planted 3 days after application: corn, cucumber, eggplant, garlic, gourss, melons (all), peas (all), peppers (all), pempkin, squash (summer and winter), tomatillo, tomato (by seed) and watercress.
- Lawns may be planted 7 days after applications.
- Tomatoes from transplants and all berries, fruits, vegetables and herbs not previously listed may be planted 30 days after application.
- If used to control weeds around berries, walt 14 days after the last application before harvesting.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store product in original container in a safe place away from

direct sunlight. Keep from freezing.
PESTICIDE DISPOSAL: Non-refillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling. People and pets may enter treated areas after spray has dried.

First Aid: If in eyes: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. HOT LINE NUMBER: Have the product container or label with you when calling a poison control center or coctor, or going for treatment. You may also contact 1-877-325-1840 for emergency medical treatment information.

Environmental Hazards

To protect the environment, co not allow pesticide to enter or run off into storm drains, drainage ditches, guiters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

EPA Reg. No. 228-533-75111 EPA Est. No. 58996-MO-1 (A) EPA Est. No. 44616-MO-2 (B) EPA Est, No. 11623-GA-1 (C) () code is last letter of bottle code.

Distributed by: Maid Brands, inc., 5606 Anglum Court Hazelwood, MO 63042

Do it Beste is a trademark of Do it Best Corp., Ft. Wayne, IN 46801. 0

