



The product label features a yellow sunburst background at the top with the 'Expert GARDENER' logo. A blue banner below the logo reads 'COVERS 5,333 Sq. Ft.'. The main title 'CRABGRASS & BROADLEAF WEED KILLER' is in white on a blue background. Below this is a photograph of a lawn with a white fence and garden. A white callout box with a blue border lists three benefits: 'Kills crabgrass and other lawn weeds in one easy step', 'Kills the Weeds not the Lawn', and 'Kills the Root'. At the bottom left, there is a table of ingredients. At the bottom right, there is a 'CAUTION' warning and the net contents.

**Expert**  
GARDENER

COVERS 5,333 Sq. Ft.

**CRABGRASS & BROADLEAF  
WEED KILLER**

**KILLS CRABGRASS AND LAWN WEEDS**

- Kills crabgrass and other lawn weeds in one easy step**  
Mata malezas césped y otras hierbas en un solo paso
- Kills the Weeds not the Lawn**  
Mata las Hierbas no la Grama
- Kills the Root**  
Mata la raíz

**ACTIVE INGREDIENTS:**  
Quinclorac ..... 2.74%  
Dicamba, dimethylamine salt ..... 0.18%  
**OTHER INGREDIENTS:** ..... 97.08%  
Total ..... 100.00%

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**  
See Back Panel for First Aid And  
Additional Precautionary Statements

**NET CONTENTS 32 FL OZ**  
(946.35 mL)

**Expert**  
GARDENER

**CRABGRASS & BROADLEAF WEED KILLER**

**How It Works**  
Expert Gardener Crabgrass and Broadleaf weed killer contains two proven weed killers that target crabgrass and lawn weeds. This herbicide enters the lawn weeds through their leaves and moves throughout the plant to provide control. Lawns listed on this label will not be harmed when used as directed.

**Where To Use**  
Expert Gardener Crabgrass and Broadleaf weed killer can be applied to residential lawns with the following turfgrass species:

**Cool Season Turfgrasses:** Kentucky bluegrass, Ryegrass (perennial and annual), Tall fescue, mixtures of cool season grasses containing fine fescues (red, hard and chewings)

**Warm Season Turfgrasses:** Bermudagrass (common and hybrid), Zoysiagrass, Buffalograss, Seashore paspalum. Applications to Bermudagrass and Seashore Paspalum may cause temporary yellowing or discoloration and recovery can be expected.

**DO NOT apply Expert Gardener Crabgrass and Broadleaf weed killer to the following:** Bahiagrass, Bentgrass (colonial and creeping), Carpetgrass, Centipedegrass, Dichondra, Gardens (including vegetables, fruit trees, vines and berries), Ornamental plants/flowers, trees, groundcovers, landscape beds and shrubs), St. Augustinegrass, Turfgrass species that are not listed on this label.

Gro Tec, Inc. EPA Reg. No. 2217-978-59144  
P.O. Box 290 EPA Est. No. 59144-GA-1  
Madison, GA 30650

0 21496 01499 9

1

**Expert**  
GARDENER

**CRABGRASS & BROADLEAF WEED KILLER**

KEEP OUT OF REACH OF CHILDREN  
**CAUTION**

**STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.**

**PRECAUTIONARY STATEMENTS**

**Hazards to Humans and Domestic Animals**  
**CAUTION:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

**FIRST AID**

IF IN EYES:	<ul style="list-style-type: none"> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
IF SWALLOWED:	<ul style="list-style-type: none"> <li>Call a poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to by a poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-877-800-5556 for emergency medical treatment advice.

2



### Environmental Hazards

Do not apply to water. Do not contaminate water when disposing of equipment wash waters or rinsate. This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until sprays have dried. Not for use on turf being grown for sale or other commercial use such as sod, or for commercial seed production, or for research purposes.

### SHAKE WELL BEFORE USING

#### Grass And Broadleaf Weeds Controlled

**Grass Weeds:** Barnyardgrass, Broadleaf Signalgrass, Crabgrass (large and smooth), Foxtail (green, yellow and giant), Kikuyugrass, and Torpedograss

**Broadleaf Weeds:** Annual yellow sweetclover, Black medic, Clover (crimson, hop, red, strawberry, sweet, white), Dandelion, Dollarweed, Speedwell

#### When To Use

Apply this product when crabgrass and other listed grass and broad leaf weeds are actively growing. Do not apply when temperatures are above 90° F.

**For newly seeded areas:** Apply to newly seeded grasses when well-established (approximately 4 weeks after seedling emergence) or after the third mowing.

**For newly sodded, sprigged, or plugged areas:** Apply 3 to 4 weeks after the sodding, sprigging, or plugging operations.



### DIRECTIONS FOR USE continued

#### Entire Lawn Treatments

This product is packaged as a ready-to-spray product with no mixing. The container is fitted with a sprayer body that delivers spray droplets at a fixed rate.

This container will cover the treated areas described when applied at 6 to 9.5 fl.oz.per 1,000 sq.ft. Refer to the graduated scale on side of container to guide coverage.

Rate	Square Feet Covered by Container Size
	1 qt hose - end sprayer container
6 fl.oz./1000 sq.ft.	5,333 sq.ft.
8 fl.oz./1000 sq.ft.	4,000 sq.ft.
9.5 fl.oz./1000 sq.ft.	3,368 sq.ft.

#### Four Easy Steps To Apply:

1. Determine the total lawn area to be sprayed. For rectangular-areas, multiply the length by the width to obtain total square feet.
2. **CONNECT:** Attach garden hose to spray nozzle. Turn the spray nozzle lever to the "OFF" position.
3. **SPRAY:** Turn on water at faucet. Extend hose to the farthest area of lawn to be treated. To begin spraying, turn the spray nozzle lever to the "SPRAY" position. The herbicide mixes automatically with the water. Walk at a steady pace while spraying evenly and working towards the faucet.
4. **FINISH:** To stop spraying; turn spray nozzle lever to the "OFF" position. Turn off water at faucet. To relieve pressure, turn spray nozzle to the "ON" position and point sprayer away from any desirable plants before disconnecting the sprayer nozzle from the garden hose.



## DIRECTIONS FOR USE continued

### Cultural Tips And Notes

**Seeding:** The treated area can be seeded at 7 days after the application of this product.

**Irrigation:**

- Non-stressed turfgrass: Adequate soil moisture and favorable growing conditions enhance the performance of this product.
- Stress from high temperatures, drought, insects or diseases: Avoid applications of this product when turfgrasses are under stress since injury may result. If dry conditions exist, schedule irrigations (watering) before and after the application. For best results, delay the irrigation until approximately 24 hours after application of this product.

**Mowing:** Delay mowing 2 days before and until 2 days after the application of this product. Do not use clippings from the treated areas as mulch or compost around flowers, ornamentals, trees, or in vegetable gardens.

**Nontarget plants:** Do not apply this product to food crops (gardens, fruits and vegetables), forage crops, or ornamental plants including flowers, trees, shrubs, hedges, woody ornamentals, groundcovers established in landscape plantings and other nontarget plants. Do not spray exposed roots of ornamentals and trees.



## STORAGE AND DISPOSAL

### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

**PESTICIDE STORAGE:** Keep from freezing. Store in original container in a locked storage area inaccessible to children and pets.

**PESTICIDE DISPOSAL AND CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or [www.website.com](http://www.website.com) for disposal instructions. Never place unused product down any indoor or outdoor drain.

### LIMITED WARRANTY AND DISCLAIMER

FOR USE ONLY AS DIRECTED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY EXPRESSLY DISCLAIMED. IN NO CASE SHALL THE MANUFACTURER BE LIABLE FOR INCIDENTAL, CONSEQUENTIAL, OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. If these terms are not acceptable, return this product unopened immediately to the point of purchase, and the purchase price will be refunded in full. The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements at the point of sale or elsewhere.



**GLUE SIDE:  
THIS PAGE GLUES TO BACK OF CONTAINER  
& IS BACK SIDE OF PAGE 7.**