2217-559-33116_Lilly Miller Ultragreen Phosphorus Free W & F with Trimec Herbicide 28-0-3_20161026_101_33116_.pdf

Quick Green
That Lasts Up
to Two Months

Lilly Miller®

COVERS UP TO
5,000 SQ. FT.

# ULTRAGREEN®

## Phosphorus Free
# WEED & FEED
with TRIMEC® herbicide

## 28•0•3

- **Controls over 195 listed weeds!***
- **Kills even the tough weeds like Dandelion, Plantain and Clover**
- **Builds thick, green lawns from the roots up**

- *Un verdor rápido que dura hasta dos meses*
- *Cobertura de hasta 5000 pies cuadrados*
- *¡Controla las más de 195 malezas mencionadas en la lista!**
- *Elimina hasta las malezas más resistentes como diente de león, llantén y trébol*
- *Permite el crecimiento de un césped verde y espeso desde las raíces hasta*

ACTIVE INGREDIENTS:
Dimethylamine salt of 2,4-dichlorophenoxyacetic acid ..... 0.65%
Dimethylamine salt of (+)-(R)-2-(2-methyl-4-chlorophenoxy)propionic acid ..... 0.16%
Dimethylamine salt of dicamba (3,6-dichloro-o-anisic acid) ..... 0.07%
INERT INGREDIENTS: ..... 99.12%
TOTAL ..... 100.00%

THIS PRODUCT CONTAINS:
10.80 lb. 2,4-dichlorophenoxyacetic acid equivalent per ton or 0.54%
2.60 lb. (+)-(R)-2-(2-methyl-4-chlorophenoxy)propionic acid equivalent per ton or 0.13%
1.20 lb. 3,6-dichloro-o-anisic acid equivalent per ton or 0.06%
Isomer Specific by AOAC Methods.

KEEP OUT OF REACH OF CHILDREN
CAUTION SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS & FIRST AID

MANTÉNGALO FUERA DEL ALCANCE DE LOS NIÑOS
PRECAUCIÓN VEA LAS PRECAUCIONES ADICIONALES Y LOS PRIMEROS AUXILIOS EN EL PANEL REVERSO

**NET WT./PESO NETO 18 LB (8.1 kg)**

Lilly Miller®
ULTRAGREEN®
Phosphorus Free
WEED & FEED
28•0•3 with TRIMEC® herbicide
COVERS UP TO 5,000 SQ. FT.

COVERS UP TO 5,000 SQ. FT.
Phosphorus Free WEED & FEED with TRIMEC® herbicide 28•0•3
Lilly Miller ULTRAGREEN®

Lilly Miller®

# ULTRAGREEN® Phosphorus Free WEED & FEED
## 28•0•3 with TRIMEC® herbicide

## GUARANTEED ANALYSIS

Total Nitrogen (N) ..... 28%
7.00% Ammoniacal Nitrogen
21.00% Urea Nitrogen*
Soluble Potash ($K_2O$) ..... 3%
Sulfur (S) ..... 8%
8.0% Combined Sulfur (S)
Iron (Fe) ..... 2%
0.01% Water Soluble Iron (Fe)

Derived from Urea, Ammonium Sulfate, Polymer Coated Urea, Muriate of Potash, Iron Sucrate.
*7.0% Slowly available urea nitrogen from polymer coated urea.

Information regarding the contents and levels of metals in this product is available on the internet at http://www.aapfco.org/metals.htm

Filled by weight not by volume. Product may settle after packaging.

This product may stain concrete and stone. Where spilling occurs, sweep off immediately, then flush with water.

**STOP! READ THE ENTIRE LABEL FIRST.
OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.**

## PRECAUTIONARY STATEMENTS

**Hazards to Humans & Domestic Animals**
**CAUTION:** Harmful if swallowed. Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wear long-sleeved shirt, long pants, shoes, socks and chemical-resistant gloves made of any waterproof material. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

| First Aid | |
|---|---|
| *If in eyes:* | • Hold eye open and rinse slowly and gently with water for 15 - 20 minutes.<br>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.<br>• Call a poison control center or doctor for treatment advice. |
| *If on skin or on clothing:* | • Take off contaminated clothing.<br>• Rinse skin immediately with plenty of water for 15 - 20 minutes.<br>• Call a poison control center or doctor for treatment advice. |
| *If swallowed:* | • Call a poison control center or doctor immediately for treatment advice.<br>• Have person sip a glass of water if able to swallow.<br>• Do not induce vomiting unless told to do so by a poison control center or doctor.<br>• Do not give anything by mouth to an unconscious person. |
| Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also call toll-free, 1-800-265-0761 for emergency medical treatment information. | |

**ENVIRONMENTAL HAZARDS:**
This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

## DIRECTIONS FOR USE

*It is a violation of Federal law to use this product in a manner inconsistent with its labeling.*

**GENERAL PRECAUTIONS AND RESTRICTIONS:**
- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until dusts have settled.
- Do not use this product where desirable clovers are present. Apply when the air is calm. Do not apply to newly seeded lawns. During application, close spreader openings when turning.
- Do not use this product on or near desirable plants, and avoid spreading granules onto exposed root systems or adventitious shoots (rhizomes) within the drip line of desirable trees and shrubs, since injury may result.
- Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. Apply this product directly to your lawn, and sweep any product landing on the driveway, sidewalk, gutter, or street back onto the treated area. To prevent product run-off, do not over water the treated area(s) to the point of runoff or apply when raining or when rain is expected that day.

**INSTRUCTIONS**
Lilly Miller® Ultragreen® Phosphorus Free Weed & Feed with Trimec® Herbicide controls a wide range of lawn weeds including dandelion, chickweed, knotweed, plantain, henbit, spurge and many others commonly found in home lawns. This product may be applied to established lawns of bermudagrass, bentgrass, bahiagrass, centipedegrass, Kentucky bluegrass, fescues, perennial ryegrass, zoysiagrass, and St. Augustinegrass. Do not use on dichondra or carpetgrass. Do not apply this product to 'Floratam' St. Augustinegrass in Florida.

Possible retreatment may be necessary if (a) lawn is heavily overrun by weeds, or, (b) if adverse low moisture conditions prevail and weeds are in a state of poor growth. A second application may be made in 30 days.

1. Mow lawn to normal height 1 to 2 days before application.
2. Water lawn thoroughly at least 1 day before application to sustain moisture until the next watering (see step 4).
3. Apply when weeds are young and growing actively, preferably in the morning when dew is on the grass. If grass is not moist at the time of application, sprinkle lightly with water to allow the granules to adhere and to remain on the leaf surface of the weeds.
4. Do not wash from weed leaves for 1 to 2 days after application. At this time a thorough watering should be made.

The maximum broadcast application rate is 4.0 pounds of product per 1,000 sq. ft. per application (0.94 lb 2,4-D ae, 0.23 lb MCPP-p ae and 0.10 lb dicamba ae per acre per application). The maximum number of broadcast applications is limited to 2 per year with a minimum of 30 days between applications. The maximum seasonal rate is 8.0 pounds of product per 1,000 sq. ft. (1.88 lb 2,4-D ae, 0.46 lb MCPP-p ae and 0.20 lb dicamba ae per acre).

THESE SETTINGS ARE A GUIDE. They were determined by landscape professionals using new spreaders. The condition of your spreader, your walking speed, the roughness of the lawn, and even the humidity can affect how fast the lawn food comes out. Watch the flow rate. If fertilizer appears to be coming out either slower or faster than you are covering the lawn, adjust the setting. Close the spreader when filling, turning or stopping.

Calibrate your spreader on 275 square feet and adjust to apply at rate of 1 pound of product per 275 square feet. / Calibre su esparcidor para 275 pies cuadrados y ajústelo para aplicar a una tasa de 1 libra de producto por cada 275 pies cuadrados.

| **Drop Spreader Models** / *Modelos de esparcidor por goteo* | **Setting** / *Ajuste* |
|---|---|
| • Scotts® AccuGreen® 1000 | 8.0 |
| • Scotts® AccuGreen® 2000 | 8.0 |
| • Scotts® AccuGreen® 3000 | 8.0 |
| • Earthway® | 13.0 |
| • Precision Red Devil | 4.0 |
| • Vigoro® | 4.0 |

| **Rotary Spreader Models** / *Modelos de esparcidor giratorio* | **Setting** / *Ajuste* |
|---|---|
| • Scotts® SpeedyGreen® 1000 | 8.0 |
| • Scotts® SpeedyGreen® 2000 | 8.0 |
| • Scotts® SpeedyGreen® 3000 | 8.0 |
| • Earthway® | 15.0 |
| • Precision Red Devil | 11.0 |
| • Vigoro® | 7.5 |

*** WEEDS**

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| Annual yellow sweetclover | Bristly oxtongue | Catsear | Dandelion | Hedge mustard | Mustard | Prairie sunflower | Shepherdspurse | Tansy mustard | Wild geranium |
| Aster | Broadleaf dock | Chickweed, common | Dichondra | Henbit | Narrowleaf plantain | Prickly lettuce | Slender plantain | Tanweed | Wild lettuce |
| Austrian fieldcress | Broadleaf plantain | Chickweed, mouseear | Dogfennel | Hoary cress | Narrowleaf vetch | Prickly sida | Smallflower galinsoga | Thistle | Wild marigold |
| Bedstraw | Broomweed | Chicory | Dollarweed | Hoary plantain | Nettle | Prostrate knotweed | Smooth dock | Trailing crownvetch | Wild mustard |
| Beggarticks | Buckhorn | Cinquefoil | False dandelion | Hoary vervain | Orange hawkweed | Prostrate pigweed | Smooth pigweed | Tumble mustard | Wild onion |
| Betony, Florida | Buckhorn plantain | Clover, crimson | Falseflax | Horsenettle | Oriental cocklebur | Prostrate spurge | Sorrel | Tumble pigweed | Wild parsnip |
| Bindweed, field | Bulbous buttercup | Clover, hop | False sunflower | Jimsonweed | Oxalis | Prostrate vervain | Sowthistle | Velvetleaf | Wild radish |
| Bird vetch | Bull thistle | Clover, red | Fiddleneck | Knawel | Parsley-piert | Puncturevine | Spanishneedles | Venice mallow | Wild rape |
| Bitter wintercress | Bullnettle | Clover, strawberry | Florida pusley | Knotweed | Parsnip | Purslane, common | Speedwell | Virginia buttonweed | Wild strawberry |
| Bittercress, hairy | Burclover | Clover, sweet | Frenchweed | Kochia | Pearlwort | Ragweed | Spiny amaranth | Virginia creeper | Wild sweet potato |
| Bitterweed | Burdock | Clover, white | Galinsoga | Lambsquarters | Pennycress | Red sorrel | Spiny cocklebur | Virginia pepperweed | Wild vetch |
| Black-eyed Susan | Burning nettle | Cockle | Goldenrod | Lespedeza | Pepperweed | Redroot pigweed | Spiny sowthistle | Wavyleaf bullthistle | Woodsorrel |
| Black medic | Burweed | Cocklebur | Ground ivy | Mallow | Pigweed | Redstem filaree | Spotted catsear | Western clematis | Woolly croton |
| Black mustard | Buttercup | Common mullein | Gumweed | Matchweed | Pineywoods bedstraw | Rough cinquefoil | Spotted spurge | Western salsify | Woolly morningglory |
| Blackseed plantain | Buttonweed | Creeping jenny | Hairy fleabane | Mexicanweed | Plains coreopsis | Rough fleabane | Spurweed | White mustard | Woolly plantain |
| Blessed thistle | Canada thistle | Cudweed | Hawkweed | Milk vetch | Plantain | Russian pigweed | Stinging nettle | Wild aster | Wormseed |
| Bloodflower milkweed | Carolina geranium | Curly dock | Healall | Morningglory | Poison ivy | Russian thistle | Strawberry, India mock | Wild buckwheat | Yarrow |
| Blue lettuce | Carpetweed | Daisy, English | Heartleaf drymary | Mousear hawkweed | Poison oak | Scarlet pimpernel | Tall nettle | Wild carrot | Yellow rocket |
| Blue vervain | Catchweed bedstraw | Daisy fleabane | Heath aster | Mugwort | Pokeweed | Scotch thistle | Tall vervain | Wild four-o'clock | Yellowflower pepperweed |
| Bracted plantain | Catnip | Daisy, oxeye | Hedge bindweed | Musk thistle | Poorjoe | Sheep sorrel | Tansy ragwort | Wild garlic | |

## STORAGE & DISPOSAL
Do not contaminate water, food, or feed by storage and disposal.

**PESTICIDE STORAGE**: Store in original container in a locked storage area inaccessible to children and domestic animals. Do not store near food or feedstuffs.

**PESTICIDE DISPOSAL & CONTAINER HANDLING:** Nonrefillable container. Do not reuse this container. ***If Empty*** – Place in trash or offer for recycling if available. ***If Partly Filled*** – Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**LIMITED WARRANTY AND DISCLAIMER**
FOR USE ONLY AS DIRECTED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY EXPRESSLY DISCLAIMED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO CASE SHALL THE MANUFACTURER BE LIABLE FOR INCIDENTAL, CONSEQUENTIAL, OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. If these terms are not acceptable, return this product unopened immediately to the point of purchase, and the purchase price will be returned in full. The terms of this LIMITED WARRANTY AND DISCLAIMER cannot be varied by any written or verbal statements or agreements at the point of sale or elsewhere.

Information regarding the raw materials composing this product can be obtained by writing to the Guarantor listed on this label and referring to the batch number found on this container.

NOTICE – This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Ultragreen, Lilly Miller, Lilly Miller with design, Central Garden & Pet and Central Garden & Pet with design are trademarks of Central Garden & Pet Company. Trimec is a registered trademark of PBI/Gordon Corporation. Scotts and AccuGreen are registered trademarks of OMS Investments, Inc. Earthway is a registered trademark of Earthway Products, Inc. Vigoro is a registered trademark of Homer TLC, Inc. Speedygreen is a registered trademark of Everris International B.V. © 2013, 2015, 2016 Central Garden & Pet Company.

**SATISFACTION GUARANTEED**
*If for any reason you are not satisfied with this product, please send proof of purchase to the address shown and we will gladly refund your purchase price.*

FPO 100%
0 70624 00206

Distributed & Guaranteed by/Distribuido y garantizado por:
**LILLY MILLER BRANDS**
1000 Parkwood Circle, Suite 700
Atlanta, GA 30339

EPA Reg. No. 2217-559-33116
EPA Est. 59144-GA-1$_A$, 35497-OR-1$_B$, 32802-MO-1$_C$, 37351-CO-1$_D$, 69759-OR-004$_E$
Subscript used is the First letter of Run Code on Container.
www.pennington.com
gardendivision@central.com
300514687 - 09/16
UG129 v.4

# ULTRAGREEN® Phosphorus Free WEED & FEED
## 28•0•3 with TRIMEC® herbicide

## PRECAUCIONES

**Riesgos para los seres humanos y los animales domésticos**
**PRECAUCIÓN:** Dañino si se ingiere. Dañino si es absorbido a través de la piel. Causa irritación moderada de los ojos. Evite el contacto con los ojos, la piel o la ropa. Use camisa de mangas largas, pantalones largos, zapatos, medias y guantes resistentes a sustancias químicas hechos de cualquier material impermeable. El contacto prolongado o frecuente con la piel puede ocasionar reacciones alérgicas en algunas personas. Lávese bien con agua y jabón después de manipular este producto y antes de comer, beber, mascar chicles, consumir tabaco o ir al baño.

| Primeros auxilios | |
|---|---|
| *En caso de contacto con los ojos:* | • Mantenga los ojos abiertos y enjuague lenta y suavemente con agua durante 15-20 minutos.<br>• Si usa lentes de contacto, quítese los lentes después de los primeros 5 minutos y continúe enjuagándose los ojos.<br>• Comuníquese con un centro de control de envenenamiento o un médico para recibir consejos sobre el tratamiento. |
| *En caso de contacto con la piel o la ropa:* | • Quítese la ropa contaminada.<br>• Enjuague inmediatamente con agua abundante durante 15-20 minutos.<br>• Comuníquese con un centro de control de envenenamiento o un médico para recibir consejos sobre el tratamiento. |
| *En caso de ingestión:* | • Comuníquese con un centro de control de envenenamiento o un médico para recibir consejos sobre el tratamiento.<br>• Si la persona puede tragar, haga que beba un vaso de agua.<br>• No induzca el vómito a menos que el centro de control de envenenamiento o el médico lo recommienden.<br>• No le dé nada por la boca a una persona inconsciente. |
| Tenga a mano el recipiente o la etiqueta cuando llame al centro de control de envenenamiento o el médico o cuando vaya a recibir tratamiento. Para recibir información sobre el tratamiento médico de emergencia, también puede llamar al 1-800-265-0761. | |

**PELIGROS AMBIENTALES:**
Este herbicida es tóxico para los peces y los invertebrados acuáticos y puede afectar de manera adversa a las plantas para las que no está destinado. Para proteger el ambiente, no permita que el herbicida llegue o sea arrastrado hacia los desagües para tormentas, zanjas de drenaje, canaletas o aguas de superficie. Aplique este producto durante tiempos de clima estable cuando no se espere lluvia en las próximas 24 horas para garantizar que la lluvia o el viento no trasladen el producto fuera del aire tratada. Barra hacia el césped o jardín cualquier residuo del producto que haya caído sobre entradas de garaje, aceras o la calle para ayudar a evitar que sea arrastrado hacia los cuerpos de agua o los sistemas de drenaje.

## INDICACIONES DE USO

*Usar este producto de manera diferente a lo indicado en su etiqueta constituye una violación de las leyes federales.*

**RESTRICCIONES Y PRECAUCIONES GENERALES:**
- No aplique este producto de manera que pueda hacer contacto con personas o mascotas, ya sea directamente o si fuera trasladado. No permita la presencia de personas o mascotas en el área durante la aplicación. No permita la entrada de personas o mascotas al área tratada hasta que se asiente el polvo.
- No use este producto donde desee que crezcan clavos. Aplíquelo cuando el viento esté calmado. No lo aplique en céspedes recién sembrados. Durante la aplicación, cierre el esparcidor cuando gire.
- No use este producto sobre ni cerca de las plantas deseadas, y evite que se dispersen los gránulos sobre los sistemas de raíces expuestas o brotes de raíces adventicias (rizomas) cerca del área de goteo de los árboles y arbustos deseados ya que pudiera dañarlos.
- No lo aplique directamente a o cerca del agua, desagües para tormentas, canaletas ni zanjas de drenaje. No lo aplique a menos de 25 pies de ríos, estanques de peces, lagos, corrientes de agua, reservas, pantanos, estuarios, bahías y océanos. No lo aplique en condiciones de viento. Aplique este producto directamente a su césped y barra hacia el área tratada cualquier residuo del producto que haya caído en la entrada de garaje, acera, canaleta o la calle. Para evitar que el producto sea arrastrado, no riegue el área tratada hasta el punto de que el agua arrastre el producto ni lo aplique cuando esté lloviendo o si se espera lluvia ese día.

**INSTRUCCIONES**
El herbicida y nutriente sin fósforo Lilly Miller® Ultragreen® con herbicida Trimec® controla un amplia variedad de malezas como el diente de león, álcine, Fallopia japónica, llantén, ortiga mansa, golondrina y muchas otras que se encuetran comúnmente en los céspedes domésticos. Este producto se puede aplicar a céspedes asentados de hierba Bermuda, agrostis, pasto bahía, ciempiés, pasto poa, fóscula, ballico perenne, grama japonesa zoysia y San Agustín. No lo use en dicondra ni axonopus. No aplique este producto en a la variedad "Floratam" de hierba San Agustín en Florida.

Pudiera ser necesario repetir el tratamiento si (a) el césped está demasiado plagado por malezas, o (b) si prevalecen las condiciones de humedad adversas y las malezas están en un estado de crecimiento pobre. La segunda aplicación se puede realizar en aproximadamente 30 días.

1. Pode el césped a una altura normal 1 o 2 días antes de la aplicación.
2. Riegue el césped abundantemente al menos 1 día antes de la aplicación para retener la humedad hasta el próximo riego (vea el paso 4).
3. Aplíquelo cuando las malezas estén jóvenes y creciendo activamente, preferiblemente en la mañana cuando el rocío esté aún sobre la hierba. Si la hierba no está húmeda al momento de la aplicación, rocíela levemente con agua para permitir que los gránulos se adhieran y permanezcan sobre la superficie de las hojas de la maleza.
4. No riegue de 1 a 2 días después de la aplicación para dejar el producto sobre las hojas de la maleza. Riegue luego con agua abundante.

La tasa máxima de aplicación por dispersión es de 4,0 libras del producto por cada 1000 pies cuadrados por aplicación (0,94 lb. de ácido 2,4-diclorofenoxiacético, 0,23 lb. de ácido 2-metilo-4-clorofenoxi-propiónico y 0,10 lb. de ácido dicamba por acre en cada aplicación. El máximo de aplicaciones por dispersión es de 2 por año, con un mínimo de 30 días entre una aplicación y otra. La tasa máxima por temporada es de 8,0 libras del producto por cada 1000 pies cuadrados (1,88 lbs. de ácido 2,4-diclorofenoxiacético, 0,46 lb. de ácido 2-metilo-4-clorofenoxi-propiónico y 0,20 lb. de ácido dicamba por acre).

ESTOS AJUSTES SON SÓLO UNA GUÍA. Y han sido determinados por jardineros profesionales usando esparcidores nuevos. Las condiciones de su esparcidor, la velocidad con la que usted camina, la aspereza de su césped e incluso la humedad pueden afectar la velocidad con la que sale el nutriente de su esparcidor. Preste atención al flujo; si el fertilizante sale más rápido o más despacio de lo que usted cubre el césped, modifique el ajuste del esparcidor. Cierre siempre el esparcidor cuando lo rellene, cuando gire o cuando se detenga.

## ALMACENAJE Y DESECHO
No contamine el agua, los alimentos ni el pienso al almacenajar o desechar el producto.

**ALMACENAJE DE PESTICIDAS**: Guárdelo en el recipiente original en un área de almacenaje cerrada e inaccesible para niños y mascotas. No lo guarde cerca de alimentos ni productos de alimentación para animales.

**DESECHO DE PESTICIDAS Y MANIPULACIÓN DEL RECIPIENTE:** Este recipiente no es rellenable. No reutilice este recipiente. ***Si está vacío:*** Tírelo a la basura o recíclelo si el servicio está disponible. ***Si está parcialmente lleno:*** Llame a su agencia local para el deseco de sustancias sólidas para recibir instrucciones en cuanto al desecho. No arroje nunca el producto sin usar en desagües interiores o exteriores.

**GARANTÍA LIMITADA Y RENUNCIA DE REPONSABILIDAD**
PARA USARLO SÓLO COMO SE INDICA. EN CONSONANCIA CON LA LEY CORRESPONDIENTE, EL FABRICANTE NO EMITE NI TIENE INTENCIONES DE EMITIR NINGUNA GARANTÍA EXPLÍCITA O IMPLÍCITA, INCLUYENDO CUALQUIER GARANTÍA DE COMERCIABILIDAD O ADECUACIÓN PARA UN PROPÓSITO ESPECÍFICO, LA CUAL QUEDA POR ESTE MEDIO EXCLUIDA. EN CONSONANCIA CON LA LEY CORRESPONDIENTE, BAJO NINGUNA CIRCUNSTANCIA EL FABRICANTE SERÁ RESPONSABLE POR LOS DAÑOS INCIDENTALES, CONSECUENTES O ESPECIALES QUE SE DERIVEN DEL USO O LA MANIPULACIÓN DE ESTE PRODUCTO. Si estos términos fueran inaceptables, devuelva inmediatamente este producto sin abrir al punto de venta y el precio de compra le será devuelto íntegramente. Los términos de esta GARANTÍA LIMITADA Y RENUNCIA DE REPONSABILIDAD no se pueden modificar mediante declaraciones o acuerdos verbales o escritos de ninguna índole ya sea en el punto de venta o cualquier otro lugar.

La información acerca de las materias primas que componen este producto se puede obtener escribiendo al avalador referido en esta etiqueta y mencionando el número de lote que aparece en este recipiente.

AVISO: Este producto contiene sustancias químicas reconocidas en el estado de California como causantes de cáncer, defectos de nacimiento u otros daños al sistema reproductivo.

**SATISFACCIÓN GARANTIZADA**
*Si por alguna razón usted no se encuentra satisfecho con este producto, sírvase enviar el comprobante de compra a la dirección mostrada y gustosamente le reembolsaremos el precio de su compra.*