

Quick Connect

Roundup

READY-TO-USE

WILD BLACKBERRY PLUS VINE & BRUSH KILLER

MATA LA ZARZAMORA SILVESTRE MÁS ENREDADERAS Y MATORRALES

- KILLS POISON IVY, POISON OAK,
POISON SUMAC, WILD BLACKBERRY, KUDZU

Keep Out of Reach of Children

CAUTION See back panel booklet for
additional precautionary statements.

Mantener Fuera del Alcance de los Niños

PRECAUCIÓN Vea los avisos adicionales de
precaución en el panel posterior.



NET 1 GAL (128 FL OZ/3.78L)

ACTIVE INGREDIENTS
Glyphosate, isopropylamine salt 1.0%
Triclopyr, triethylamine salt 0.1%
OTHER INGREDIENTS 98.9%

2D
Code

PPN 95006N4-2

LB7202

CONSEJOS ADICIONALES

Zarzamora silvestre: Rocíe cuando las plantas estén creciendo activamente. Las cañas muertas deben cortarse y eliminarse. Suele ser necesario realizar una nueva aplicación para matar las raíces profundas. **Para eliminar enredaderas:** Si hay enredaderas creciendo en postes, cercas o tocones con corteza madura, corte las enredaderas a una altura de 3 o 4 pies y rocíelas completamente.

CÓMO FUNCIONA

El glifosato, el ingrediente activo principal en este producto, entra a la planta a través del follaje, se absorbe por las hojas de las malezas y se mueve sistémicamente hacia la raíz a través de la maleza deteniendo la función de una enzima esencial que se encuentra en las plantas (pero no en los humanos o animales). Las malezas se mueren, con todo y raíces. Elimina solo lo que usted rocía. Cualquier producto que la planta no absorba se descompone en materiales naturales, sin alterar la tierra para las plantas sin tratar. Las malezas se ponen amarillentas y se marchitan al cabo de días y en las malezas anuales se produce la eliminación completa en 1 a 2 semanas. Las malezas perennes, tales como la hiedra venenosa, pueden tardar 4 o más semanas para la eliminación completa. El segundo ingrediente activo penetra las hojas cerosas permitiendo que el producto entre más fácilmente en las plantas.

CUÁNDO APLICAR

- Aplicar cuando las malezas estén creciendo activamente.
- Para obtener los mejores resultados, aplique durante clima cálido y soleado por encima de 60°F.
- Rocíe cuando el aire esté tranquilo para evitar la diseminación a plantas que desea conservar.
- Protección A PRUEBA DE LLUVIA: la lluvia o el riego 30 minutos después de la aplicación NO eliminará su eficacia.

CUÁNDO REPLANTAR

- Las flores ornamentales pueden plantarse 1 día después de la aplicación.
- Se puede plantar grama del césped 7 días después de la aplicación.
- Los árboles y arbustos no coníferos se pueden plantar 14 días después de la aplicación.
- Los árboles y arbustos coníferos se pueden plantar 30 días después de aplicación.

CÓMO RELLENAR

Se puede volver a usar este envase y el rociador. Agregue 6 onzas líquidas (12 cucharadas) a este envase vacío de Roundup® Concentrado. Meta la Zarzamora Silvestre mas Enredaderas y Matorrals, luego líenelo con agua muy lentamente para evitar la formación de espuma.

ALMACENAMIENTO Y ELIMINACIÓN

ALMACENAMIENTO DEL PESTICIDA: Coloque la boquilla hacia abajo para cerrar. **NO NECESITA DESCONECTAR EL ROCIADOR CON GATILLO.** Cierre la boquilla en el rociador con gatillo. Vuelva a colocar el rociador en su lugar. Guarde el producto en el envase original en un lugar seguro lejos de la luz directa del sol. Evite que se congele.

ELIMINACIÓN DEL PESTICIDA: Este envase no se puede rellenar. No vuelva a usar o rellenar este envase a menos que las instrucciones de uso permitan que se rellene de acuerdo con las instrucciones contenidas en la sección **CÓMO RELLENAR**. Si está vacío: Conléquelo en la basura u ofrézalo para reciclaje, si está disponible. Si está parcialmente lleno: Llame a su agencia local de desechos sólidos para obtener instrucciones de eliminación. Nunca elimine el producto sin usar en ningún drenaje interior o exterior.

AVISOS DE PRECAUCIÓN

RIESGOS PARA HUMANOS Y ANIMALES DOMÉSTICOS



PRECAUCIÓN: Causa irritación moderada en los ojos. Evite el contacto con los ojos o la ropa. Lávese completamente con agua y jabón después de usarlo, y antes de comer, beber, masticar goma de mascar o consumir tabaco.

Las personas y mascotas pueden entrar a las áreas tratadas después de que se haya secado el rocío.

PRIMEROS AUXILIOS

- Si ENTRA EN LOS OJOS: Mantenga el ojo abierto y enjuague lenta y suavemente con agua durante 15 - 20 minutos.
- Si tiene lentes de contacto, quítelos después de lavarse con agua los primeros 5 minutos y continúe lavando los ojos.
- Llame al centro de control de envenenamientos, al 1-800-246-7219, o al médico para obtener más recomendaciones sobre tratamiento.

INFORMACIÓN MÉDICA DE EMERGENCIA

- Tenga con usted el envase o etiqueta del producto cuando llame al centro de control de envenenamientos o al médico, o al buscar tratamiento.
- Puede llamar al 1-800-246-7219 para obtener información sobre tratamiento médico de emergencia.
- Este producto está identificado como Roundup®. Liste para Usar Mala la Zarzamora Silvestre más Enredaderas y Matorrals, EPA Reg. No. 71995-36.

RIESGOS AMBIENTALES: Para proteger el ambiente, no permita que el pesticida entre o se escurra en drenajes pluviales, zanjas de drenaje, cunetas o aguas superficiales. Aplicar este producto en clima tranquilo cuando no haya pronóstico de lluvia para las siguientes 24 horas ayudará a asegurarse de que el viento o la lluvia no soplen o laven el pesticida del área de tratamiento.

ADVERTENCIA: En la medida contemplada por las leyes aplicables, el comprador asume toda responsabilidad de la seguridad y uso que no sea de acuerdo con las instrucciones.

*GARANTÍA PARA EL CONSUMIDOR

Si por cualquier razón usted no está satisfecho después de usar este producto, simplemente envíenos el comprobante de venta original y le reembolsaremos el producto o le reembolsaremos el precio de compra.

DID YOU KNOW?

This product can be used for habitat restoration and site preparation of wildlife food plots.



PPN 550006-1/2

2D code

©2015 MONSANTO COMPANY

Produced for
Monsanto Company
Lawn & Garden Products
P.O. Box 418
Marysville, OH 43041
www.roundup.com

EPA Reg. No. 71995-36

EPA Est. 239-1A-3, 239-MS-001M

Superscript is first letter of lot number

100% SIZE
12-digit UPC-A
(non-suppressed)
For Position Only

0 70183 50076

PRODUCT FACTS

Container treats 300 sq ft.

KILLS THE TOUGHEST WEEDS, GRASSES, & BRUSH including Woody Brush & Vines, Poison Ivy, Poison Oak, Poison Sumac, Kudzu, Wild Blackberry and more.

WHERE TO USE

- Areas where tough weeds are invading your yard
- Fields and trails
- Around shrubs & trees
- Around homes, buildings, cabins, lodges, and camp sites
- On wooded and vacant lots
- In recreational areas, parks and sports facilities

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

HOW TO ASSEMBLE AND USE

1 Remove sprayer. Pull cord/tubing **ALL THE WAY OUT.**



2 Insert plug into spout until it clicks.



3 Flip up spout. Open nozzle at end of sprayer.



HOW TO APPLY

- Adjust nozzle to the desired spray setting.
- Spray the weeds or grasses you want to kill until thoroughly wet.
- When spot treating weeds around desirable plants shield plants from drift with a sheet of cardboard or plastic. If desirable plants are accidentally sprayed, rinse off immediately with water.

IMPORTANT: Do not spray desirable plants or grasses, they will die. Not recommended for spot weed control in lawns since glyphosate kills lawn grasses.

Note: Do not use on or around edible food or feed crops. Do not use for lawn renovation or flower bed and vegetable garden plot preparation; instead use Roundup® Weed & Grass Killer Concentrate Plus or Roundup® Weed & Grass Killer Super Concentrate.

ADDITIONAL TIPS

Wild Blackberry: Spray anytime plants are actively growing. Dead canes should be cut down and removed. Reapplication is often required to kill deep roots. **To Kill Vines:** If vines are growing up poles, fences, or tree trunks with mature bark, cut vines to a height of 3 to 4 feet and spray vines thoroughly.

HOW IT WORKS

Glyphosate, the primary active ingredient in this product enters the plant through the foliage, is absorbed by the weed leaves and moves systematically through the weed to the root, stopping the function of an essential enzyme found in plants (but not humans or animals). Weeds die, roots and all. Kills only what you spray. Any product not absorbed by the plant breaks down without moving in or on the soil to untreated plants. Weeds yellow and wilt within days with complete kill in 1 to 2 weeks for annual weeds. Perennial weeds such as poison ivy may take 4 or more weeks for complete kill. The second active ingredient penetrates waxy leaves allowing the product to enter the plant more readily.

WHEN TO APPLY

- Apply when weeds are actively growing.
- For best results apply during warm, sunny weather above 60° F.
- Spray when air is calm to prevent drift to desirable plants.

RAINPROOF: Rain or watering 30 minutes after application will NOT wash away effectiveness.

WHEN TO REPLANT

- Ornamental flowers may be planted **1 day** after application.
- Lawn grasses may be planted **7 days** after application.
- Non-conifer trees and shrubs may be planted **14 days** after application.
- Conifer trees and shrubs may be planted **30 days** after application.

HOW TO REFILL

This container and sprayer can be reused. To this empty container add 6 fl oz (12 Tbs) of Roundup® Concentrate Wild Blackberry Plus Vine & Brush Killer then fill with water very slowly to avoid foaming.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Flip down spout to close. **NO NEED TO DISCONNECT TRIGGER SPRAYER.** Close nozzle on trigger sprayer. Snap sprayer back in place. Store product in original container in a safe place away from direct sunlight. Keep from freezing.

PESTICIDE DISPOSAL: Nonrefillable container. Do not reuse or refill this container unless the directions for use allow refill according to the directions contained in the **HOW TO REFILL** section. If Empty: Place in trash or offer for recycling if available. If Partly Filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.
People and pets may enter treated areas after spray has dried.

FIRST AID

- IF IN EYES**
- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
 - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes.
 - Call a poison control center, 1-800-246-7219, or doctor for treatment advice.

EMERGENCY MEDICAL INFORMATION

- Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
- You may contact 1-800-246-7219 for emergency medical treatment information.
- This product is identified as Roundup® Ready-To-Use Wild Blackberry Plus Vine & Brush Killer, EPA Reg. No. 71995-36.

ENVIRONMENTAL HAZARDS: To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

CONSUMER GUARANTEE

If for any reason you are not satisfied after using this product, simply send us original proof of purchase and we will replace the product or refund the purchase price.



Roundup® Listo para Usar Mata la Zarzamora Silvestre más Enredaderas y Matorrales

Español

DATOS DEL PRODUCTO

Envase para tratar 300 pies²

ELIMINA LAS MALEZAS, GRAMAS Y MATORRALES MÁS RESISTENTES, incluyendo enredaderas y matorrales leñosos, hiedra venenosa, toble venenoso, zumaque venenoso, kudzu, zarzamora silvestre y más.

DÓNDE USAR

- En áreas donde las malezas resistentes estén invadiendo su jardín
- En campos y senderos
- Alrededor de arbustos y árboles
- Alrededor de viviendas, edificios, cabañas, posadas campesinas y áreas de campamento
- En terrenos boscosos y baldíos
- En áreas recreativas, parques e instalaciones deportivas

INSTRUCCIONES DE USO

Utilizar este producto de modo inconsistente con las declaraciones de su etiqueta constituye una violación de las leyes federales.

CÓMO ENSAMBLAR Y USAR EL ROCIADOR

1 Retire el rociador. **¡ALE COMPLETAMENTE la manguera.**



2 Inserte el conector en el pico hasta que haga clic.



3 Levante el pico. Abra la boquilla en el extremo del rociador.



CÓMO APLICAR

- Ajuste la boquilla en la posición deseada del patrón de rocío.
- Rocíe las malezas o gramas que desee eliminar hasta mojarlas completamente.
- Al aplicar un tratamiento localizado cerca de plantas que no desee eliminar, proteja dichas plantas de la deseminación con una lámina de cartón o de plástico. Si rocía accidentalmente las plantas que no desee eliminar, líveelas inmediatamente con agua.

¡IMPORTANTE: No rocíe las plantas o gramas que desee conservar, pues morirán. No se recomienda para el control localizado de malezas en céspedes ya que el glifosato elimina la grama del césped.

Nota: No se debe usar en o alrededor de alimentos o cultivos comestibles. No lo utilice para la renovación del césped o la preparación de terrenos para arriates de flores y jardines de vegetales; use, en su lugar, Roundup® Mata las Malezas y Gramas Concentrado Plus o Roundup® Mata las Malezas y Gramas Súper Concentrado.



**Roundup® Ready-To-Use
Wild Blackberry Plus Vine & Brush Killer**

**Roundup® Listo para Usar Mata la
Zarzamora Silvestre más Enredaderas y Matorrales**

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

Keep Out of Reach of Children



CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

People and pets may enter treated areas after spray has dried.

FIRST AID

IF IN EYES

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes.
- Call a poison control center, 1-800-246-7219 or doctor for treatment advice.

EMERGENCY MEDICAL INFORMATION

- Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
- You may contact 1-800-246-7219 for emergency medical treatment information.
- This product is identified as **Roundup® Ready-To-Use Wild Blackberry Plus Vine & Brush Killer**, EPA Reg. No. 71995-36.

ENVIRONMENTAL HAZARDS: To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Flip down spout to close. **NO NEED TO DISCONNECT TRIGGER SPRAYER.** Close nozzle on trigger sprayer. Snap sprayer back in place. Store product in original container in a safe place away from direct sunlight. Keep from freezing.

PESTICIDE DISPOSAL: Nonrefillable container. Do not reuse or refill this container unless the directions for use allow refill according to the directions contained in the **HOW TO REFILL** section. **If Empty:** Place in trash or offer for recycling if available. **If Partly Filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.



Questions, Comments or Information
Preguntas, Comentarios o Información

1-800-246-7219
www.roundup.com

©2015 MONSANTO COMPANY
Produced for Monsanto Company
Lawn & Garden Products
P.O. Box 418
Marysville, OH 43041

EPA Reg. No. 71995-36

EPA Est. 239-1A-3; 239-MS-001^M

Superscript is first letter of lot number

Roundup and Roundup and Design are registered trademarks of Monsanto Technology LLC.

Protected by U.S. Patent 8,586,504. No license granted under any non-U.S. patent(s).

LB7214

PPN 95006N6-1X2

Resealable Label for Directions & Precautions /
Etiqueta resellable de instrucciones y avisos de precaución.

**KILLS EVEN THE
TOUGHEST
WEEDS**

LB7408 PPM 95003114-36