

Slug & snail bait

**fast acting
formula**

Use around listed fruits, vegetables and ornamentals
Longer lasting. The all weather formula is effective for up to 3 to 4 weeks

Attractants draw in all species of slugs and snails

meta
Pest Control

Controlled release pellets
2lbs cover 8,800 sq. ft.

ACTIVE INGREDIENT:	
Metaldehyde	3.25%
OTHER INGREDIENTS:	<u>96.75%</u>
TOTAL	100.00%
EPA Est. No. 66876-OR-001	EPA Reg. No. 71096-

This pesticide may be harmful to children and fatal to domestic animals if ingested. Exclude children and pets from treated areas until the applied product is no longer visible. For additional precautionary measures, see "Directions for Use" and "Storage and Disposal".



Keep Out Of Reach Of Children
CAUTION (See Back Panel for Additional Precautions, Warnings, and First Aid)

NET WEIGHT 2 LBS. (907g)

Slug & Snail bait

FIRST AID	
If Swallowed:	• Call poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting or try to get person to vomit by the back of the throat or do not • Do not give anything by mouth to an unconscious person.
If Inhaled:	• Move person to fresh air. • If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
If In Eyes:	• Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If On Skin or Clothing:	• Take off contaminated clothing. • Rinse immediately with plenty of water for 15 - 20 minutes. • Call a poison control center or doctor for treatment advice.

Posing Health Hazard: This pesticide can cause eye exposure. For incidents involving animals, seek veterinary care as soon as possible after exposure. Have the product container or label with you when you call a poison control center or doctor or veterinarian or when going for treatment. For information on this pesticide product (including health hazard, first aid, and disposal), call 1-800-421-9661 or 1-800-858-7378. **Methaldéhyde is a systemic toxic. There is no antidote. The following instructions are not intended for laypeople. There is no home treatment. Exposures to individuals and animals should receive emergency care as quickly as possible.** If you or the animal has been exposed to this pesticide, call your veterinarian immediately. Treatment is symptomatic and supportive. Monitor severe exposures closely; seizures, electrolyte imbalances, acidosis, dehydration, and increased body temperature have been reported.

First Aid: If the pesticide has been exposed via ingestion, Treatment is symptomatic and supportive. If significant ingestion is suspected, and the animal is asymptomatic, consider induction of emesis or gastric lavage and administration of activated charcoal, cathartic and enema to limit absorption. Monitor asymptomatic and symptomatic animals closely for signs of toxicity, including acidosis, dehydration, and increased body temperature. Monitor liver function post recovery.

CAUTION: Harmful if swallowed. Harmful if inhaled. Causes moderate eye irritation. Harmful if absorbed through skin. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. Wash thoroughly after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

IMPORTANT: This product may be harmful to children and fatal to domestic animals if ingested. Children and dogs may be attracted to metaldehyde products and their packaging. Keep children and pets out of treated areas from the start of application until the applied product is no longer visible.

This product is toxic to birds, mammals, and mollusks (e.g. clams, oysters, scallops, mussels). Do not apply product near water (including garden ponds) or storm drains. Do not apply if heavy rain is expected. Apply this product only around gardens and ornamental plants. Do not contaminate water when disposing of equipment or container wash water. Collect and remove any product that is spilled.

This product is a soil surface treatment for control of snails and slugs around listed vegetable crops and ornamental gardens. When applied as directed, this product will withstand rain and sprinkling and will offer protection to gardens for several weeks.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read entire label. Use in accordance with precautionary statements and directions for use.
Not for use on plants being grown for sales or other commercial use, or for commercial seed production, or research purposes.

- This pesticide may be harmful to children and fatal to dogs and other domestic animals if ingested. Children and dogs may be attracted to metaldehyde products, both in the package and when applied. Children and domestic animals must be kept out of treated areas from the start of application until the applied product is no longer visible.
- Application of this metaldehyde product is prohibited unless children and domestic animals can be excluded from the treated areas from the start of application until the applied product is no longer visible.
- Applications to turf and dionchra are prohibited. Application is permitted only to non-turf areas (i.e., on soil or mulch) directly surrounding plants listed for use on the label.
- Broadcast and foliar applications of this product are prohibited. **Application is permitted only as a barrier around gardens or individual plants. Application is prohibited within one foot of vegetable plants or fruit-bearing plants not listed on this label.**

Apply pellets as a barrier around plants by distributing pellets evenly in a line at the following rates, pellets per linear foot.

Crop Use Site	Maximum Pellets per Linear Foot	Minimum Days Between Retreatment	Maximum Number of Applications Per Growing Season	Preharvest Interval	Maximum Number of Applications Per Year
Artichoke -perennial	20	18	6	0	12
-annual	20	18	2	0	4
Berries: Caneberries (gingerberry, black raspberry, blackberry, boysenberry, dewberry, loganberry, lowberry, marionberry, olallieberry, red raspberry, youngberry) Bushberries (cranberry, red currant, black currant, elderberry, gooseberry, huckleberry, lingonberry, juneberry, sala) Blueberries	18	14	3	0	3
Citrus	20	14	6	0	6
Tomatoes	20	14	3	0	6
Lettuce, Cole Crops and the following leafy greens (broccoli, Brussels sprouts, cabbage, cauliflower, cavalo, broccolo, collards, kale, kohlrabi, mizuna, mustard greens, spinach, rape greens)	20	14	3	0	6
Strawberries	20	14	3	0	6
Ornamental Plants:	20	21	6	0	6

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE AND DISPOSAL.

PESTICIDE STORAGE: This product can be harmful to children and fatal to dogs and other domestic animals if ingested. Dogs have been known to ingest methalddehyde after opening or tearing packaging. Store this product in its original packaging, in a cool, secure location, and out of reach of children and pets.

CONTAINER DISPOSAL: If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. If **partly filled**: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTICE: Buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

OR-CAL, Inc.
29454 Meadowview Road
Junction City, OR 97448
541-689-4413

