

QuestSpecialty

ERADICATOR

MULTI-PURPOSE Insect Spray

- Controls Bedbugs • Non Staining
- Controls Cockroaches, Mosquitoes, Crickets, Spiders, Scorpions, and Many Other Listed Insects
- For Use on Dogs and on Premises to Control Fleas and Ticks
- Controls Listed Pests for up to Four Weeks
- For Use on Livestock and Their Premises
- Controls Fleas and Ticks on Dogs for 14 Days

ACTIVE INGREDIENT:

| | |
|--------------------|--------|
| *Permethrin | 0.25% |
| OTHER INGREDIENTS: | 99.75% |

100.00%

Contains Petroleum Distillates

*1-(3-phenoxyphenyl)methyl (+/-) cis/trans 3-(2,2-dichloroethyl)-2,2-dimethylcyclopropanecarboxylate (Cis/Trans ratio: Min. 35% (+/-) cis and Max. 65% (+/-) trans.)

EPA REG. NO. 44446-62 EPA EST. NO. 44446-TX-1

KEEP OUT OF REACH OF CHILDREN
CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NET WT. 16 OZ. (454 g)

QuestSpecialty Corporation
P.O. Box 624 • Brenham, TX 77834
713.896.8188



READ ENTIRE LABEL BEFORE EACH USE
FOR PET USE: USE ONLY ON DOGS. DO NOT USE ON
CATS OR KITTENS
PRECAUTIONARY STATEMENTS
Hazards to Humans & Domestic Animals
CAUTION

Hazards to Humans:
Harmful if absorbed through skin. Causes moderate eye irritation.
Avoid contact with skin, eyes or clothing.

Hazards to Domestic Animals:
Do not spray directly in/on eyes, mouth or genitalia of pets.
Use only on dogs. Do not use on cats or kittens. Do not use on puppies less than twelve (12) weeks old. Consult a veterinarian before using this product on debilitated, aged, pregnant, medicated, or nursing animals. Sensitivities may occur after using any pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

Personal Protective Equipment (PPE)
Wear long-sleeved shirt and long pants, socks and shoes, and chemical resistant gloves (such as those made out of Butyl Laminates, Nitrile Rubber, Neoprene Rubber, or Viton, Selecton Category E).

User Safety Recommendations
User should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

User should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
User should remove PPE immediately after handling this product.

Wash the outside of clothes before removing. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drainage ditches, gutters, or surface waters. Applying this product in calm weather when rain is predicted for the next 24 hours will help to ensure that water that runs does not blow or wash pesticide off the treatment area.

This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

Physical and Chemical Hazards

Contains under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not use this product in or on electrical equipment due to the possibility of shock hazard.

SHAKE WELL BEFORE USING

Indoor Residential Use

Remove protective cap, hold container upright and spray from a distance of 12 to 15 inches. Remove birds and cover fish aquariums before spraying.

Spray until surface is slightly wet, but not to the point of wetness or runoff. Avoid excessive application.

Houseflies, Fruit Flies, Mosquitoes, Gnats, Wasps, Hornets, Bees, Black Flies, Skipper Flies, Blow flies and Small Flying Moths: Close all doors and windows and spray from the rate of 1/2 to 3 seconds per 1000 cubic feet. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Upon entry, open windows and ventilate for at least 2 hours. Repeat treatment once a month.

Cockroaches, Waterbugs, Palmetto Bugs, Silverfish, Firebrats, Crickets, Scorpions, Spiders, Millipedes, Centipedes, Sowbugs and Pillbugs: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hiding insects with spray when ever poss ble. Upon reentry, open windows and ventilate for at least 2 hours. Repeat treatment once a month.

Ants: Spray nests, nests and points of entry. Spray on ants when poss ble. Repeat treatment once a month.

Indian Meal Moths, Angoumois Grain Moths: Close doors and windows, direct spray into all parts of room especially around stored food product containers, pantries and stored areas. Spray 7 to 10 seconds for each 1000 cubic feet of space. Keep door closed for 15 minutes following treatment. Upon reentry, open windows and vent late for at least 2 hours. Repeat treatment once a month.

Carpet Beetles: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going to treatment. You may also contact 1-800-253-3924 for emergency medical treatment information.

NOTE TO PHYSICIAN: Contains petroleum distillates. Vom sing may cause aspiration pneumonia.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

RESTRICTIONS

Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes and being grown in ornamental gardens or parks, or for trail courses or lawns and grounds.

Do not use in the edible product areas of food/food processing plants, restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas where food is prepared or held in operation. Serving areas include areas where these insects tend to congregate. Spray 30 seconds for each 100 square feet of surface. Keep area closed for 45 minutes to 1 hour after treatment. Upon reentry, open windows and ventilate for at least 2 hours. Repeat treatment once a month. Infested stored food products in the home should be disposed of.

Carpet Beetles: Spray directly on beetle floors, baseboards, shelves and carpets. Repeat treatment once a month.

Bedbugs: Spray mattresses, particularly around beds and seams. Turn beds apart and spray into all joints. Treat baseboards, moldings and floors. Allow all sprayed articles to dry thoroughly before reuse. After treatment, if necessary, dry cover with mattress cover and sheet. Do not use mattress without cover. Repeat treatment once a month.

TO CONTROL Clothes Moths and Carpet Beetles on wool and other proteinaceous fibers: Remove infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storage, directing the spray into cracks, joints and crevices. After airing, infested articles may be treated by spraying lightly, keeping nozzle at least three feet from fabric to avoid staining. A low a spray coated articles to dry thoroughly before use.

NON-FOOD AREAS: ERADICATOR Multi-Purpose Insect Spray may be applied in non-food/feed areas. Non-food/feed establishment areas are areas such as garages rooms, laundries, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, meat closets and storage (after canning or bottling). Do not apply directly to sewers or drains, or to any area like a gutter where damage to sewers, storm drains, water bodies, or aquatic habitat can occur, except as directed by this label.

All outdoor applications, if permitted elsewhere on this label, must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:

- Treatment to soil or vegetation around structures;
- Applications to lawns, turf, and other vegetation;
- Applications to the site of the building, up to a maximum height of 3 feet above grade;
- Applications to underwaters of eaves, soffits, doors, or windows permanently protected from rainfall by a covering, overhang, awning, or other structure;

• Application around potential pest entry points into buildings, when limited to a surface bond not to exceed one inch in width;

• Applications made through the use of a coarse, low pressure spray to only those portions of surfaces that are directly above soil, lawn, turf, mulch or other vegetation, as listed on this label, and not over an impervious surface, drainage or other material that could result in runoff into storm drains, drainage ditches, gutters, or surface waters, in order to control occasional invaders or aggregating pests;

• Do not apply as a broadcast treatment to indoor surfaces at residential areas, including nurseries, day care centers, schools, hospitals, and nursing homes.

Except when applying to pets or livestock, do not allow adults, children or pets to enter the treated area until sprays are dried.

Do not apply this product to or near children's toys. Vacuume non-treated areas before reentering.

SHAKE WELL BEFORE USING

Indoor Residential Use

Remove protective cap, hold container upright and spray from a distance of 12 to 15 inches. Remove birds and cover fish aquariums before spraying.

Spray until surface is slightly wet, but not to the point of wetness or runoff. Avoid excessive application.

Houseflies, Fruit Flies, Mosquitoes, Gnats, Wasps, Hornets, Bees, Black Flies, Skipper Flies, Blow flies and Small Flying Moths: Close all doors and windows and spray from the rate of 1/2 to 3 seconds per 1000 cubic feet. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Upon entry, open windows and ventilate for at least 2 hours. Repeat treatment once a month.

Cockroaches, Waterbugs, Palmetto Bugs, Silverfish, Firebrats, Crickets, Scorpions, Spiders, Millipedes, Centipedes, Sowbugs and Pillbugs: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hiding insects with spray when ever poss ble. Upon reentry, open windows and ventilate for at least 2 hours. Repeat treatment once a month.

Ants: Spray nests, nests and points of entry. Spray on ants when poss ble. Repeat treatment once a month.

Indian Meal Moths, Angoumois Grain Moths: Close doors and windows, direct spray into all parts of room especially around stored food product containers, pantries and stored areas. Spray 7 to 10 seconds for each 1000 cubic feet of space. Keep door closed for 15 minutes following treatment. Upon reentry, open windows and vent late for at least 2 hours. Repeat treatment once a month.

Carpet Beetles: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going to treatment. You may also contact 1-800-253-3924 for emergency medical treatment information.

NOTE TO PHYSICIAN: Contains petroleum distillates. Vom sing may cause aspiration pneumonia.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

RESTRICTIONS

Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes and being grown in ornamental gardens or parks, or for trail courses or lawns and grounds.

Do not use in the edible product areas of food/food processing plants, restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas where food is prepared or held in operation. Serving areas include areas where these insects tend to congregate. Spray 30 seconds for each 100 square feet of surface. Keep area closed for 45 minutes to 1 hour after treatment. Upon reentry, open windows and ventilate for at least 2 hours. Repeat treatment once a month. Infested stored food products in the home should be disposed of.

Carpet Beetles: Spray directly on beetle floors, baseboards, shelves and carpets. Repeat treatment once a month.

Bedbugs: Spray mattresses, particularly around beds and seams. Turn beds apart and spray into all joints. Treat baseboards, moldings and floors. Allow all sprayed articles to dry thoroughly before reuse. After treatment, if necessary, dry cover with mattress cover and sheet. Do not use mattress without cover. Repeat treatment once a month.

TO CONTROL Clothes Moths and Carpet Beetles on wool and other proteinaceous fibers: Remove infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storage, directing the spray into cracks, joints and crevices. After airing, infested articles may be treated by spraying lightly, keeping nozzle at least three feet from fabric to avoid staining. A low a spray coated articles to dry thoroughly before use.

IN ANIMAL QUARTERS AND MILK ROOMS: For rapid control of Houseflies, Mosquitoes, Gnats, Wasps, Hornets, Bees and Small Flying Moths. Remove animals prior to application. Close windows and doors and spray at the rate of 2 seconds per 1000 cubic feet of space. For best results, keep area closed for 10 minutes after spraying. Do not remain in treated area and ventilate after treatment is completed. Upon reentry, open windows and ventilate for at least 2 hours. Repeat treatment once a month. When used in dairy barns or facilities, cover or remove all food/feed and water. Close barns and facilities to prevent contamination from spray and from dead and dying insects. Remove or cover milk tanks before application. Wash teats of animals before milking.

TO TREAT LIVESTOCK: To protect beef cattle, dairy cattle, goats, sheep, hogs (pigs) and horses from attacks of Stable Flies, Horse Flies, Deer Flies, Face Flies, Hornflies, Horn Flies, Mosquitoes, and Gnats. Spray about 3 seconds on each side of the animal, including the head, neck, and body. Cover both ears to protect from Face flies, spray the front and head, but do not spray into eyes. Repeat treatment when flies are troublesome.

FOR SWINE: Do not ship animals for slaughter within 5 days of last treatment.

FOR CONTROL OF Bedbugs and Mites IN POULTRY HOUSES, spray crevices of roost poles, cracks in walls, and cracks in nests where the bedbugs and mites hide. Cover or remove all food/feed and water prior to application.

Fleas and Larvae (Adults and Larvae): Remove and thoroughly clean or destroy pet bedding. Spray pet sleeping quarters, bed, entire floor or floor covering, with special attention to cracks and crevices around baseboards, and window and door frames. Infested upholstered furniture may also be treated w/ this product. Make a test application to upholstery or drapery fabrics in an inconspicuous place before use. Allow all treated surfaces to thoroughly dry before allowing pets or humans to use.

TO CONTROL Fleas and Ticks ON DOGS: Starting at the tail, stroke against the lay of the hair, spraying the parted fur in short bursts, directly behind the head to insure penetrating the coat. Dampen the fur for up to the head. Repeat application every two weeks if necessary. Do Not Use On Cats or Kittens.

Outdoor Uses: Do not use on food crops, or fruit trees.

Do not make application during the rain.

FOR THE CONTROL OF GARDEN INSECTS: For use on roses, dahlia, asters and other ornamentals to kill Japanese Beetles by spray, as well as Whiteflies, Aphids, Exposed Thrips, Spiders, Red Mites and Leafminers.

May be used on plants, as well as a multi-purpose spray in small gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas.

May also be used on other nonfood plants such as African violets, asters, zinnias, begonias, camellias, camations, chrysanthemums, dahlias, delphiniums, dogwood, English ivy, Euonymus, fuchsias, geraniums, custard, grape vine, Kaffir palm, laurel, manjulias, rhododendrons, roses, rubber plants, snapdragons, stocks, wandering Jew and zinnias.

Effective when used as directed against Whiteflies, Aphids, Spider and Red Mites, Exposed Thrips, Lace Bugs, Japanese Beetles, Pavement Ants, Clover Mites and Armyworms. When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Spray in one second bursts. Be cautious about waving tends foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. Over application may cause damage. Contact insects directly whenever possible. Repeat treatment as infestations occur.

PESTICIDE STORAGE

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in a cool, dry area away from child and pets and away from heat, sparks and open flame. Do not transport or store below 32°F.

PESTICIDE DISPOSAL AND CONTAINER HANDLING

Disposal: Do Not Pour into Incinerator! If empty Place in trash or recycling F available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

INGREDIENTS (CAS#): Water (7732-18-5), Propylene/Butene (6474-64-8), Isopropylidene Hydrocarbon (6474-47-8), Permethrin (52645-53-1).

RHMIS RATINGS: Health - 1, Flammability - 1, Reactivity - 0, Personnel - A.

ITEM 454000001-20AR

Made In USA