

**KILLS MOSS
& WEEDS,
NOT LAWN!**



Moss OUT!



BROADLEAF WEED & MOSS KILLER

READY TO SPRAY

**CONTROLS DISEASE, WEEDS,
MOSS, ALGAE & LICHENS IN TURF**

SEE RESULTS IN HOURS!

RAINFAST IN 3 HOURS

Traducción
en español
colocada
en el panel
posterior

Active Ingredient:	
Iron HEDTA (FeHEDTA)	26.52%
Other Ingredients:	73.48%
Total:	100.00%

KEEP OUT OF REACH OF CHILDREN
CAUTION
See back for additional Precautionary
Statements and First Aid

300515349-9/17

Treats up to 1,875 sq. ft.

**NET CONTENTS 24 FL OZ
(709.76 mL)**

Lilly
Miller®

Moss OUT!

5in1

BROADLEAF WEED & MOSS KILLER READY TO SPRAY

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

FIRST AID

IF IN EYES

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For medical emergency information, you may call toll free 1-800-265-0761.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes slight eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

ENVIRONMENTAL HAZARDS

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

Manufactured for: Central Garden & Pet Garden Division
1000 Parkwood Circle, Suite 700
Atlanta, GA 30339

EPA Reg. No. 67702-26-90098

EPA Est. No. 48498-CA-1, 8119-WA-1₃

Subscript used is first letter of Run Code on Container

1-800-265-0761 gardendivision@central.com



CENTRAL
Garden & Pet

Lilly Miller with design; Central Garden & Pet, Central Garden & Pet with design and Moss Out! are trademarks of Central Garden & Pet Company.

© 2013, 2017 Central Garden & Pet Company

300515350-09/17 MSS5v3

Sold under a license of W. Neudorff GmbH KG

See inside booklet for additional Precautionary Statements, First Aid, and complete Directions for Use.

**QUICK
FACTS**

- 5 in 1 Action!
- Kills Moss and Weeds Not Lawns
- Treats 1,875 sq. ft.
- Controls disease, weeds, moss, algae, lichens in turf

CONTROLS

- Dandelion, Common Chickweed, Clover and other Listed Broadleaf Weeds
- Moss, Algae and Lichens
- Rust, Dollar Spot and Snow Mold

**WHERE TO
USE**

- On lawns (do not apply to bentgrass)

Manufactured for: **Central Garden & Pet
Garden Division**
1000 Parkwood Circle, Suite 700
Atlanta, GA 30339

 **CENTRAL**
Garden & Pet

300515350-9/17

EPA Reg No. 67702-26-90098
EPA Est. No. 48498-CA-1A, 8119-WA-1B
Subscript used is first letter of Run Code on Container

1-800-265-0761
gardendivision@central.com
www.mossout.com

Lilly Miller with design; Central Garden & Pet,
Central Garden & Pet with design and Moss Out! are
trademarks of Central Garden & Pet Company.

© 2013, 2017 Central Garden & Pet Company



0 70624 00121 9

KEEP OUT OF REACH OF CHILDREN
CAUTION
DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Use Sites:

Use to selectively control/suppress broadleaf weeds, moss, algae, lichens, liverworts, and diseases growing in lawns.

Pests:

Controls or suppresses the following weeds such as but not limited to: Dandelion, English daisy, False dandelion, White clover, Black medic, Bull thistle, Canada thistle, Common chickweed, Creeping buttercup, Creeping Charlie/Ground ivy, Persian Speedwell, Slender speedwell, Broadleaf plantain, Lawn burweed, Narrow-leaved plantain, Oxalis, Dovefoot geranium, Healall, Prostrate knotweed, Shepherd's-purse, Silverweed cinquefoil, Wild chamomile, Wild geranium, Moss, Liverworts, Algae, Lichens.

Controls moss, algae, lichens, liverworts, and lawn diseases (such as dollar spot, snow mold, and rust).

Application Directions:

Apply this container to 470 to 1,875 square feet. Apply it to 940 ft² for standard application; apply it to 470 ft² to control tough perennial weeds, such as buttercup and broad-leaved plantain. This container may be applied to up to 1,875 ft² to control moss, black medic, Persian speedwell, slender speedwell, wild geranium, lawn diseases (such as dollar spot, rust, and snow mold), or on weed seedlings of false dandelion, English daisy, dandelion or white clover. Uniform coverage is important. Rinse treated areas 24 hours after application. Repeat treatment in 3 to 4 weeks for best results.

1. Make sure knob control lever is in the OFF position. Shake well and attach to hose.
2. Turn water on at faucet, aim nozzle toward lawn and turn control lever to ON to begin spraying. The product will automatically siphon and mix with water.
3. When finished, turn control lever to OFF position. Turn faucet off. Discharge residual water pressure by turning control lever ON and OFF again.

What will I see?

Works quickly; dying weeds will be seen within hours of application. Treated weeds, moss or algae will turn brown or black. Occasionally a darkening of the grass leaf blades can occur after treatment; however the grass will recover within a few days to weeks. May stain thatch (dead grass under lawn); this does not affect the health of the grass.

Use Precautions:

Do not apply to drought stressed grass; ensure lawn is well watered prior to application. Do not apply when the daytime temperature will exceed 85°F. Do not apply to bentgrass. If unsure of grass sensitivity, test spray a small area of your lawn. Do not apply to newly seeded areas prior to grass seed germination. Avoid spraying desirable plants. Any desirable plants or structures accidentally contacted should be rinsed with water. To avoid staining, wait until treated area dries before re-entry. Do not apply if rainfall is expected within 3 hours of application. Do not irrigate within 3 hours of application. Do not apply to the same area more than 2 times a year.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store this product in its original container and keep in a secure storage area out of reach of children and domestic animals. Store unused material, tightly closed, in original container only, away from open flame.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Non-refillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or call 1-800-265-0761 for disposal instructions. Never place unused product down any indoor or outdoor drain.

Controla la Enfermedad, la Maleza, el Musgo, las Algas y Líquenes en el césped.

Elimina el musgo y la maleza pero no el césped.

Lluvia resistente en 3 horas

Tratamiento para hasta 1,900 pies cuadrados.

5 en 1

**BREVE
RESEÑA**

- !Acción 5 en 1!
- Elimina el Musgo y la Maleza pero no el césped.
- Tratamiento para 1,875 pies cuadrados.
- Controla las enfermedades, la maleza, e musgo, las algas y líquenes en el césped

CONTROLA

- Diente de león, el Álsine común, Trébol y otras Malezas de oja Ancha.
- Musgo, Algas y Líquenes.
- Roya, Mancha de dólar y Moho de la nieve

**DÓNDE
USAR**

- En el césped (no aplicar al Agrostis)

**MANTENER FUERA DEL ALCANCE DE LOS NIÑOS
ADVERTENCIA**

PRIMEROS AUXILIOS

EN LOS OJOS

- Mantenga el ojo abierto y enjuáguelo lenta y suavemente con agua entre 15 y 20 minutos.
- Qítense los lentes de contacto, si fuera el caso, después de los primeros 5 minutos y siga enjuagando el ojo.
- Llame al centro de Centro de Control de Intoxicaciones o a su doctor para obtener recomendaciones sobre el tratamiento.

Quando llame al Centro de Control de Intoxicaciones, a su doctor o al buscar tratamiento asegúrese de tener el recipiente o la etiqueta con usted. Para información sobre emergencias puede llamar al número gratuito 1-800-265-0761.

INSTRUCCIONES PREVENTIVAS

RIESGOS PARA LOS SERES HUMANOS Y ANIMALES

ADVERTENCIA: Causa una leve irritación en los ojos. Evite el contacto con los ojos o la ropa. Lávese por completo con agua y jabón luego de usar y antes de comer, beber, masticar goma de mascar, usar tabaco o usar el baño. El contacto prolongado o frecuente con la piel puede causar reacciones alérgicas en ciertas personas.

RIESGOS PARA EL MEDIO AMBIENTE

Para proteger el medio ambiente no permita que el pesticida ingrese o fluya en los drenajes, zanjas de drenaje, canaletas o agua en la superficie. Aplique este producto durante un clima tranquilo cuando no se pronostica lluvia por un periodo de 24 horas para asegurar que el viento no lo arrase y la lluvia no lave el pesticida más allá del área de tratamiento. Si se enjuaga el equipo sobre el área de tratamiento se evita el flujo hacia las masas e agua o sistemas e drenaje.

INSTRUCCIONES PARA EL USO

Es una infracción de la ley federal usar este producto de una manera inconsistente con su etiqueta.

Lugares para el uso:

Utilice para controlar/reducir selectivamente la maleza de hoja ancha, el musgo, las lagas, líquenes, hepáticas y las enfermedades en el césped.

Pestes:

Controla o disminuye la maleza como, pero no limitada a: diente de león, margarita común, diente de león falso, trébol blanco, mielga negra, cardo negro, cardo cundidor, álcine, botón de oro, hierba de la moneda, verónica pérsica, llantén mayor, tardana menor, llantén menor, agrillos, geranio de los caminos, consuelda menor, centinodia, bolsa de pastor, potentilla, manzanilla, geranio silvestre, musgo, hepática y líquenes.

Controla el musgo, las lagas, líquenes, hepáticas, y enfermedades del césped (como mancha de dólar, moho de la nieve y roya).

Instrucciones para la aplicación:

Este recipiente es suficiente para 470 a 1875 pies cuadrados. Aplíquelo a 940 pies cuadrados para aplicación estándar, a 470 pies cuadrados para controlar la maleza perenne fuerte, como el botón de oro y el llantén mayor. Este recipiente puede ser usado en 1875 pies cuadrados para controlar el musgo, la mielga negra, la verónica pérsica, la verónica esbelta, el geranio salvaje, las enfermedades del césped (como la mancha de dólar, la roya y el moho de la nieve) o en las semillas de maleza de diente de león falso, margarita común, diente de león y el trébol blanco.

La cobertura uniforme importante. Enjuague las áreas rociadas 24 horas después de la aplicación. Repita el tratamiento entre cada 3-4 semanas para mejores resultados.

1. Asegúrese de que la perilla de control esté en posición de APAGADO (OFF). Agite bien y conéctelo a la manguera.
2. Abra el grifo, apunte la boquilla hacia el césped y mueva la perilla de control a la posición de ENCENDIDO (ON) para empezar a rociar. El producto automáticamente ingresará en la vía y se mezclará con agua.
3. Cuando termine mueva la perilla de control a la posición de APAGADO (OFF). Cierre el grifo. Deshágase de cualquier residuo de presión de agua al mover la perilla de control a la posición de ENCENDIDO (ON) y luego a APAGADO (OFF) de nuevo.

¿Qué notará?

Trabaja rápidamente, la eliminación de la maleza será evidente unas horas luego de la aplicación. La maleza, el musgo o algas se tornarán marrones o negras. En ocasiones el oscurecimiento de las hojas del césped puede suceder luego del tratamiento, pero el césped se recuperará en unos días o semanas. Puede manchar la paja (pastro muerto bajo el césped) pero esto no afecta la salud del césped.

Precauciones:

No lo aplique al césped afligido por la sequía, asegúrese de que el césped esté bien regado antes de aplicar. No lo aplique si la temperatura subirá a más de 85°F durante el día. No lo aplique al agrostis. Si no sabe si el césped es sensible, haga una prueba en un área pequeña de su césped. No lo aplique en áreas donde ha esparcido semilla recientemente y antes de la germinación. Evite rociar plantas preciadas. Cualquier planta o estructura rociada accidentalmente debe ser enjuagada con agua. Para evitar las manchas evite ingresar a las áreas tratadas hasta antes de que se sequen. No lo aplique si se pronostican lluvias dentro de 3 horas de la aplicación. No irrite el área por un período de 3 horas luego de la aplicación. No lo aplique a la misma área más de 2 veces por año.

ALMANCEMANIENTO Y DESECHO

ALMANCEMANIENTO DEL PESTICIDA: Almacene este producto en su recipiente original y manténgalo en un lugar de almacenamiento seguro fuera del alcance de los niños y los animales domésticos. Almacene el material no usado bien cerrado siempre en su recipiente original, lejos de llamas.

DESECHO DEL PESTICIDA Y USO DEL RECIPIENTE: Este recipiente no es recargable. No intente volver a usar o recargar este recipiente. **Vacio:** Bótelo en la basura o recíclelo si es posible. **Si está parcialmente lleno:** Llame a la agencia de servicios de desechos o al 1-800-265-0761 para instrucciones de cómo desechar. Nunca deje que fluya el residuo de este producto por un drenaje interno o externo.