5.6875”

5.9375”

3.5”

02/28/2014 SSL
Page 1 of 7

EPA Reg No. 228-553-239 (32oz)
Ortho Weed B Gon Weed Killer for Lawns Concentrate 2

EPA Reg No. 228-553-239 (32oz)
Ortho Weed B Gon Weed Killer for Lawns Concentrate 2

EPA Reg No. 228-553-239 (32oz)
Ortho Weed B Gon Weed Killer for Lawns Concentrate 2



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **READ ENTIRE LABEL BEFORE USE.**
SHAKE WELL BEFORE USING.

Use Precautions and Restrictions:
Do not allow people or pets to enter the treated area until sprays have dried. Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not exceed two applications per year with a minimum of 30 days between applications. Do not spray exposed roots of desirable plants. Do not exceed directed rates because damage to turf may occur. Use a lawn type sprayer with a coarse spray as wind drift is less likely. Spray when air is calm to avoid spray drift that might injure desirable ornamental plants. Do not spray as a fine mist as injury to non-target plants may occur. Make new dilution for each use. Do not apply directly to or near water, storm drains, gutters, sewers or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. To prevent product runoff, do not overwater the treated area to the point of runoff or apply when raining or when rain is expected that day. Rinse applicator over lawn area only. Do not apply to newly seeded grasses until they have been mowed 3 times. Do not reseed for 4 weeks after use. If lawn needs watering, water thoroughly before application. Spray entire lawn, wetting weeds and lawn grasses. Do not apply when temperature exceeds 90 °F. Allow 12 hours after application before watering lawn for maximum effectiveness on listed weeds.

HOW IT WORKS

Ortho® Weed B Gon® Weed Killer for Lawns Concentrate2 contains three proven weed killers that target lawn weeds. This herbicide enters the lawn weeds through their leaves and moves throughout the plant to provide control. Lawns listed on this label will not be harmed when used as directed.

WHERE TO USE

This product can be applied to residential lawns with the following turfgrass types:

LAWNS TO BE TREATED:	
Cool Season Turfgrass (Northern Lawns) Kentucky bluegrass, Ryegrass, Tall fescue and Fine fescues.	**32 fl oz treats 8,000 sq ft**
Warm Season Turfgrass (Southern Lawns) Bermudagrass[1] (common and hybrid); St. Augustinegrass (excluding Floratam); Centipedegrass; Zoysiagrass; Buffalograss and Bahiagrass.	**32 fl oz treats 16,000 sq ft**
[1]Application to hybrid Bermudagrass may cause temporary yellowing or discoloration but full recovery can be expected. Do not apply to hybrid Bermudagrass when daytime temperatures exceed 85 °F. Over-application or rates above those specified on this label can cause turf injury.	
DO NOT apply Ortho® Weed B Gon® Weed Killer for Lawns Concentrate2 to the following: Bentgrass (colonial and creeping); Carpetgrass; Dichondra; Lippia; Gardens including vegetables, fruit trees, vines and berries; Ornamental plants (flowers, trees, groundcovers, landscape beds and shrubs); Seashore paspalum; Floratam variety of St. Augustinegrass; Turfgrass species that are not listed on this label.	

HOW MUCH TO USE

Northern Lawns: Add 2 fl oz per gallon of water for every 500 sq ft.
Southern Lawns: Add 1 fl oz per gallon of water for every 500 sq ft.

The maximum application rate is 4 fl oz of product per 1,000 sq ft per application (0.84 lb 2,4-D acid equivalent per acre per application). The maximum number of broadcast applications is limited to 2 per year. Allow at least 30 days between applications. The maximum seasonal rate is 8 fl oz of product per 1,000 sq ft (1.68 lb 2,4-D acid equivalent per acre).

WHEN TO USE

Apply this product when weeds are small and actively growing in the spring or fall.

HOW TO USE

Ortho® Dial N Spray® with Direct Connect Directions

SET: Ortho® Dial N Spray®	• Turn dial to 1 oz for Southern Lawns. • Turn dial to 2 oz for Northern Lawns.
CONNECT	• Remove jar from Ortho® Dial N Spray® sprayer. • Remove cap from the concentrate bottle. Keep cap for storage. • Screw the Ortho® Dial N Spray® sprayer onto concentrate bottle to attach. • Connect garden hose to the sprayer and turn on water.
SPRAY	• Press and hold trigger for continuous spray. Apply evenly. • Spray only until the surface of the lawn is wet.
FINISH	• Unscrew the concentrate bottle from the Ortho® Dial N Spray® sprayer. • Replace cap on the concentrate bottle. • **To clean:** Refer to the Ortho® Dial N Spray® cleaning instructions.

Refer to the Ortho® Dial N Spray® label and booklet for additional information.
Important: To prevent sprayer from clogging, always clean after use, as directed.
The application rate for this product is 2 fl oz of product per 500 sq ft of lawn for Northern Lawns or 1 fl oz of product per 500 sq ft of lawn for Southern Lawns.

Tank Sprayer Directions

Add 2 fl oz per gallon of water for every 500 sq ft for Northern Lawns.
Add 1 fl oz per gallon of water for every 500 sq ft for Southern Lawns.

Important: Over-application or rates above those recommended on this label can cause turf injury.

STORAGE AND DISPOSAL

PESTICIDE STORAGE	Keep from freezing. To be stored in original container and placed in areas inaccessible to children.
PESTICIDE DISPOSAL & CONTAINER HANDLING	Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor (including toilet) or outdoor (including sewer) drain.

BROADLEAF WEEDS CONTROLLED

Alder, Annual yellow sweet clover, Artichoke, Aster, Austrian fieldcress, Bedstraw, Beggartick, Biden, Bindweed, Bird vetch, Bitterweed, Bitter wintercress, Black-eyed Susan, Black medic, Black mustard, Blackseed plantain, Blessed thistle, Bloodflower, Blue lettuce, Blue vervain, Box elder, Bracted plantain, Brassbuttons, Bristly oxtongue, Broadleaf dock, Broadleaf plantain, Broomweed, Buckhorn, Buckhorn plantain, Bulbous buttercup, Bull nettle, Bull thistle, Burdock, Burning nettle, Bur ragweed, Burweed, Buttercup, Canada thistle, Carolina geranium, Carpetweed, Catchweed bedstraw, Catsear, Catnip, Chickweed, Chicory, Cinquefoil, Clover, Cockle, Cocklebur, Coffeebean, Coffeeweed, Common chickweed, Common mullein, Common sowthistle, Corn chamomile, Creeping Jenny, Creeping Woodsorrel, Crimson clover, Croton, Cudweed, Curly dock, Curly indigo, Dandelion, Dead Nettle, Dock, Dogbane, Dogfennel, Dollarweed, Elderberry, English daisy, Fall dandelion, False dandelion, False flax, False sunflower, Fiddleneck, Field bindweed, Field pansy, Flea bane (Daisy), Flixweed, Florida betony, Florida pusley, Frenchweed, Galinsoga, Garlic mustard, Goathead, Goatsbeard, Goldenrod, Ground ivy, Gumweed, Hairy bittercress, Hairy fleabane, Hawkweed, Healall, Heartleaf drymary, ...(Continued)

EPA Reg No. 228-553-239 (32oz)
Ortho Weed B Gon Weed Killer for Lawns Concentrate 2



EPA Reg No. 228-553-239 (32oz)
Ortho Weed B Gon Weed Killer for Lawns Concentrate 2



CÓMO FUNCIONA

El Concentrado herbicida para césped2 Ortho® Weed B Gon® contiene tres herbicidas comprobados dirigidos a las malezas de céspedes. Este herbicida entra en la maleza del césped a través de sus hojas y se mueve a lo largo de la planta para proporcionar control. Los céspedes indicados en esta etiqueta no se verán perjudicados cuando se use según las indicaciones.

DÓNDE USARLO

Este producto puede aplicarse en jardines residenciales con los siguientes tipos de céspedes:

CÉSPEDES A TRATAR:

Césped para climas fríos (céspedes del norte)
32 onzas líquidas (946 ml) tratan 8,000 pies^2 (743 m^2)
Césped azul de Kentucky, raigrás, cañuela alta y cañuelas finas.

Césped para climas cálidos (céspedes del sur)
32 onzas líquidas (946 ml) tratan 16,000 pies^2 (1,486 m^2)
Céspedes Bermuda[1] (común e híbrido), San Agustín (excepto la variedad floratam), ciempiés, zoysia, búfalo y bahía.

[1]La aplicación a césped Bermuda híbrido puede causar amarillamiento o decoloración temporal, pero puede esperarse la recuperación completa. No aplique el producto a césped Bermuda híbrido cuando las temperaturas diurnas superen los 85 °F (29 °C).
La aplicación excesiva o en cantidades superiores a las indicadas en esta etiqueta puede causar daños al césped.

NO aplique el Concentrado herbicida para césped2 Ortho® Weed B Gon® a lo siguiente: césped agrostris (colonial y rastrero); césped alfombra; dicondra; lippia; jardines que incluyen vegetales, árboles frutales, parras y bayas; plantas ornamentales (flores, árboles, cubiertas vegetales, macizos de jardín y arbustos); césped del mar; variedad floratam del césped San Agustín; especies de césped que no están enumeradas en esta etiqueta.

CUÁNTO USAR

Para céspedes del norte: Agregue 2 onzas líquidas (59 ml) por galón de agua, por cada 500 pies^2 (46 m^2).
Para céspedes del sur: Agregue 1 onza líquida (29.5 ml) por galón de agua, por cada 500 pies^2 (46 m^2).
La cantidad máxima de aplicación es de 4 onzas líquidas (118 ml) de producto por cada 1,000 pies^2 (93 m^2), por aplicación (el equivalente de 0.84 lb [0.38 kg] de ácido 2,4-D por acre, por aplicación). El número máximo de aplicaciones con un esparcidor de voleo es de 2 al año. Espere al menos 30 días entre aplicaciones. La cantidad máxima de aplicación por temporada es de 8 onzas líquidas (236 ml) de producto por cada 1,000 pies^2 (93 m^2), por aplicación (el equivalente de 1.68 lb [0.76 kg] de ácido 2,4-D por acre, por aplicación).

CUÁNDO USARLO

Aplique este producto cuando las malezas son pequeñas y están en crecimiento activo en la primavera o el otoño.

CÓMO USARLO

Instrucciones para Ortho® Dial N Spray® con conexión directa

AJUSTE: Ortho® Dial N Spray®	• Gire el selector a la posición de 1 oz (29.5 ml) para los céspedes del sur. • Gire el selector a la posición de 2 oz (59 ml) para los céspedes del norte.
CONECTE	• Retire el depósito del rociador Ortho® Dial N Spray®. • Quite la tapa de la botella de concentrado y guárdela para almacenar el producto. • Enrosque el rociador Ortho® Dial N Spray® en la botella de concentrado. • Conecte la manguera de jardín del rociador y abra el agua.
ROCÍE	• Apriete la manija del rociador sin soltarla para un rociado continuo. Aplique uniformemente. • Rocíe sólo hasta humedecer la superficie del césped.
TERMINE	• Desenrosque la botella de concentrado del rociador Ortho® Dial N Spray®. • Vuelva a cerrar la botella de concentrado con la tapa. • **Para limpiar:** consulte las instrucciones de limpieza de Ortho® Dial N Spray®.

Consulte la etiqueta y el folleto del Ortho® Dial N Spray® para obtener información adicional.
Importante: Para evitar que el rociador se obstruya, límpielo siempre después de usarlo, tal y cómo se indica.
La cantidad de aplicación de este producto es de 2 onzas líquidas (59 ml) por cada 500 pies^2 (46 m^2) de césped del norte o de 1 onza líquida (29.5 ml) por cada 500 pies^2 (46 m^2) de césped del sur.

Instrucciones de uso del rociador con depósito

Agregue 2 onzas líquidas (59 ml) por galón de agua, por cada 500 pies^2 (46 m^2) para los céspedes del norte.
Agregue 1 onza líquida (29.5 ml) por galón de agua, por cada 500 pies^2 (46 m^2) para los céspedes del sur.

Importante: La aplicación excesiva o en cantidades superiores a las recomendadas en esta etiqueta puede causar daños al césped.

ALMACENAMIENTO Y ELIMINACIÓN

ALMACENAMIENTO DEL PESTICIDA	Evite que se congele. Debe ser almacenado en su envase original y colocado en áreas inaccesibles para los niños.
ELIMINACIÓN Y MANEJO DEL ENVASE DEL PESTICIDA	Este envase no se puede rellenar. No vuelva a usar ni llenar este envase. **Si está vacío:** Tírelo a la basura o recíclelo, de ser posible. **Si está parcialmente lleno:** Llame a la agencia de control de desechos sólidos local para solicitar instrucciones sobre cómo eliminarlo. Nunca elimine el producto no utilizado en drenajes internos (incluido el inodoro) o externos (incluida la alcantarilla).

EPA Reg No. 228-553-239 (32oz)
Ortho Weed B Gon Weed Killer for Lawns Concentrate 2

EPA Reg No. 228-553-239 (32oz)
Ortho Weed B Gon Weed Killer for Lawns Concentrate 2