

TRUSTED SINCE 1926
BONIDE®

DuraTurf™

CRABGRASS **PLUS**

CRABGRASS & BROADLEAF WEED KILLER

Kills two types of weeds with one product
Covers 5,000 sq. ft.

Dual action- Prevents and kills crabgrass and listed broadleaf weeds


kills & prevents tough weeds

Treats northern & southern grasses

Kills the weeds not the lawn



Poa Annua



Foxtail

Green, Yellow and Giant



Crabgrass

Smooth, Southern and Large



Goosegrass

Crowfootgrass



Barnyardgrass

Tough weed killer

Keep Out Of Reach Of Children
CAUTION (See back panel for additional Precautionary Statements and First Aid)
Net Wt. 12 LBS (5.44 kg)

ACTIVE INGREDIENTS:
2, 4-D..... (CAS No. 94-75-7).....0.675%
Dicamba..... (CAS No. 1918-00-9).....0.060%
Dithiopyr..... (CAS No. 97886-45-8).....0.121%
Quinclorac..... (CAS No. 84087-01-4).....0.346%
OTHER INGREDIENTS:98.798%
TOTAL100.000%
EPA Est. No. 32802-MO-1(B), 59144-GA-1(A), 37351-CO-1(C),
8378-IN-1(D), 9404-FL-1(E), 35497-OR-1(H), 49991-TX-1(Q),
35512-FL-2(K), 4-NY-1 EPA Reg. No. 2217-973-4

THIS PRODUCT CONTAINS:
13.50 lb 2,4-dichlorophenoxyacetic acid equivalent per ton
1.20 lb 3,6-dichloro-o-anisic acid equivalent per ton
2.42 lb dithiopyr per ton
6.92 lb quinclorac per ton
Isomer Specific By AOAC Methods

TRUSTED SINCE 1926
BONIDE®

DuraTurf™

CRABGRASS **PLUS**

CRABGRASS & BROADLEAF WEED KILLER



**STOP! READ THE ENTIRE LABEL FIRST.
OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.**

DIRECTIONS FOR USE

- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until dusts have settled.
- Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed or for research purposes.
- **DuraTurf Crabgrass Plus is not sold, distributed, or registered within the state of New York. Do not use in the state of New York.**

- The four herbicides combine to kill many different kinds of weeds at different stages of development.
- Grass weeds: Preemergent control of crabgrass, foxtails, and other annual grass weeds. Postemergent control of crabgrass.
- Broadleaf weeds: Preemergent control of chickweed, henbit, knotweed, shepherdspurse, spurge, woodsorrel, and other broadleaf weeds. Postemergent control of over 250 broadleaf weeds including dandelion, chickweed, thistle and clover.

Guidelines to follow: The use of DuraTurf Crabgrass Plus on lawns and ornamental turfgrasses that are not well established, or have been weakened by stress due to mechanical operations, chemical injury, disease, insects, pests, excessive temperatures, or lack of moisture may increase the chances for turfgrass injury. Allow turfgrass weakened by these stresses to recover before application of this product.

*for acceptable control of barnyardgrass and goosegrass, two applications made at a 6 to 10 week interval are needed



Distributed by
Bonide Products, Inc.
6301 Sutliff Road
Oriskany, NY 13424
©Bonide Products, Inc
All Rights Reserved