

For disinfection of Avian Influenza A, use this product only for surfaces that are not conducive to treatment by immersion or excess liquid (e.g., cages, equipment tables, lab benches, faucet handles, door knobs and similar "high touch" surfaces). Food and drink dispensing and preparation surfaces must be rinsed with potable water prior to use.

**\*HIV-1, HBV AND HCV PRECAUTIONS:** This product kills HIV-1, HBV and HCV pre-cleaned hard, non-porous surfaces/objects previously soiled with blood/body fluids in health care or other settings in which there is an expected likelihood of soiling of hard, non-porous surfaces/objects with blood/body fluids, and in which the surfaces/objects can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1), Hepatitis B Virus (HBV) and Hepatitis C Virus (HCV). **Special instructions for cleaning against HIV-1, HBV and HCV on surfaces/objects soiled with blood/body fluids: Personal Protection:** Wear appropriate barrier protection including gloves, gowns, masks and eye coverings. **Cleaning Procedure:** Blood and other body fluids must be thoroughly cleaned from surfaces/objects before disinfection. **Contact Time:** Allow hard, non-porous surfaces to remain wet for 2 minutes to kill HIV-1, HBV and HCV. **Infectious Materials Disposal:** Cleaning materials used that may contain blood/body fluids should be autoclaved and/or disposed of in accordance with local regulations for infectious materials disposal.

89221-971A  
  
 This product is not to be used as a terminal sterilant or high-level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes, but which does not ordinarily penetrate the blood barrier or otherwise enter sterile areas of the body. This product may be used to pre-clean critical and semi-critical medical devices prior to sterilization or high-level disinfection.

**Dispensing Directions:** To start feed, remove cover and discard seal. From the center of the wipe roll, pull up a wipe corner, twist it into a point and thread it through the hole located on the container cover. Pull through about one inch. Replace cover. Pull out first wipe and tear off at an angle. Remaining wipes feed automatically, ready for the next use. When not in use, keep center cap closed to prevent evaporation.

**For Surface Cleaning:** To clean surfaces, use a fresh wipe on surfaces. Repeat as necessary until surfaces are visibly clean.

**For Use as a Hard, Non-porous Non-food Contact Surface Disinfectant/Virucide/Fungicide:** Pre-clean hard, non-porous surfaces to be disinfected with a clean wipe. Use a fresh, clean wipe to disinfect hard, non-porous surfaces until thoroughly wet. Allow surfaces to remain wet for 2 minutes.

**STORAGE AND DISPOSAL**  
 Do not contaminate food or feed by storage or disposal.  
**STORAGE:** Store in a cool, well-ventilated area.  
**PRODUCT DISPOSAL:** Dispose of wipe in trash after use. Do not flush. Tightly close lid between uses to retain moisture.  
**CONTAINER DISPOSAL:** Non-refillable container. Do not reuse or refill this empty container. Offer empty container for recycling. If recycling is not available, discard container in trash.

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**  
**CAUTION:** Harmful if inhaled or absorbed through skin. Causes moderate eye irritation. Avoid breathing vapors and contact with eyes, skin or clothing. Wear appropriate personal protective equipment based on safe work practices. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

**FIRST AID**  
**If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. **If on skin:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-451-8346 for emergency medical treatment information.

**PHYSICAL OR CHEMICAL HAZARDS**  
 DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME.

# MCKESSON

## Disposable Germicidal Surface Wipes

BACTERICIDAL | VIRUCIDAL\* | TUBERCULOCIDAL | FUNGICIDAL

**Active Ingredients**

n-Alkyl [60% C14, 30% C16, 5% C12, 5% C18]	
dimethyl benzyl ammonium chloride.....	0.154%
n-Alkyl [68% C12, 32% C14]	
dimethyl ethylbenzyl ammonium chloride.....	0.154%
Isopropanol.....	21.000%
<b>Other Ingredients</b> .....	<b>78.692%</b>
<b>Total</b> .....	<b>100.000%</b>

### KEEP OUT OF REACH OF CHILDREN

### CAUTION

See side panel for First Aid and additional Precautionary Statements.



NET WEIGHT  
**1 lb 6.38 oz**  
 (634.5 g)

**9 in x 12 in**  
 [22.9 cm x 30.5 cm]

NET CONTENTS  
**65**  
 WIPES PER CANISTER

Distributed by McKesson Medical-Surgical Inc.  
 9954 Mayland Drive, Richmond, VA 23233  
 1-800-777-4908  
 PVN C0917  
 Made in the USA

MFR # **50-66170**  
 EPA REG. NO. 70144-2-80366  
 EPA EST. NO. 56952-WI-001

This product can be used in the following locations: autopsy rooms, bathrooms, blood centers, cadaver work areas, cardiac care labs, cardiac catheterization labs, cardiology units, central sterile supply, clean rooms, clinical areas, dialysis units, drug preparation facilities, EMS units, extended care facilities, field hospitals, food processing facilities (non-food contact surfaces), GI laboratories, hospitals, human transport vehicles, infant care units, intensive care units, isolation rooms, laboratories, lasik centers, long-term care facilities, medical facilities (ambulances/EMS/paramedic units, blood banks, clean rooms, drug preparation rooms, emergency rooms, infant/child care units, isolation units, morgues, neonatal intensive care units, nursing homes, operating rooms, patient care areas, plasma pheresis centers, surgical centers), neonatal units, offices, ophthalmic centers, paramedic squads, pathology facilities, pheresis equipment and centers, podiatry offices, radiology centers, research laboratories, respiratory care units, skin care facilities, surgical centers and rooms, transport equipment, and areas/facilities concerned with the hazards of cross-contamination from infectious microorganisms.

This product may be used on the following surfaces: ambulance equipment and patient care surfaces, anesthesia equipment surfaces, bassinets, bathing units, bed rails, beds, blood pressure devices, breathing masks, cabinets, changing tables, commodes, computer keyboards, counters, CPR training devices, CT equipment/surfaces, curing lights, dialysis machine surfaces, doorknobs, equipment surfaces, ER surfaces, examination tables, hard cervical collars/braces, incubators, infant care equipment (bassinets, bed railings, cribs, infant incubators-surfaces, tables, warmers [exterior surface]), instrument stands, Isolettes®, kidney machines, laboratory equipment/surfaces, laminated surfaces, light lens covers, mayo stands, medical equipment surfaces/devices, microscopes, monitor knobs, monitors, MRI equipment surfaces, neonatal/nursery surfaces, nursing station surfaces, OB (obstetrical equipment) surfaces, occupational therapy devices, office fixtures, OR lights, OR surfaces, OR tables, ophthalmic equipment surfaces/devices, oxygen hoods, oxygen tents, painted surfaces, patient bed surfaces, patient care devices, patient care equipment surfaces, patient examination tables, patient stretchers, patient transport surfaces, pharmacy surfaces, physical therapy equipment (such as bars, chairs, empty whirlpool tanks, etc.), radiology equipment surfaces, rails, refrigerators (exterior surface), respiratory care equipment surfaces, respiratory therapy equipment, showers (floors/walls), sink faucets, skin care equipment/surfaces, sinks, stalls, stair chairs, stretchers, surgical equipment surfaces, surgical microscopes, tables, telephones, toilets (rims, seats and exterior surfaces), wheel chairs, X-ray equipment/surfaces, and devices/surfaces potentially contaminated with disease-causing microorganisms, and use sites made of glass, metal, Plexiglas®, plastics (i.e., polycarbonate, polypropylene, polyvinylchloride and polystyrene), baked-on painted surfaces, stainless steel and non-porous vinyl.

### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**DO NOT USE THIS PRODUCT AS A BABY OR SKIN WIPE, OR ON CONTACT LENSES!**

Pre-clean all surfaces to be treated with this product. Apply this product by wiping to thoroughly wet hard, non-porous surfaces. This product kills the following bacteria in 2 minutes on pre-cleaned hard, non-porous surfaces at room temperature when used as directed: *Acinetobacter baumannii*, *Escherichia coli* - with [extended beta-lactamase resistance [ESBL]] (*E. coli*), *Enterobacter aerogenes*, Carbapenem-resistant *Klebsiella pneumoniae* (CRKP), *Listeria monocytogenes*, Methicillin-Resistant *Staphylococcus aureus* (MRSA), *Mycobacterium bovis*, BCG (tuberculosis) [TB], *Pseudomonas aeruginosa* *Salmonella enterica*, *Serratia marcescens*, *Staphylococcus aureus*, Vancomycin - Resistant *Enterococcus faecium* (VRE). This product kills the following viruses\* in 2 minutes on pre-cleaned hard, non-porous surfaces at room temperature when used as directed: Avian Influenza A Reassortant Virus (H3N2), Rotavirus Strain WA, Hepatitis B Virus\* (HBV), Hepatitis C Virus\* (HCV), Herpes Simplex II Virus (HSV 2) (G Strain), Human Immunodeficiency Virus\* (HIV-1) [associated with AIDS], Swine Influenza A Virus (H1N1) [formerly called "swine flu"], Influenza A Virus, Rhinovirus. This product kills the following fungi in 2 minutes on pre-cleaned hard, non-porous surfaces at room temperature when used as directed: *Trichophyton interdigitale* (ringworm).

For disinfection of Avian Influenza A, use this product only for surfaces that are not conducive to treatment by immersion or excess liquid (e.g., cages, equipment tables, lab benches, faucet handles, door knobs and similar "high touch" surfaces). Food and drink dispensing and preparation surfaces must be rinsed with potable water prior to use.

**\*HIV-1, HBV AND HCV PRECAUTIONS:** This product kills HIV-1, HBV and HCV pre-cleaned hard, non-porous surfaces/objects previously soiled with blood/body fluids in health care or other settings in which there is an expected likelihood of soiling of hard, non-porous surfaces/objects with blood/body fluids, and in which the surfaces/objects can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1), Hepatitis B Virus (HBV) and Hepatitis C Virus (HCV). **Special instructions for cleaning against HIV-1, HBV and HCV on surfaces/objects soiled with blood/body fluids: Personal Protection:** Wear appropriate barrier protection including gloves, gowns, masks and eye coverings. **Cleaning Procedure:** Blood and other body fluids must be thoroughly cleaned from surfaces/objects before disinfection. **Contact Time:** Allow hard, non-porous surfaces to remain wet for 2 minutes to kill HIV-1, HBV and HCV. **Infectious Materials Disposal:** Cleaning materials used that may contain blood/body fluids should be autoclaved and/or disposed of in accordance with local regulations for infectious materials disposal.

81176-971B



*This product is not to be used as a terminal sterilant or high-level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes, but which does not ordinarily penetrate the blood barrier or otherwise enter sterile areas of the body. This product may be used to pre-clean critical and semi-critical medical devices prior to sterilization or high-level disinfection.*

**Dispensing Directions:** To start feed, remove cover and discard seal. From the center of the wipe roll, pull up a wipe corner, twist it into a point and thread it through the hole located on the container cover. Pull through about one inch. Replace cover. Pull out first wipe and tear off at an angle. Remaining wipes feed automatically, ready for the next use. When not in use, keep center cap closed to prevent evaporation.

**For Surface Cleaning:** To clean surfaces, use a fresh wipe on surfaces. Repeat as necessary until surfaces are visibly clean.

**For Use as a Hard, Non-porous Non-food Contact Surface Disinfectant/Virucide/Fungicide:** Pre-clean hard, non-porous surfaces to be disinfected with a clean wipe. Use a fresh, clean wipe to disinfect hard, non-porous surfaces until thoroughly wet. Allow surfaces to remain wet for 2 minutes.

#### STORAGE AND DISPOSAL

Do not contaminate food or feed by storage or disposal.

**STORAGE:** Store in a cool, well-ventilated area.

**PRODUCT DISPOSAL:** Dispose of wipe in trash after use. Do not flush. Tightly close lid between uses to retain moisture.

**CONTAINER DISPOSAL:** Non-refillable container. Do not reuse or refill this empty container. Offer empty container for recycling. If recycling is not available, discard container in trash.

#### PRECAUTIONARY STATEMENTS

##### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Harmful if inhaled or absorbed through skin. Causes moderate eye irritation. Avoid breathing vapors and contact with eyes, skin or clothing. Wear appropriate personal protective equipment based on safe work practices. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

##### FIRST AID

**If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. **If on skin:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-451-8346 for emergency medical treatment information.

##### PHYSICAL OR CHEMICAL HAZARDS

DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME.

# McKESSON

## Disposable Germicidal Surface Wipes

BACTERICIDAL | VIRUCIDAL\* | TUBERCULOCIDAL | FUNGICIDAL

##### Active Ingredients

n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18)	
dimethyl benzyl ammonium chloride.....	0.154%
n-Alkyl (68% C12, 32% C14)	
dimethyl ethylbenzyl ammonium chloride.....	0.154%
Isopropanol.....	21.000%

**Other Ingredients.....** 78.692%

**Total.....** 100.000%

### KEEP OUT OF REACH OF CHILDREN

## CAUTION

See side panel for First Aid and additional Precautionary Statements.

NET WEIGHT  
**1 lb 4.66 oz**  
(585.7 g)

**6 in x 6.75 in**  
(15.24 cm x 17.15 cm)

NET CONTENTS  
**160**  
WIPES PER CANISTER

Distributed by McKesson Medical-Surgical Inc.  
9954 Mayland Drive, Richmond, VA 23233  
1-800-777-4908  
PVN D0917  
Made in the USA

MFR # **50-66160**

EPA REG. NO. 70144-2-80366  
EPA EST. NO. 56952-WI-001

This product can be used in the following locations: autopsy rooms, bathrooms, blood centers, cadaver work areas, cardiac care labs, cardiac catheterization labs, cardiology units, central sterile supply, clean rooms, clinical areas, dialysis units, drug preparation facilities, EMS units, extended care facilities, field hospitals, food processing facilities (non-food contact surfaces), GI laboratories, hospitals, human transport vehicles, infant care units, intensive care units, isolation rooms, laboratories, lasik centers, long-term care facilities, medical facilities (ambulances/EMS/paramedic units, blood banks, clean rooms, drug preparation rooms, emergency rooms, infant/child care units, isolation units, morgues, neonatal intensive care units, nursing homes, operating rooms, patient care areas, plasma pheresis centers, surgical centers), neonatal units, offices, ophthalmic centers, paramedic squads, pathology facilities, pheresis equipment and centers, podiatry offices, radiology centers, research laboratories, respiratory care units, skin care facilities, surgical centers and rooms, transport equipment, and areas/facilities concerned with the hazards of cross-contamination from infectious microorganisms.

This product may be used on the following surfaces: ambulance equipment and patient care surfaces, anesthesia equipment surfaces, bassinets, bathing units, bed rails, beds, blood pressure devices, breathing masks, cabinets, changing tables, commodes, computer keyboards, counters, CPR training devices, CT equipment/surfaces, curing lights, dialysis machine surfaces, doorknobs, equipment surfaces, ER surfaces, examination tables, hard cervical collars/braces, incubators, infant care equipment (bassinets, bed railings, cribs, infant incubators-surfaces, tables, warmers (exterior surface), instrument stands, Isolettes®, kidney machines, laboratory equipment/surfaces, laminated surfaces, light lens covers, mayo stands, medical equipment surfaces/devices, microscopes, monitor knobs, monitors, MRI equipment surfaces, neonatal/nursery surfaces, nursing station surfaces, OB (obstetrical equipment) surfaces, occupational therapy devices, office fixtures, OR lights, OR surfaces, OR tables, ophthalmic equipment surfaces/devices, oxygen hoods, oxygen tents, painted surfaces, patient bed surfaces, patient care devices, patient care equipment surfaces, patient examination tables, patient stretchers, patient transport surfaces, pharmacy surfaces, physical therapy equipment (such as bars, chairs, empty whirlpool tanks, etc.), radiology equipment surfaces, rails, refrigerators (exterior surface), respiratory care equipment surfaces, respiratory therapy equipment, showers (floors/walls), sink faucets, skin care equipment/surfaces, sinks, stalls, stair chairs, stretchers, surgical equipment surfaces, surgical microscopes, tables, telephones, toilets (rims, seats and exterior surfaces), wheel chairs, X-ray equipment/surfaces, and devices/surfaces potentially contaminated with disease-causing microorganisms, and use sites made of glass, metal, Plexiglas®, plastics (i.e., polycarbonate, polypropylene, polyvinylchloride and polystyrene), baked-on painted surfaces, stainless steel and non-porous vinyl.

### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

#### DO NOT USE THIS PRODUCT AS A BABY OR SKIN WIPE, OR ON CONTACT LENSES!

Pre-clean all surfaces to be treated with this product. Apply this product by wiping to thoroughly wet hard, non-porous surfaces.

This product kills the following bacteria in 2 minutes on pre-cleaned hard, non-porous surfaces at room temperature when used as directed: *Acinetobacter baumannii*, *Escherichia coli* - with [extended beta-lactamase resistance (ESBL)] [*E. coli*], *Enterobacter aerogenes*, Carbapenem-resistant *Klebsiella pneumoniae* (CRKP), *Listeria monocytogenes*, Methicillin-Resistant *Staphylococcus aureus* (MRSA), *Mycobacterium bovis*, BCG (tuberculosis) (TB), *Pseudomonas aeruginosa* *Salmonella enterica*, *Serratia marcescens*, *Staphylococcus aureus*, Vancomycin - Resistant *Enterococcus faecium* (VRE). This product kills the following viruses\* in 2 minutes on pre-cleaned hard, non-porous surfaces at room temperature when used as directed: Avian Influenza A Reassortant Virus (H3N2), Rotavirus Strain WA, Hepatitis B Virus\* (HBV), Hepatitis C Virus\* (HCV), Herpes Simplex II Virus (HSV 2) (G Strain), Human Immunodeficiency Virus\* (HIV-1) [associated with AIDS], Swine Influenza A Virus (H1N1) [formerly called "swine flu"], Influenza A Virus, Rhinovirus. This product kills the following fungi in 2 minutes on pre-cleaned hard, non-porous surfaces at room temperature when used as directed: *Trichophyton interdigitale* [ringworm].