

RESEALABLE

58300-14001_RatX_20190102_4_58300_.pdf



TEAR TO OPEN/ PRESS TO RESEAL

RatX[®]

FOR THE EFFECTIVE CONTROL OF RATS AND MICE

- ✓ **Formulated for Indoor & Outdoor Use**
- ✓ **Naturally Derived***
Rat & Mouse Control
- ✓ **Safe for Use Around Livestock & Pets When Used as Directed**

**PERFECT FOR BOTH
PROFESSIONAL AND DIY USE**

ACTIVE INGREDIENTS:

*Corn gluten meal	55.0%
*Sodium chloride	2.0%
INERT INGREDIENTS:	
Maltodextrin, Sorbitol, Wheat flour, Wheat germ oil	43.0%
Total	100 %

ALLERGEN: Contains wheat products



**KEEP OUT OF THE REACH OF CHILDREN
CAUTION**

Net Weight: 8 oz. / 227 gm.



FOR THE EFFECTIVE CONTROL OF RATS AND MICE

RatX[®]

- ✓ Formulated for Indoor & Outdoor Use
- ✓ Naturally Derived* Rat & Mouse Control
- ✓ Safe for Use Around Livestock & Pets When Used as Directed

SUGGESTED BAIT LOCATIONS FOR THE EFFECTIVE CONTROL OF RATS & MICE:

- ✓ Around Ponds & Water Features
- ✓ Holes Under a Patio
- ✓ Under Garden Structures
- ✓ Access Points to Buildings or Under a Greenhouse
- ✓ Holes in Lawns
- ✓ Around Houses
- ✓ Near Livestock & Poultry Housing

PERFECT FOR BOTH
PROFESSIONAL AND DIY USE



Manufactured by:
ConSeal International, Inc.
90 Kerry Place, Suite 2
Norwood, MA 02062



Distributed by:
EcoClear Products, Inc.
5581 Broadcast Court
Sarasota, FL 34240

PATENTED
REORDER #
620100

Customer Service: 888-511-7289

DIRECTIONS FOR USE: DO NOT ALLOW PET MICE, GERBILS, HAMSTERS, GUINEA PIGS, OR OTHER PET RODENTS TO COME IN CONTACT WITH THIS PRODUCT. ALWAYS USE A DEDICATED MEASURING DEVICE. DO NOT USE KITCHEN UTENSILS. DO NOT PLACE BAIT IN AREAS ACCESSIBLE TO CHILDREN.

INDOOR USE: Prior to treatment, all likely food sources must be removed or made unavailable to rats and mice. Place bait trays at bait points where there are signs of rat or mouse activity, such as fresh droppings, inside or near rat runs and feeding areas. Place recommended amount of RatX into small containers or feeding trays approximately 6 feet apart through the infested area. Protect bait points from non-target animals and from water. Inspect bait points frequently and replace any eaten bait. Replace any baits which become wet and re-site in a dry location. Keep topping up bait points until there are no more takes for 48 hours.

OUTDOOR USE: Place bait points where there are signs of rat or mouse activity, like fresh droppings or near burrows, runways, feeding places and at points of entry around the perimeter of buildings. Place recommended amount of RatX into bait stations or wrap in clinging packaging film and place in drainpipes, open-ended boxes or under sheets of metal or wood, secured at an angle against a wall to keep the bait points dry, at intervals of approximately 6 feet, reducing to 4 feet in areas of high infestation. Protect bait points from water as the baits must be kept dry. Protect bait points from non-target animals. Inspect bait points frequently and replace any eaten bait or baits that have become wet and re-site in a dry location. If you require more bait trays within the activity area, use flowerpot saucers or a similar item.

RatX can also be placed directly into rat and mouse holes, nesting or feeding areas. Place recommended amount of RatX into conventional bait stations or wrap in clinging packaging film and push down the burrow with a long stick or similar item. Replenish packets daily until there are either no more takes or no rat or mouse activity for 48 hours.

RECOMMENDED AMOUNT OF RATX

Rats	½ - 2 oz.	15 - 60 gm.	1 - 4 Tbsp.
Mice	½ - ½ oz.	10 - 15 gm.	½ - 1 Tbsp.

POST TREATMENT: When handling, always use rubber gloves. Remove all remains of bait and bait containers after treatment and dispose of safely. Apply household disinfectants or bleach solutions at recommended concentrations and contact time to dead rats and mice, rat and mouse droppings, nests and surrounding area. Clean the area thoroughly with paper towels or a mop. Place dead rats, mice and soiled paper towels in a plastic bag and seal tightly. Place sealed bag into a second plastic bag and seal tightly. Dispose of bags into a covered trash can that is routinely emptied. Dispose of gloves when finished and thoroughly wash hands with soap and water.

STORAGE AND DISPOSAL: Store only in original container in a cool, dry place inaccessible to children and pets. Do not reuse empty containers. Offer for recycling if available or discard in trash.

FIRST AID: If swallowed, rinse mouth thoroughly. Drink plenty of water. Do not induce vomiting.

This product is exempt from registration under the Federal EPA under section 25(b) of FIFRA, and as such, is not registered with the environmental Protection Agency. ConSeal International, Inc. represents that this product and its ingredients qualify for exemption from registration under FIFRA



RESEALABLE



TEAR TO OPEN / PRESS TO RESEAL

RatX[®]

FOR THE EFFECTIVE CONTROL OF RATS AND MICE

- ✓ **Formulated for Indoor & Outdoor Use**
- ✓ **Naturally Derived*
Rat & Mouse Control**
- ✓ **Safe for Use Around Livestock
& Pets When Used as Directed**

PERFECT FOR BOTH PROFESSIONAL AND DIY USE

ACTIVE INGREDIENTS:	
*Corn gluten meal	55.0%
*Sodium chloride.....	2.0%
INERT INGREDIENTS:	
Maltodextrin, Sorbitol, Wheat flour, Wheat germ oil	43.0%
Total	100%

ALLERGEN: Contains wheat products



**KEEP OUT OF THE REACH OF CHILDREN
CAUTION**

Net Weight: 1 lb. / 454 gm.



FOR THE EFFECTIVE CONTROL OF RATS AND MICE



- ✓ **Formulated for Indoor & Outdoor Use**
- ✓ **Naturally Derived* Rat & Mouse Control**
- ✓ **Safe for Use Around Livestock & Pets When Used as Directed**

SUGGESTED BAIT LOCATIONS FOR THE EFFECTIVE CONTROL OF RATS & MICE:

- ✓ **Around Ponds & Water Features**
- ✓ **Holes Under a Patio**
- ✓ **Under Garden Structures**
- ✓ **Access Points to Buildings or Under a Greenhouse**
- ✓ **Holes in Lawns**
- ✓ **Around Houses**
- ✓ **Near Livestock & Poultry Housing**

PERFECT FOR BOTH
PROFESSIONAL AND DIY USE



Manufactured by:
ConSeal International, Inc.
90 Kerry Place, Suite 2
Norwood, MA 02062

Distributed by:
EcoClear Products, Inc.
5581 Broadcast Court
Sarasota, FL 34240

PATENTED
REORDER #:
620101

Customer Service: 888-511-7289

DIRECTIONS FOR USE: DO NOT ALLOW PET MICE, GERBILS, HAMSTERS, GUINEA PIGS, OR OTHER PET RODENTS TO COME IN CONTACT WITH THIS PRODUCT. ALWAYS USE A DEDICATED MEASURING DEVICE. DO NOT USE KITCHEN UTENSILS. DO NOT PLACE BAIT IN AREAS ACCESSIBLE TO CHILDREN.

INDOOR USE: Prior to treatment, all likely food sources must be removed or made unavailable to rats and mice. Place bait trays at bait points where there are signs of rat or mouse activity, such as fresh droppings, inside or near rat runs and feeding areas. Place recommended amount of RatX into small containers or feeding trays approximately 6 feet apart through the infested area. Protect bait points from non-target animals and from water. Inspect bait points frequently and replace any eaten bait. Replace any baits which become wet and re-site in a dry location. Keep topping up bait points until there are no more takes for 48 hours.

OUTDOOR USE: Place bait points where there are signs of rat or mouse activity, like fresh droppings or near burrows, runways, feeding places and at points of entry around the perimeter of buildings. Place recommended amount of RatX into bait stations or wrap in clinging packaging film and place in drainpipes, open-ended boxes or under sheets of metal or wood, secured at an angle against a wall to keep the bait points dry, at intervals of approximately 6 feet, reducing to 4 feet in areas of high infestation. Protect bait points from water as the baits must be kept dry. Protect bait points from non-target animals. Inspect bait points frequently and replace any eaten bait or baits that have become wet and re-site in a dry location. If you require more bait trays within the activity area, use flowerpot saucers or a similar item.

RatX can also be placed directly into rat and mouse holes, nesting or feeding areas. Place recommended amount of RatX into conventional bait stations or wrap in clinging packaging film and push down the burrow with a long stick or similar item. Replenish packets daily until there are either no more takes or no rat or mouse activity for 48 hours.

RECOMMENDED AMOUNT OF RATX

Rats	½ - 2 oz.	15 - 60 gm.	1 - 4 Tbsp.
Mice	⅓ - ½ oz.	10 - 15 gm.	⅔ - 1 Tbsp.

POST TREATMENT: When handling, always use rubber gloves. Remove all remains of bait and bait containers after treatment and dispose of safely. Apply household disinfectants or bleach solutions at recommended concentrations and contact time to dead rats and mice, rat and mouse droppings, nests and surrounding area. Clean the area thoroughly with paper towels or a mop. Place dead rats, mice and soiled paper towels in a plastic bag and seal tightly. Place sealed bag into a second plastic bag and seal tightly. Dispose of bags into a covered trash can that is routinely emptied. Dispose of gloves when finished and thoroughly wash hands with soap and water.

STORAGE AND DISPOSAL: Store only in original container in a cool, dry place inaccessible to children and pets. Do not reuse empty containers. Offer for recycling if available or discard in trash.

FIRST AID: If swallowed, rinse mouth thoroughly. Drink plenty of water. Do not induce vomiting.

This product is exempt from registration under the Federal EPA under section 25(b) of FIFRA, and as such, is not registered with the environmental Protection Agency. ConSeal International, Inc. represents that this product and its ingredients qualify for exemption from registration under FIFRA



8 67776 00000 5

RESEALABLE



TEAR TO OPEN/ PRESS TO RESEAL

RatX[®]

FOR THE EFFECTIVE CONTROL OF RATS AND MICE

- ✓ **Formulated for Indoor & Outdoor Use**
- ✓ **Naturally Derived***
Rat & Mouse Control
- ✓ **Safe for Use Around Livestock & Pets When Used as Directed**

**PERFECT FOR BOTH
PROFESSIONAL AND DIY USE**

ACTIVE INGREDIENTS:

*Corn gluten meal	55.0%
*Sodium chloride	2.0%

INERT INGREDIENTS:

Maltodextrin, Sorbitol, Wheat flour, Wheat germ oil	43.0%
Total	100 %

ALLERGEN: Contains wheat products



**KEEP OUT OF THE REACH OF CHILDREN
CAUTION**

Net Weight: 3 lb. / 1.36 kg



FOR THE EFFECTIVE CONTROL OF RATS AND MICE



- ✓ **Formulated for Indoor & Outdoor Use**
- ✓ **Naturally Derived* Rat & Mouse Control**
- ✓ **Safe for Use Around Livestock & Pets When Used as Directed**

SUGGESTED BAIT LOCATIONS FOR THE EFFECTIVE CONTROL OF RATS & MICE:

- ✓ **Around Ponds & Water Features**
- ✓ **Holes Under a Patio**
- ✓ **Under Garden Structures**
- ✓ **Access Points to Buildings or Under a Greenhouse**
- ✓ **Holes in Lawns**
- ✓ **Around Houses**
- ✓ **Near Livestock & Poultry Housing**

**PERFECT FOR BOTH
PROFESSIONAL AND DIY USE**



Manufactured by:
ConSeal International, Inc.
90 Kerry Place, Suite 2
Norwood, MA 02062

Distributed by:
EcoClear Products, Inc.
5581 Broadcast Court
Sarasota, FL 34240

PATENTED
REORDER #:
620102

Customer Service: 888-511-7289

DIRECTIONS FOR USE: DO NOT ALLOW PET MICE, GERBILS, HAMSTERS, GUINEA PIGS, OR OTHER PET RODENTS TO COME IN CONTACT WITH THIS PRODUCT. ALWAYS USE A DEDICATED MEASURING DEVICE. DO NOT USE KITCHEN UTENSILS. DO NOT PLACE BAIT IN AREAS ACCESSIBLE TO CHILDREN.

INDOOR USE: Prior to treatment, all likely food sources must be removed or made unavailable to rats and mice. Place bait trays at bait points where there are signs of rat or mouse activity, such as fresh droppings, inside or near rat runs and feeding areas. Place recommended amount of RatX into small containers or feeding trays approximately 6 feet apart through the infested area. Protect bait points from non-target animals and from water. Inspect bait points frequently and replace any eaten bait. Replace any baits which become wet and re-site in a dry location. Keep topping up bait points until there are no more takes for 48 hours.

OUTDOOR USE: Place bait points where there are signs of rat or mouse activity, like fresh droppings or near burrows, runways, feeding places and at points of entry around the perimeter of buildings. Place recommended amount of RatX into bait stations or wrap in clinging packaging film and place in drainpipes, open-ended boxes or under sheets of metal or wood, secured at an angle against a wall to keep the bait points dry, at intervals of approximately 6 feet, reducing to 4 feet in areas of high infestation. Protect bait points from water as the baits must be kept dry. Protect bait points from non-target animals. Inspect bait points frequently and replace any eaten bait or baits that have become wet and re-site in a dry location. If you require more bait trays within the activity area, use flowerpot saucers or a similar item.

RatX can also be placed directly into rat and mouse holes, nesting or feeding areas. Place recommended amount of RatX into conventional bait stations or wrap in clinging packaging film and push down the burrow with a long stick or similar item. Replenish packets daily until there are either no more takes or no rat or mouse activity for 48 hours.

RECOMMENDED AMOUNT OF RATX

Rats	½ - 2 oz.	15 - 60 gm.	1 - 4 Tbsp.
Mice	⅓ - ½ oz.	10 - 15 gm.	⅔ - 1 Tbsp.

POST TREATMENT: When handling, always use rubber gloves. Remove all remains of bait and bait containers after treatment and dispose of safely. Apply household disinfectants or bleach solutions at recommended concentrations and contact time to dead rats and mice, rat and mouse droppings, nests and surrounding area. Clean the area thoroughly with paper towels or a mop. Place dead rats, mice and soiled paper towels in a plastic bag and seal tightly. Place sealed bag into a second plastic bag and seal tightly. Dispose of bags into a covered trash can that is routinely emptied. Dispose of gloves when finished and thoroughly wash hands with soap and water.

STORAGE AND DISPOSAL: Store only in original container in a cool, dry place inaccessible to children and pets. Do not reuse empty containers. Offer for recycling if available or discard in trash.

FIRST AID: If swallowed, rinse mouth thoroughly. Drink plenty of water. Do not induce vomiting.

This product is exempt from registration under the Federal EPA under section 25(b) of FIFRA, and as such, is not registered with the environmental Protection Agency. ConSeal International, Inc. represents that this product and its ingredients qualify for exemption from registration under FIFRA.

