

185-0198



7174527

**ACE GREEN TURF.**
**ACE**  
 QUALITY SINCE 1924

# WINTERIZER WEED AND FEED

 TRATAMIENTO PARA INVIERNO, MALA  
 HIERBA Y NUTRIENTES

**COVERS 5,000 SQ FT**  
 CUBRE 5,000 PIES CUADRADOS

**Kills over 250 listed weeds\*,  
 including Henbit, Dollar Weed,  
 White Clover, Plantain  
 and Chickweed**

 Elimina más de 250 clases de mala hierba  
 enumeradas\*, incluso henbit, dólar, trébol  
 blanco, plantago y pajarera

\*See Use Directions for complete list of treated weeds.


**Feeds for a  
 thicker, greener  
 lawn next spring**  
 Nutre para un césped más grueso y más  
 verde en la próxima primavera

**Builds strong deep  
 roots to protect from  
 drought and heat**  
 Crea raíces profundas y fuertes para  
 protección contra sequías y calor

**Feeds your lawn up to 8 weeks**  
 Nutre el césped durante hasta 8 semanas

**24-0-12**
**NET WT. 16 LBS**  
**PESO NETO 7.26 KG**

Active Ingredients:	
2,4-D, 2-methyl-4-ethyl ester	1.180%
Mecoprop-p acid	0.167%
Dicamba acid	0.071%
Other Ingredients:	98.654%
TOTAL	100.000%

THIS PRODUCT CONTAINS:

 14.70 lb. 2,4-dichlorophenoxyacetic acid equivalent per ton or 0.735% CAS 1021-45-4.  
 3.34 lb. (+)-(R)-2-(2-methyl-4-chlorophenoxy) propionic acid equivalent per ton or 0.167% CAS 10484-77-8.  
 1.42 lb. 3,5-dichloro-o-anisic acid equivalent per ton or 0.071% CAS 1916-09-0

Inactive Specific by AGAC Methods

TRIMEC® is a registered trademark of PBI/Garden Corporation.

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

See back panel for First Aid and additional Precautionary Statements.

**MANTENGA FUERA DEL ALCANCE DE LOS NIÑOS**
**PRECAUCIÓN**

Consulte la parte posterior para obtener información adicional sobre las precauciones.



7174527

# **ACE** GREEN TURF®

## **WINTERIZER WEED AND FEED**

**TRATAMIENTO PARA INVIERNO, MALA  
HIERBA Y NUTRIENTES**

**COVERS 5,000 SQ FT**  
CUBRE 5,000 PIES CUADRADOS

**Kills over 250 listed weeds\*,  
including Henbit, Dollar Weed,  
White Clover, Plantain  
and Chickweed**

**Elimina más de 250 clases de mala hierba  
enumeradas\*, incluso henbit, dólar, trébol  
blanco, plantago y pajarera**

\*See Use Directions for complete list of treated weeds.



The ACE logo is displayed in white, bold, sans-serif capital letters. The letter 'A' is stylized with a white triangle to its left. The logo is set against a red background that is part of a larger graphic element consisting of a red trapezoid with a white border, which is itself on a yellow background.

*QUALITY SINCE 1924*

**Feeds for a  
thicker, greener  
lawn next spring**

**Nutre para un césped más grueso y más  
verde en la próxima primavera**

**Builds strong deep  
roots to protect from  
drought and heat**

**Crea raíces profundas y fuertes para  
protección contra sequías y calor**

**Feeds your lawn up to 8 weeks**

**Nutre el césped durante hasta 8 semanas**



24-0-12

**NET WT. 16 LBS**  
PESO NETO 7.26 KG

Active Ingredients:

2,4-D, 2-ethylhexyl ester .....	1.108%
Mecoprop-p acid .....	0.167%
Dicamba acid .....	0.071%
Other Ingredients: .....	98.654%
<b>TOTAL .....</b>	<b>100.000%</b>

THIS PRODUCT CONTAINS:

14.70 lb. 2,4-dichlorophenoxyacetic acid equivalent per ton or 0.735%. CAS 1828-43-4.  
3.34 lb. (+)-(R)-2-(2-methyl-4-chlorophenoxy) propionic acid equivalent per ton or 0.167%. CAS 16484-77-8.  
1.42 lb. 3,6-dichloro-o-anisic acid equivalent per ton or 0.071%. CAS 1918-00-9

Isomer Specific by AOAC Methods

TRIMEC® is a registered trademark of PBI/Gordon Corporation.

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

See back panel for First Aid and additional Precautionary Statements.

**MANTENGA FUERA DEL ALCANCE DE LOS NIÑOS**

**PRECAUCIÓN**

Consulte la parte posterior para obtener información adicional sobre las precauciones.

# ACE GREEN TURF<sup>®</sup> WINTERIZER WEED AND FEED

24-0-12

TRATAMIENTO PARA INVIERNO,  
MALA HIERBA Y NUTRIENTES

NET WT. 16 LBS  
PESO NETO 7.26 KG



Read the entire label first. Observe all precautions and follow directions carefully.

## PRECAUTIONARY STATEMENTS

### Hazards to Humans and Domestic Animals

**CAUTION.** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

## FIRST AID

### IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For Emergency Medical Treatment Information call: 1-888-208-1368.

## ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street back onto the treated area of the lawn will help to prevent run off to water bodies or drainage systems.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

- Do not apply this product in a way that will contact any person or pet either directly or through drift.
- This product is for residential use.
- Do not allow people (other than applicator) or pets on treatment area during treatment. Do not enter treatment area until dust has settled.

Ace Green Turf Winterizer Weed and Feed contains Trimec<sup>®</sup> Herbicide. Trimec<sup>®</sup> controls a wide range of lawn weeds, including dandelion, chickweed, plantain, henbit, spurge and many other listed weeds commonly found in home lawns. In addition, a 24-0-12 fertilizer provides a supply of lawn food. Possible retreatment may be necessary if (a) the lawn is heavily overrun by weeds or, (b) if adverse low moisture conditions prevail and weeds are in a state of poor growth. A second application may be made after 30 days. Treated areas may be seeded 3 weeks after application.



## USE PRECAUTIONS

- Do not use on dichondra, carpetgrass, 'Floritam' St. Augustinegrass, creeping bentgrass, or turfgrass where desirable clovers are present.
- Do not apply this product on newly seeded grasses until well-established or after the second or third mowing.
- Do not use this product on flowers, vegetables, groundcovers, gardens or landscape plantings including shrubs and trees. Do not exceed specified dosage for any area and do not apply this product within the dripline of or over surface roots of trees, shrubs, and other ornamentals.
- Reseeding or overseeding areas may occur three (3) weeks after the application of this product.
- Do not use this product on or near desirable plants and avoid spreading granules onto exposed root systems or adventitious shoots (rhizomes) within the drip line of the roots of desirable trees and shrubs, since injury may result.
- Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. Apply this product directly to your lawn, and sweep any product landing on the driveway, sidewalk, gutter, or street back onto the treated area. To prevent product run-off, do not over water the treated area(s) to the point of runoff or apply when raining or when rain is expected that day.

## HOW MUCH TO APPLY

**Ace Green Turf Winterizer Weed & Feed can be applied to the following turfgrasses when applied as directed:**

**Kentucky bluegrass, fescue spp., perennial ryegrass, common bermudagrass, bahiagrass, and zoysiagrass:**  
Apply 3.2 pounds of product per 1,000 square feet of established turfgrass.

**For St. Augustinegrass (not 'Floritam'), centipedegrass, hybrid bermudagrass, and colonial bentgrass:**  
Apply 3.0 pounds of product per 1,000 square feet of established turfgrass.

### Maximum use rate statement:

Do not apply more than 3.2 pounds of product per 1000 square feet of turfgrass per application. If necessary, a second application may be made no sooner than 30 days after the first. Do not apply more than 6.4 pounds of product per 1000 square feet per year.

## WHEN TO APPLY

Apply when listed broadleaf weeds are actively growing in spring or early fall.

Apply when the air is calm to ensure uniform coverage and avoid spreading granules onto flowers, vegetables, and ornamental shrubbery.

## APPLICATION INSTRUCTIONS

- Mow lawn to normal height 1 to 2 days before application.
- Water lawn thoroughly at least 1 to 2 days before application to sustain moisture until the next watering (see step 5).
- Apply when weeds are young and actively growing, preferably in the morning when the dew is on the grass. If grass is not moist at time of application, sprinkle lightly with water before applying product.
- Avoid applying when temperatures are consistently above 90°F.
- Do not wash from weed leaves for 1 to 2 days after application. At this time, a thorough watering should be made.

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

**PESTICIDE STORAGE:** Store product in its original container in a cool, dry, locked place out of the reach of children and animals.

**PESTICIDE DISPOSAL AND CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partially filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

## GUARANTEED ANALYSIS

Total Nitrogen (N) .....	24.0%
2.9% Ammoniacal Nitrogen	
1.8% Water Insoluble Nitrogen*	
16.3% Urea Nitrogen	
3.0% Other Water Soluble Nitrogen*	
Soluble Potash (K <sub>2</sub> O) .....	12.0%
Sulfur (S) .....	3.2%
3.2% Combined Sulfur (S)	
<b>Derived from:</b> Ammonium Sulfate, Methylene Ureas, Urea, Muriate of Potash.	
Chlorine (Cl) .....	10.0%
4.8% Slowly Available Nitrogen from Methylene Ureas.	




# ACE GREEN TURF WINTERIZER WEED AND FEED CONTROLS MORE THAN 250 WEEDS AS LISTED:


Amaranth, purple	Chickweed, mouseear	Fleabane, rough	Mustard, blue	Pusley, large flower	Thistle, wavyleaf
Amaranth, slender	Chickweed, sticky	Galinsoga, hairy	Mustard, hedge	Ragweed, bur	Thistle, yellow (horrible)
Aster, heath	Chicory	Galinsoga, smallflower	Mustard, Indian,	Ragweed, common	Trailing crownvetch
Aster, white heath	Cinquefoil	Goldenrod	Mustard, tansy	Ragweed, lancleaf	Velvetleaf
Aster, purple	Clover, crimson	Ground ivy	Mustard, tumble	Ragweed, western	Vervain, blue
Aster, white prairie	Clover, alcyce	Groundsel	Mustard, white	Redstem filaree	Vervain, hoary
Artichoke	Clover, hop	Gumweed	Mustard, wormseed	Rough cinquefoil	Vervain, prostrate
Austrian fieldcress	Clover, rabbit foot	Hairy fleabane	Nettle, stinging (burning)	Scarlet pimpernel	Vetch, tall
Bedstraw, Catchweed	Clover, red	Hawkweed, meadow	Nettle, tall	Shepardspurge	Vetch, bird
Bedstraw, smooth	Clover, strawberry	Hawkweed, mouseear	Nettle, wood	Smartweed, ladysthumb	Vetch, hairy
Bedstraw, Northern	Clover, yellow sweet	Hawkweed, orange	Parsley-piert	Smartweed, pale	Vetch, milk
Bedstraw, pineywoods	Clover, white sweet	Hawkweed, yellow	Parsnip	Smartweed, pennsylvania	Vetch, narrowleaf
Beggarticks, hairy	Clover, white	Healall	Pearwort	Smooth chaff-flower	Vetch, wild
Betony, Florida	Cockle	Heartleaf drymary	Pennycress (frenchweed)	Smoothdock	Virginia creeper
Bindweed, Field	Cocklebur	Hemp	Pepperweed, perennial	Sorrel, red (sheep)	Western clematis
Bindweed, Hedge	Cocklebur, oriental	Henbit	Pepperweed, virginia	Sowthistle, annual	Western salsify
Bitter Wintercress	Cocklebur, spiny	Hoary cress	(Peppergrass)	Sowthistle, spiny	Wild aster
Bittercress, hairy	Common mullein	Horsenettle	Pigweed, prostate	Spanish needles	Wild buckwheat
Bitterweed	Corn Spurry	Horseweed	Pigweed, redroot	Speedwell, bi-lobed	Wild carrot
Black-eyed Susan	Creeping Beggarweed	Jimsonweed	Pigweed, russian	Speedwell, common	Wild four-o'clock
Black Medic	Creeping Jenny	Johnny-Jumpup violet	Pigweed, smooth	Speedwell, corn	Wild garlic
Blood flower milkweed	(creeping charlie)	Knawel	Pigweed, tumble	Speedwell, ivyleaf	Wild lettuce
Blue lettuce	Cupid shaving Brush	Knotweed, prostrate	Pineapple weed	Speedwell, persian	Wild marigold
Brassbuttons	Cudweed	Kochia	Plains coreopsis (tickseed)	Speedwell, purslane	Wild mustard (yellow rocket)
Bristly oxotongue	Daisy, English	Lambsquarters	Plantain, blackseed	Speedwell, slender	Wild onion
Broomweed	Daisy, oxeye	Lespedeza	Plantain, bracted	Speedwell, snow	Wild parsnip
Buckhorn	Dandelion, common	Mallow, alkali	Plantain, broadleaf	Speedwell, thymeleaf	Wild radish
Bullnettle	Dandelion, false	Mallow, bristly	Plantain, buckhorn	Spiny amaranth	Wild rape
Burclover	Day flower	Mallow, common	Plantain, hoary	Spurge, spotted	Wild strawberry
Burdock	Deadnettle	Mallow, dwarf	Plantain, narrowleaf	Spurge, prostrate	Wild sweet potato
Burweed, lawn	Dichondra	Mallow, venice	Plantain, slender	Spurweed	Wild violet
(spurweed)	Dock, broadleaf	Marcela	Plantain, woolly	Star of Bethlehem	Woodsorrel, creeping
Buttercup, bulbous	Dock, curly	Matchweed	Poison ivy	Strawberry, India mock	Woodsorrel, violet
Buttercup, creeping	Dogbane	Mexicanweed	Poison oak	Tansy ragwort	Woodsorrel, yellow (Oxalis)
Buttonweed, common	Dogfennel	Moneywort	Pokeweed	Tanweed	Woolly croton
(poorjoe)	Dollarweed (Pennywort)	Morningglory, bigroot	Prairie Sunflower	Thistle, blessed	Wormseed
Buttonweed, virginia	Dove weed	Morningglory, ivyleaf	Prickly lettuce	Thistle, bull	Yarrow, common
Carolina geranium (wild)	Elderberry	Morningglory, mexican	(compass plant)	Thistle, canada	Yarrow, western
Carpetteed	Falseflax	Morningglory, red	Prickly sida	Thistle, fiodman (prairie)	Yarrow, yellow
Catnip	False sunflower	Morningglory, tall	Prostrate knotweed	Thistle, musk	
Catsear, spotted (false dandelion)	Fiddleneck	Morningglory, wolly	Puncturevine	Thistle, platte	
Chamber bitter	Filaree, redstem	Mugwort	Purslane, common	Thistle, plumeless	
Chickweed, common	Filaree, whitestem	Mustard, ball	Pusley, brazil	Thistle, russian	
	Fleabane, daisy (annual)	Mustard, black	Pusley, florida	Thistle, scotch	

## SPREADER DIRECTIONS


**Determining Your Lawn's Square Footage:** To determine how much of this product to apply, you must determine the square footage of your lawn. An easy way to do this is to walk the length of your lawn, figuring that one pace equals about 3 feet. Do the same with the width of the lawn. Then multiply the length by the width to arrive at the total. Make sure you subtract the square footage of your home and driveway when calculating the total square footage of your lawn. If your lawn has an irregular shape, try dividing it up into a number of square areas. Calculate the square footage for each area, then add the figures together to reach your total lawn size.



**Spreader Tips:** The two main types of spreaders are the Drop Spreader, which drops the material straight down the width of the spreader as you push, and the Broadcast Spreader (also known as a rotary), which throws the material from the spreader.



**Drop Spreader:** (See Fig. A) First make two passes along the top of the area you'll be covering. Then make two passes along the bottom area. Then move back and forth along the long part of the lawn. On each pass, as you reach the strips at the top and bottom of the area to be covered, shut off the spreader. It's also important to shut off the spreader when you are stopped.



**Broadcast Spreader:** (See Fig. B) Apply in a single pass by starting on the outside border and apply in a circular path working toward the center.



## SPREADER SETTINGS (DELIVERS 3.2 LBS/1,000 SQ. FT)

BROADCAST/ROTARY SPREADERS	SETTING
Scotts Broadcast/Rotary Spreaders Scotts Basic™, Deluxe™ EdgeGuard®, Lawn Pro™, SpeedyGreen® or Standard™	5
Earthway EV-N-SPRED 2050P or Ace 2030AT Rotary	9-1/2
DROP SPREADERS	SETTING
Scotts Drop Spreaders	
Scotts AccuGreen®	7



### QUESTIONS or COMMENTS?

Call 1-800-233-1067

### WARRANTY IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability.

**CONDITIONS:** The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Lebanon Seaboard Corporation. All such risks shall be assumed by the user or buyer.

**DISCLAIMER OF WARRANTIES:** To the extent consistent with applicable law, LEBANON SEABOARD CORPORATION MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Lebanon Seaboard Corporation is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, Lebanon Seaboard Corporation DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

**LIMITATIONS OF LIABILITY:** To the extent consistent with applicable law, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT LEBANON SEABOARD CORPORATION'S ELECTION, THE REPLACEMENT OF PRODUCT.

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info-lebsea.com>

Manufactured by:  
Lebanon Seaboard Corporation  
1600 East Cumberland Street  
Lebanon, PA 17042

EPA Reg. No. 961-415  
EPA Est. No. 961-PA-01 (L), 961-IL-01 (D), 59144-GA-1 (BE)  
Circled letter(s) is first letter(s) of lot number.

Made in the USA for Ace Hardware Corporation,  
Oak Brook, Illinois, 60523, USA ©2014  
[www.acehardware.com](http://www.acehardware.com)

Green Turf® is a registered trademark of United Industries Corporation.

#### The Ace® Promise

If this Ace product when used for its intended purpose, fails to give you complete satisfaction, return the item to the Ace Hardware store where you purchased for free replacement of the same or similar item.

#### El Compromiso de Ace®

Si este producto Ace, cuando se usa para los fines entendidos, no funciona a su entera satisfacción, devuélvalo a la ferretería de Ace Hardware donde lo compró para que se lo reemplacen sin costo por uno igual o similar.



NOT PROOF OF PURCHASE

