

SC Johnson
A Family Company



**ANT &
ROACH**

BARRIER

DEFENSE SYSTEM

KEEP LISTED BUGS OUT

MANTIENE FUERA A LOS INSECTOS DE LA LISTA

LEAVES NO ODOR
NO DEJA OLOR

ATTACK
BUGS*

CONTROL
BUGS*

**PREVENT
BUGS***

KEEP OUT OF REACH OF CHILDREN.

CAUTION: SEE BACK INSIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS.

MANTENER FUERA DEL ALCANCE DE LOS NIÑOS.

PRECAUCIÓN: CONSULTE LA ETIQUETA DE LA PARTE POSTERIOR
INTERNA PARA MÁS PRECAUCIONES.

NET CONTENTS 22 FL OZ (1 PT 6 FL OZ) 650 ML

ACTIVE INGREDIENT: DELTAMETHRIN.....0.03%
OTHER INGREDIENTS:.....99.97%
TOTAL:.....100.00%

817717

Raid[®] ANT & ROACH BARRIER



DEFENSE SYSTEM

Helps you work smarter, not harder to fight bugs.

Visit raidkillsbugs.com to identify your bug and best treatment plan.

TIPS

- Remove food spills and exposed food. Store food in sealed containers.
- Caulk cracks and crevices where bugs enter or escape into walls, including entry points from outside or neighboring units.

Use This Product To:

PREVENT BUGS

KEEP BUGS OUT

† Use to keep listed bugs out. Spray outdoors, around doors, windows, and along your home's foundation. Spray indoors along floor boards, door and window frames. Use in hard-to-reach places where long term control is needed.

Use Other Raid[®] Products To:

ATTACK BUGS

KILL BUGS ON CONTACT

* Use a Raid[®] Ant or Roach Killer spray product to kill listed bugs on contact. Read the label to find the right product for your bug problem.

CONTROL BUGS

KILL BUGS AT THE SOURCE

* Use a Raid[®] Ant or Roach Bait product to kill ants or roaches where they hide. For heavy infestations, first use a Raid[®] Fogger or Fumigator product and then place baits to provide ongoing control. Read the label to find the right product for your bug problem.

KILLS

- Ants • Fleas • Flies • Gnats • Roaches • Ticks • Silverfish • Crickets • Spiders • Scorpions • Mosquitoes
- Centipedes • Firebrats • Small Flying Moths • Stink Bugs • Sowbugs • Ground Beetles • Boxelder Bugs

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Turn the nozzle to the fan or stream position. Squeeze trigger to spray product. Return to off position after use. **Product Information:** Remove or cover exposed food and utensils. Cover exposed countertops and other food related surfaces. Do not spray into the air. Test in an inconspicuous area before applying. Do not allow children or pets to touch the treated surface until it has dried. Wash thoroughly after spraying. Do not use in commercial food handling establishments, restaurants or other places where food is commercially prepared or processed. Spray until surface is moist but not dripping. Approximately 3 pulls per square foot. Over application may cause damage. Repeat spraying as necessary but not more than once per week.

Questions? Comments?

Call (800) 558-5252 or write Helen Johnson.
Sold by: ©2015 S.C. Johnson & Son, Inc.,
Racine, WI 53403-2236 U.S.A. All Rights Reserved.
EPA REG. NO.: 4822-561 EPA EST. NO.: 9019-0H-2

**PEEL LABEL
BEFORE USE**

80%

For Position Only

Check Code Number Before
Generating Actual Bar Code

0 46500 76615 2

X XXXXX XXXXXX X

See inside panel for additional precautionary
statements and complete use instructions
Instrucciones En Español Adentro

887978

Almacenamiento: Almacene en área fresca, seca, inaccesible para los niños y las mascotas, y lejos del calor, chispas y llamas expuestas. Proteja de la congelación. Si se produce la congelación, deje que el producto se descongele y agítelo bien antes de usarlo. Puede producirse alguna separación del producto en la congelación que se revierte cuando se lo agita. La congelación no afecta en forma adversa el funcionamiento de este producto. **Eliminación:** Recipiente no reutilizable. No vuelva a utilizar o a rellenar este recipiente. Si **está vacío:** Deseche en la basura u ofrezca para reciclaje, si está disponible. Si **está parcialmente lleno:** Lleve a su agencia local de recolección de desechos sólidos o al 800-529-3394 para instrucciones de eliminación. Nunca elimine el producto o utilícelo a través de una tubería interna o externa.

STORAGE AND DISPOSAL:

Storage: Store in a cool, dry area inaccessible to children and pets and away from heat, sparks and open flame. Protect from freezing. If freezing occurs, allow product to thaw and shake well before using. Some product separation may occur on freezing which is reversible on shaking. Freezing does not adversely affect the performance of this product. **Disposal:** Container: Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 800-529-3394 for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

Hazards To Humans & Domestic Animals

CAUTION:

Contact with product may result in transient tingling and reddening of the skin. Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. **Environmental Hazards:** This product is extremely toxic to fish and aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area. **Physical or Chemical Hazards:** Do not apply this product in or on electrical equipment due to possibility of shock hazard.

INSTRUCCIONES DE USO: Se considera una violación a la ley federal usar este producto con fines que no sean los indicados en la etiqueta. Coloque la boquilla en la posición de rociado en abanico o la posición de chorro. Apriete el disparador para aplicar rocío al producto. Vuelva a colocar la boquilla en posición de cerrado después del uso. **Información del producto:** Retire o cubra los alimentos y utensilios expuestos. Cubra las superficies de cocina y otras superficies donde se manipulen alimentos que se encuentren expuestas. No rocíe al aire. Pruebe el producto en un área que no esté a la vista antes de aplicarlo. No permita que los niños o las mascotas toquen las superficies tratadas hasta que estén secas. Lávese bien después de rociar el producto. No lo use en establecimientos comerciales de manipulación de alimentos, restaurantes u otros lugares donde se preparen o procesen alimentos de manera comercial. Rocíe hasta que la superficie esté húmeda, pero no permita que el producto gotee. Aproximadamente 3 disparos por pie cuadrado. Aplicar el producto en exceso puede causar daños. Rocíe tantas veces como sea necesario, pero no más de una vez por semana.

INTERIORES:

Sostenga el envase en posición vertical y rocíe lejos del rostro. **Hormigas, escarabajos del arroz, cucarachas, insectos de fuego, escarabajos, cucarachas americanas, bichos bolita, lepidemas, cochinitas y chinches de agua:** aplique como tratamiento de zonas específicas, grietas y fisuras en las áreas donde se alojan estas plagas, especialmente en áreas ocultas alrededor de frentados y depósitos; detrás de zócalos; alrededor de puertas y ventanas; detrás y debajo de refrigeradores, armarios, frentados y hornos; debajo de repisas, cajones, estantes; y en áreas similares. También puede utilizarse en sofás. **Ciempiés, grillos, escorpiones, arañas e insectos pestíferos:** rocíe directamente sobre los insectos. **Hormigas carpinteras:** para lograr un control eficaz, ubique y rocíe los hormigueros y las áreas circundantes. Aplique el producto alrededor de puertas, ventanas y otros lugares por donde las hormigas puedan ingresar a su hogar o donde se puedan alojar. Rocíe sobre la madera infestada a través de los orificios existentes. **Garrapatas incluidas las garrapatas del ciervo, que pueden transmitir la enfermedad de Lyme y pulgas sobre las superficies ocupadas por las mascotas:** retire la cama de la mascota y deséchela o límpiela bien. Rocíe sobre las áreas de descanso de las mascotas. Las pulgas adultas y las larvas mueren al entrar en contacto con el producto. Coloque la cama limpia en su lugar cuando el producto se haya secado. No rocíe directamente sobre los animales. Para obtener mejores resultados, las mascotas deberían recibir un tratamiento adecuado con un producto para el control de pulgas y/o garrapatas registrado para el uso en mascotas antes de permitir que vuelvan al área tratada. Rocíe sobre tapetes y alfombras en las áreas con infestaciones difíciles. Antes de aplicar el producto a telas delicadas, debe probarlo en un área que no esté a la vista para determinar si deja manchas. **Jefenes, moscas, mosquitos y polillas pequeñas:** rocíe sobre las áreas de descanso. Los insectos que intenten alojarse en las superficies tratadas morirán. **Polillas del cacao, escarabajos del tabaco, ácaros del trébol, moscas de los desvanes, gorgojos del pan, gorgojos de la harina, escarabajos del grano, taladrillos del grano, gorgojos del**

INDOORS:

Hold container upright and spray away from face. **Ants, Boxelder Bugs, Cockroaches, Firebrats, Ground Beetles, Palmetto Bugs, Pillbugs, Roaches, Silverfish, Sowbugs, and Waterbugs:** Apply as a spot and crack and crevice treatment to areas where these pests crawl and hide, paying special attention to ant trails, hidden areas around sinks and storage areas, behind baseboards, around doors and windows, behind and under refrigerators, cabinets, sinks and stoves, the underside of shelves, drawers, bookcases, and similar areas. Can also be used in basements. **Centipedes, Crickets, Scorpions, Spiders and Slink Bugs:** Spray directly. **Carpenter Ants:** For effective control, locate and treat nests and surrounding areas. Apply around doors and windows and other places where ants enter premises and where they crawl and hide. Spray into infested wood through existing openings. **Ticks (Including Deer Ticks which May Transmit Lyme Disease) and Fleas on Pet Surfaces:** Remove pet bedding and destroy or clean thoroughly. Spray pet resting quarters. Adult Fleas and Larvae contacted by spray will be killed. Put fresh bedding down once spray has dried. Do not spray animals directly. For best results, pets should be treated with an appropriate flea and/or tick control product registered for use on pets before allowing them to return to the treated area. Spray rugs and carpets where infestations are bad. Delicate fabrics should be tested for staining in an inconspicuous area prior to use. **Gnats, Houseflies, Mosquitoes and Small Flying Moths:** Spray resting areas. Insects coming to rest on treated surfaces will be killed. **Chocolate Moths, Cigarette Beetles, Clover Mites, Cluster Flies, Drugstore Beetles, Flour Beetles, Grain Beetles, Lesser Grain Borer, Rice Weevils, Spider Beetles and Tobacco Moths:** Spray insects directly. Remove all food-stuffs, utensils and shelf paper from area to be treated. Discard used shelf paper and any infested foodstuffs. Apply spray to shelves and in cracks and crevices behind and under cupboards and cabinets. Allow to dry prior to replacement with new shelf paper, food and utensils. Wash any exposed food handling surfaces and utensils before use. **Webbing Clothes Moths:** Use this product as a crack and crevice treatment in closets and other storage areas where these pests are found. This treatment will not control moth larvae already on clothes. Do not apply to clothing. **To control Aphids, Elmleaf Beetles, Japanese Beetles, Lace Bugs, Leafminers, Mealy Bugs, Mites and Spider Mites on house plants:** Prior to spraying, remove plants from living and eating areas. Put in an area not likely to come in contact with pets, children or food. Plants can be returned to original location when leaves are dry. If plants cannot be moved, cover or remove exposed food and food handling surfaces. Apply spray to upper and lower surfaces of foliage. Avoid wetting blossoms if possible. Avoid spraying surrounding areas.

OUTDOORS:

Hold container upright and spray away from face. Spray with wind if breeze is blowing. Do not contaminate fish ponds or apply directly to water. Do not use on edible crops. **Ants, Clover Mites, Cockroaches (Including Asian and German Cockroaches), Crickets, Pillbugs, Silverfish, Sowbugs and Waterbugs:** Spray foundation of building up to a height of 2 to 3 feet where insects are active and may find entrance. Apply to outside surfaces of buildings where insects tend to congregate. Spray areas include but are not limited to screens, window frames, eaves, porches, patios, garages and refuse dumps. Spray to slightly moisten the surface of infested patio or picnic areas, hitting as many insects as possible. Also spray legs of tables and chairs. **Ants:** Spray freely around ant trails and hills. Spray around nests hidden under steps, brickwork, concrete, etc. Break apart accessible nests and spray freely on and around debris. **Crickets, Fleas, Dog Ticks and Lone Star Ticks:** Apply thoroughly to infestation in bushes, grass or weeds. **Gnats, Houseflies, Mosquitoes and Small Flying Moths:** Spray resting areas. Insects coming to rest on treated surfaces will be killed. **For control of ornamental garden insects:** For use on asters, dahlias, roses, and other ornamentals. Spray directly to kill Aphids, Armyworms, Clover Mites, Japanese Beetles, Lace Bugs, Leafminers, Mealy Bugs, Pavement Ants, Spiders, Spider and Red Mites, Exposed Thrips and Whiteflies. Also for use as a multi-purpose spray in small ornamental gardens and for spot treatments to prevent insects from spreading into large garden areas. May be used on other plants such as African violets, azaleas, azaleas, begonias, camellias, carnations, chrysanthemums, delphiniums, dogwood, English ivy, euonymus, fuchsia, geraniums, crassula, grape vine, Kentia palm, laurel, marigolds, rhododendrons, rubber plants, snapdragons, stocks, wandering Jews and zinnias. When spraying plants, use a sweeping motion. Spray insects directly whenever possible. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. Over application may cause damage. Repeat treatment as necessary but not more than once per week. **DO NOT** apply to vegetable plants or other plants used for food. Not for use on plants grown for sale or other commercial use.