



STOP. READ ENTIRE LABEL BEFORE USE. ALTO, LEA TODA LA ETIQUETA ANTES DE US



WEED STOP FOR LAWNS Plus CRABGRASS KILLER,



Extendable Wand For Accuracu

Comfort - Power - Precision Aim & Spray

For use with reusable AccuShot Sprayer from Spectracide® Weed Stop® For Lawns Plus Crabgrass Killer



Kills Weeds Including Crabarass — Not the Lawn



Kills 250+ Types of Weeds as listed



Rainfast in 3 Hours



Kills Down to the Root



Visible Results in 8 Hours



Kills on Contact

INSTRUCTIONS FOR REUSABLE **ACCUSHOT™ SPRAYER**







- 1. Remove cap and replace with reusable AccuShot Sprayer. Make sure sprayer cap is tightly closed before use.
- 2. Twist nozzle to adjust spray from CLOSE 🗶 to SPRAY 👺 or STREAM 🕎 .
- 3. When priming the sprayer, hold sprayer level to the ground. Sprayer may not prime if it is held at an angle, Once primed, it will spray in any direction.



†Guaranteed Results or Your Money Back

If you are not satisfied with this product for any reason, send your written request for a refund to the address below, together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.

OUESTIONS & COMMENTS: Call 1-800-917-5438 or visit our website at www.spectracide.com

HOW TO USE THE ACCUSHOT SPRAYER

- in toward target weeds/plants, and away from people and pots. To improve accuracy, use slider to extend wand.• Press the trigger to spray, lease the trigger to stop spray, After use; I, Twist nezzle completely to CLOSE position. 2. Secure sprayer lip down in holster. 3. Failure to adjust nezzle upletely to CLOSE position and properly secure sprayer in holster may result in leakage and damage to properly or injury to people or animals.

Keep reusable AccuShot Sprayer for use with Spectracide® Weed Stop® For Lawns Plus Grahgrass Killer₂.

To replace batteries: 1. Use screwdriver to open traffery compartment. 2. Remove used batteries and lineart four new AA batteries in correct positions as marked per diagram inside of battery compartment. Never insert the posities end where the negative and belongs and vice versa. Always use a complete set of new batteries of the same type when replacing batteries. Never mix alkaline, curbon-zing or rechargeable batteries. 3. Securely close battery compartment door, 4. Always follow manufacturer's recommendations for use and disposal of batteries.

Additional Operating Notes: • Do not submirror in water, • Before each use, inspect sprayer carefully — make sure hose is flexible and not kinked, wom or cracked and that all connections are light. • When storing sprayer (or prolonged periods, remove batteries.

Application to Bermudagrass may cause temporary yellowing or discoloration but full recovery can be expected. Do not apply to Bermudagrass when daylime temperatures exceed 85 F.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

NOTA: El comprador assume toda la responsabilidad para seguridad y uso que no estén de acuerdo con las instrucciones.

Distributed by Specium Group, Oxision of United Industries Corporation PO Box 142842, St. Louis, NO 53114-0642

EPA Reg. No. 2217-837-8345 FPR Ris. Not. 9688-MO-1 (0), 58898-MO-1 (1), 11823-64-3 (1), 11823-64-3 (1))

Circled letter is first letter of lot number. 17-15915 C 2015 MC

PROOF OF PURCHASE

BROADLEAF WEEDS CONTROLLED: /

MALEZAS DE HOJA ANCHA CONTROLADAS: amaranth, purple · daisy, English · mustard, blue amaranth, slender daisy, oxeye mustard, hedge · speedwell, ivyleaf artichoke mustard, Indian dandelion, common speedwell, Persian aster, heath · dandelion, false · mustard, tansy speedwell, purslane · day flower aster, purple mustard, tumble · speedwell, slender aster, white heath mustard white deadnettle speedwell, snow dichondra mustard, wormseed aster, white prairie · speedwell, thyrneleaf Austrian fieldcress nettle, stinging (burning) dock, broadleaf spiny amaranth bedstraw, catchweed · dock, curty · nettle, tall spurge, prostrate bedstraw, northern dogbane nettle, wood · spurge, spotted bedstraw, pineywoods parsley-piert dogfennel sourweed bedstraw, smooth dollarweed (pennywort) parsnip · star of Bethlehem beggarticks, hairy pearlwort doveweed strawberry, Indian mock betony, Florida elderberry pennycress (Frenchweed) tansy ragwort bindweed, field false sunflower pepperweed, perennial tanweed bindweed, hedge falseflax pepperweed, Virginia thistle, blessed fiddleneck bitter wintercress (peppergrass) thistle, bull bittercress, hairy filaree, redstem pigweed, prostrate thistle, Canada bitterweed · filaree, whitestem · pigweed, redroot · thistle, flodman (prairie) black-eved Susan · pigweed, Russian fleabane, daisy (annual) thistle, musk black medic fleabane, rough · pigweed, smooth thistle, platte blood flower milkweed galinsoga, hairy · pigweed, tumble thistle, plumeless galinsoga, smallflower blue lettuce pineappleweed thistle, Russian goldenrod · plains coreopsis (tickseed) brassbuttons · thistle, Scotch bristly oxtongue ground ivy plantain, blackseed thistle, wawleaf broomweed plantain, bracted aroundse thistle, yellow (norrible) · gumweed buckhorn plantain, broadleaf trailing crownvetch bullnettle hairy fleabane plantain, buckhom velvetleaf hawkweed, meadow burdover plantain, hoary vervain, blue burdock hawkweed, mouseear plantain, narrowleaf vervain, hoary · hawkweed, orange burweed, lawn (spurweed) plantain, slender vervain, prostrate hawkweed, yellow · plantain, woolly · buttercup, bulbous · vervain, tall buttercup, creeping healall poison ivy · vetch hird · buttonweed, common (poorjoe) · heartleaf drymary poison oak vetch, hairy buttonweed, Virginia hemo pokeweed · vetch, milk · Carolina geranium (wild) · prairie sunflower henbit vetch, narrowleaf carpetweed · hoary cress prickly lettuce (compass plant) vetch wild horsénettle prickly sida catnip Virginia creeper catsear, spotted (false dandelion) horseweed prostrate knotweed western dematis chamber bitter puncturevine imsonweed western salsify chickweed, common Johnny-jumpup violet · purslane, common wild aster · chickweed, mouseear knawel pusley, Brazil wild buckweat chickweed, sticky · knotweed, prostrate pusley, Florida wild carrot chicory kochia pusley, large flower wild four-o-clock · ragweed, bur cinquefoil lambsquarters wild darlic dover, alsike lespedeza · ragweed, common wild fettuce dover, crimson mallow, alkali ragweed, lanceleaf wild marigold dover, hop mallow, bristly ragweed, western wild mustard (yellow rocket) · clover, rabbit foot mallow, common redstem filaree wild onion · dover, red · mallow, dwarf · rough cinquefoil wild parsnip · clover, strawberry mallow, Venice scarlet pimpernel wild radish dover, white marcela shepherdspurse wild rape · dover, white sweet matchweed smartweed, ladysthumb wild strawberry smartweed, pale
 smartweed, Pennsylvania clover, yellow sweet Mexicanweed wild sweet potato cockle moneywort wild violet cocklebur morningglory, bigroot smooth chaff-flower · woodsorrel, creeping morningglory, ivyleaf
 morningglory, Mexican cocklebur, oriental smooth dock woodsorrel, violet · cocklebur, spiny · sorrel, red (sheep) woodsorrel, yellow (oxalis) common mullein morningglory, red sowthistle, annual · woolly croton · com spurry morningglory, tall sowthistle, spiny wormseed Spanish needles creeping beggarweed morningglory, woolly yarrow, common creeping Jenny (creeping Charlie) · speedwell, bi-lobed murawort · yarrow, western mustard, ball speedwell, common cudweed · yarrow, yellow

GRASSY WEEDS CONTROLLED: / MALEZAS GRAMÍNEAS CONTROLADAS: crabgrass, large and smooth; foxtail, green, giant and yellow; yellow nutsedge

speedwell, com

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

DIRECTIONS FOR USE

mustard, black

cupid shaving brush

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until sprays have dried.

Spectracide® Weed Stop® For Lawns Plus Crabgrass Killer, is a ready-to-use (RTU) product intended for "spot" treatment of individual broadleaf and grass weeds by homeowners on residential lawns. This product should be applied to lawns containing the following species of grass: Kentucky bluegrass, perennial ryegrass, fescue species (including tall, red and fine leaf varieties), Bermudagrass*, buffalograss and zoysiagrass.

INSTRUCCIONES PARA EL ROCIADOR REUTILIZABLE ACCUSHOT™

1. Quite la tapa y reemplace con el rociador reutilizable AccuShot. Asegúrese de que la tapa del rociador esté bien cerrada antes de usar. 2. Gire la boquilla para ajustar el rocío de CLOSE (CERRAR) 🔀 a SPRAY (ROCÍO) 🌉 o a STREAM (FLUJO) 🌑 3. Al cebar el rociador, sosténgalo al nivel del suelo. Es posible que no se cebe si está inclinado. Una vez cebado, rociará en cualquier dirección,

CÓMO USAR EL ROCIADOR ACCUSHOT

 Diríjalo hacia las malezas/plantas que tiene como objetivo y lejos de las personas y las mascotas. • Para una mayor precisión, extienda la varilla con la pieza que se desliza. • Presione el gatillo para rociar. • Suette el gatillo para dejar de rociar. • Después de usar: 1. Gire la boquilla completamente hasta la posición CLOSE (cerrar). 2. Asegure la punta del rociador en el soporte. 3. Si la boquilla no se ajusta totalmente hasta la posición CLOSE (cerrar) y el rociador no se asegura adecuadamente en el soporte, pueden ocurrir derrames y daños materiales o lesiones a personas o animales.

Guarde el Rociador reutilizable AccuShot para usarlo con el Herbicida para céspedes y contra mano de cangrejo, de Spectracide® Weed Stop®.

Para reemplazar las pilas: 1. Abra el compartimiento de las pilas usando un destomillador. 2. Retire las pilas usadas y coloque cuatro pilas AA nuevas en las **posiciones correctas** tal como está indicado en el diagrama que se encuentra dentro del compartimiento de las pilas, *Nunca* coloque el extremo positivo donde va el extremo negativo ni al revés. Cuando reemplace las pilas, use siempre un juego completo de pilas nuevas del mismo tipo. **Nunca** mezole pilas alcalinas, de carbono zino ni pilas recargables. 3. Cierre bien la tapa del compartimiento de las pilas. 4. Siga siempre las recomendaciones del fabricante sobre el uso y eliminación de las pilas.

Notas adicionales sobre el funcionamiento: • No lo sumerja en agua. • Revise cuidadosamente el rociador antes de cada uso, asegúrese de que la manguera sea flexible y no esté retorcida, gastada ni rota y que todas las uniones estén ajustadas. • Cuando quarde el rociador durante períodos prolongados, retire las pilas.

La aplicación al pasto Bermuda puede provocar que el césped se vuelva amarillo o se decolore temporalmente pero se puede esperar una recuperación completa. No lo aplique al pasto Bermuda cuando las temperaturas diurnas superan los 85°F.

ialto! Lea toda la etiqueta primero. Cumpla todas las PRECAUCIONES Y SIGA CUIDADOSAMENTE LAS INSTRUCCIONES.

MODO DE EMPLEO

Se considera una violación a la ley federal usar este producto de una manera que no sea la indicada

No aplique este producto de modo que entre en contacto con cualquier persona o mascotas, ya sea directamente o por arrastre. Mantenga a las personas y las mascotas fuera de la zona durante la aplicación. No permita que las personas ni las mascotas entren en la zona tratada hasta que los rocíos se havan secado.

Para el cuidado del césped residencial:

El Herbicida para céspedes y contra mano de cangrejo, de Spectracide® Weed Stop® es un producto listo para usar (RTU) para el tratamiento "localizado" de malezas individuales de hoja ancha y malezas gramíneas para uso de los propietarios en céspedes residenciales. Este producto debería aplicarse en céspedes que contengan las siguientes especies de césped: Pasto azul de Kentucky, ryegrass perenne, especies de festuca (incluyendo las variedades de hoja alta, roja y fina), pasto Bermuda*, pasto búfalo y césped zoysia.

*La aplicación al pasto Bermuda puede provocar que el césped se vuelva amarillo o se decolore temporalmente pero se puede esperar una recuperación completa. No lo aplique al pasto Bermuda cuando las temperaturas diumas superan los 85°F.

El Herbicida para céspedes y contra mano de cangrejo, de Spectracide® Weed Stop® no se debe usar en céspedes que contengan agróstide, césped San Agustín, césped bahía, césped ciempiés o césped alfombra. No lo use en céspedes dichondra o con tréboles o legumbres deseables, ni tampoco en huertos, frutos, ni en plantas ornamentales (flores, árboles, cubresuelos, setos, lechos de flores o plantas y arbustos).

CONSEJOS SOBRE EL USO

- Puede ser necesario repetir el tratamiento en algunas malezas difíciles de eliminar. Espere por lo menos
 30 días entre las aplicaciones; algunas malezas pueden demorar ese tiempo en morir.
- A prueba de Iluvia: la Iluvia o el riego después de tres horas de la aplicación no reducen la eficacia. Si Ilueve dentro de las tres horas de la aplicación, se debe volver a aplicar el producto.
- No permita el arrastre del rocío sobre plantas deseables ya que puede causarles daño.

ALMACENAMIENTO Y ELIMINACIÓN

No contamine el agua ni los alimentos para personas o animales por medio del almacenamiento o la eliminación.

ALMACENAMIENTO DEL PESTICIDA: Gire la boquilla hasta la posición "CLOSE" (cerrar). Para evitar derrames, conecte el rociador a la abrazadera. Guarde este producto solamente en su envase original en un lugar de almacenamiento seguro, lejos de fuentes de calor o del fuego, y en un área que no sea accesible a los niños y las mascotas. No permita que se congele. ELIMINACIÓN DEL PESTICIDA Y MANIPULACIÓN DEL ENVASE: No tire el Rociador AccuShot™. Guarde el Rociador AccuShot para usarlo con el Herbicida para céspedes y contra mano de cangrejo₂ de Spectracide® Weed Stop®. Envase no rellenable. No vuelva a usar ni a rellenar este envase a menos que las instrucciones de uso permitan que un producto (concentrado) diferente se diluya en el envase. Si está vacio: Tirelo en la basura u ofrézcalo para reciclar, si existe esa opción. Si está parcialmente vacío: Llame a su servicio de eliminación de desechos más cercano para obtener instrucciones de eliminación. Nunca tire el producto sin usar por ningún drenaje interno ni externo.

DECLARACIONES PREVENTIVAS

Riesgos para los seres humanos y los animales domésticos

PRECAUCIÓN: Causa irritación moderada a los ojos. Evite el contacto con los ojos o la ropa. Nocivo si se ingiere. Use camisa de manga larga, pantalones largos, calcetines con zapatos y guantes. Lávese muy bien con agua y jabón después de manipularlo y antes de comer, beber, masticar chicle, usar tabaco o usar el baño.

Primeros Auxilios Si se ingiere: Llame inmediatamente a un centro de control de envenenamientos o a un médico. para recibir instrucciones de tratamiento. • Si la persona puede tragar, haga que beba poco a poco un vaso de agua. • No induzca el vómito a menos que así lo indique un centro de control de envenenamientos o un médico. No administre nada por la boca a una persona que hava perdido el conocimiento. Si entra en · Mantenga los ojos abiertos y enjuague con agua lentamente, con cuidado, durante 15 a contacto con 20 minutos. Si hay lentes de contacto, retírelos después de los primeros 5 minutos, luego los oios: continúe enjuagando los ojos. • Llame a un centro de control de envenenamientos para recibir instrucciones de tratamiento.

Cuando llame a un centro de control de envenenamientos o a un médico, o intente obtener tratamiento, tenga a la mano el envase o la etiqueta del producto. También puede llamar al 1-800-917-5438 para obtener información acerca del tratamiento médico de uroencia.

Riesgos para el medio ambiente

Este pesticida es tóxico para los peces y los invertebrados acuáticos. El arrastre y el escurrimiento pueden resultar peligrosos para los organismos acuáticos de las zonas cercanas al sitio de aplicación. Para proteger el medio ambiente, no permita que el pesticida entre o se escurra por drenajes pluviales, zanjas de drenaje, cunetas ni aguas superficiales. Aplicar este producto cuando no haya viento y no se pronostique lluvia en las siguientes 24 horas ayudará a asegurar que ni el viento ni la lluvia arrastren o quiten el pesticida de la zona de tratamiento.

Este producto químico tiene propiedades y características relacionadas con sustancias químicas detectadas en aguas subterráneas. El uso de este producto químico en zonas de suelos permeables, particularmente donde la capa freática es poco profunda, puede ocasionar la contaminación del agua subterránea. La aplicación alrededor de un tanque de agua o un pozo puede contaminar el agua potable o subterránea.

NOTA: El comprador asume toda la responsabilidad para seguridad y uso que no estén de acuerdo con las instrucciones.

Preguntas o comentarios? Llame al 1-800-917-5438.

*Application to Bermudagrass may cause temporary yellowing or discoloration but full recovery can be expected. Do not apply to Bermudagrass when daytime temperatures exceed 85°F.

Spectracide® Weed Stop® For Lawns Plus Crabgrass Killer₂ should not be used on lawns containing bentgrass, St. Augustinegrass, bahiagrass; centipedegrass or carpetgrass. Do not use on dichondra or lawns with desirable clovers or legumes, on vegetable gardens, fruits or ornamentals (flowers, trees, groundcovers, hedges, landscape/flower beds and shrubs).

• This 1.33 gal retail container size treats approximately 1,300 weeds or up to 1,300 sq ft.

USE TIPS

- Some hard-to-kill weeds may require re-treatment. Wait at least 30 days between applications some weeds can take that long to die.
- Rainproof rain or watering three hours after application will not wash away effectiveness. If rainfall
 occurs within three hours of application, the product should be reapplied.
- . Do not allow spray to drift onto desirable plants since injury may result.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE: Turn the nozzle to "CLOSE" position. To prevent leakage, attach sprayer to clip. Store this product only in its original container in a secure storage area away from sources of heat or open flame and in an area inaccessible to children and pets. Keep from freezing. PESTICIDE DISPOSAL AND CONTAINER HANDLING: Do not discard the AccuShot™ Sprayer. Keep the AccuShot Sprayer for use on Spectracide® Weed Stop® For Lawns Plus Crabgrass Killer₂. Nonrefillable container. Do not reuse or refill this container unless the directions for use allow a different (concentrated) product to be diluted in the container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Harmful if swallowed. Wear long-sleeved shirt and long pants, shoes plus socks and gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

natiditing and before eating, drinking, cheming guin, daing tobacco or bailing and tolicit.	
First Aid	
If swallowed:	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
If in eyes:	Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-917-5438 for emergency medical treatment advice.

Environmental Hazards

This pesticide is toxic to fish and aquatic invertebrates. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Questions & Comments? Call 1-800-917-5438 or visit our website at www.spectracide.com