

**41% GLYPHOSATE**



SKU 894 928

# Weed and Grass Killer Concentrate<sub>I</sub>

- Kills weeds and grasses down to the root
- Use in flower beds, along fences, and around trees, shrubs, driveways and walkways
- Covers up to 6,300 sq ft
- With surfactant

**ACTIVE INGREDIENT:**

Glyphosate, isopropylamine salt<sup>†</sup>... 41.0%

**OTHER INGREDIENTS**..... 59.0%

**TOTAL**..... 100.0%


<sup>†</sup>Contains 3 lbs. glyphosate acid equivalent per US gallon.

**KEEP OUT OF REACH OF CHILDREN**

## WARNING:


See back booklet for additional precautionary statements.

**NET CONTENTS**  
**32 FL OZ**  
**(1 QT) 946 mL**



**VISIBLE RESULTS**  
**IN 2-4 DAYS**

**KILLS THE ROOT**



5-7/8"

LB6431

3-7/8"

## STORAGE AND DISPOSAL

**PESTICIDE STORAGE:** Always store pesticides in the original container. Store in a safe place away from food and pet food. Keep container closed. Keep from freezing. If frozen, allow to thaw and shake well before using.

**PESTICIDE DISPOSAL AND CONTAINER HANDLING:** Non-refillable container. Do not reuse or refill this container. To avoid wastes, use all material in this container by application according to label directions.

**If Empty:** Place in trash or offer for recycling, if available. If recycling option is not available, discard in the trash. **If Partly Filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS & DOMESTIC ANIMALS

#### KEEP OUT OF REACH OF CHILDREN

**WARNING:** Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Wear safety glasses. Harmful if inhaled. Avoid breathing spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.



**People and pets may enter treated areas after spray has dried.**

FIRST AID	
<b>IF IN EYES</b>	<ul style="list-style-type: none"><li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes</li><li>• Remove contact lenses, if present, after first 5 minutes, then continue rinsing eyes</li><li>• Call a poison control center or doctor for treatment advice</li></ul>
<b>IF INHALED</b>	<ul style="list-style-type: none"><li>• Move person to fresh air</li><li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible</li><li>• Call a poison control center, or doctor for treatment advice</li></ul>
EMERGENCY MEDICAL INFORMATION	
<ul style="list-style-type: none"><li>• Have the product container or label with you when calling a poison control center or doctor, or going for treatment</li><li>• You may contact 1-866-324-9201 for emergency medical treatment information</li><li>• This product is identified as <b>HDX Weed and Grass Killer Concentrate</b>, EPA Reg. No. 71995-7-73327</li></ul>	

### ENVIRONMENTAL HAZARDS

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated areas will help avoid runoff to water bodies or drainage systems.

### PHYSICAL OR CHEMICAL HAZARDS:

Spray solutions of this product may be mixed, stored and applied using stainless steel, fiberglass, plastic or plastic-lined steel containers. **DO NOT MIX, STORE OR APPLY THIS PRODUCT OR SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAY TANKS.**

**NOTICE:** To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

#### Manufactured By:

Swiss Farms Products, Inc.  
3993 Howard Hughes PKY, Suite 250  
Las Vegas, NV 89169-6754

© 2015. World rights reserved.

EPA Reg. No.: 71995-7-73327

EPA Est. Nos: 239-IA-3<sup>l</sup>, 239-MS-001<sup>M</sup>, 085652-OH-1<sup>W</sup>

Superscript is first letter of Lot Number

#### Marketed Through:

Home Depot  
2455 Paces Ferry Rd., N.W.  
Atlanta, Ga 30339

LB6432

5-7/8"

3-7/8"

**HOW IT WORKS**

This product will kill almost all annual and perennial weeds, grasses and other unwanted plants. Mix this product with water and use to control weeds on driveways and walkways, or around fences, trees, flower beds, shrubs and other areas in your yard. This product can also be used for large jobs such as lawn restoration/renovation and garden plot preparation. This product kills weeds by stopping the production of a substance found in plants. Any product not absorbed by the plant breaks down without moving in or on the soil to untreated plants.

**CONTROLS WEEDS AND GRASSES INCLUDING:**

**General Weed Control (Annuals)**

- Annual Bluegrass
- Annual Ryegrass
- Barnyardgrass
- Beggarweed
- Black Medic
- Blue Mustard
- Blue Toadflax
- Brassbuttons
- Bromegrass
- Bur Clover
- Buttercup
- Chickweed
- Common Groundsel
- Common Plantain
- Crabgrasses
- Creeping Beggarweed
- Diffuse Lovegrass
- Dog Fennel
- Evening Primrose
- Fall Panicum
- Fiddleneck
- Field Pennygrass
- Field Sandbur
- Filaree
- Florida Pusley
- Foxtail
- Garden Spurge
- Goosegrass (Garden)
- Henbit
- Horseweed/Marestail
- Knobweed
- Lambsquarters
- Little Bitter Cress
- London Rocket
- Maiden Cane
- Mallow
- Mayweed
- Mouseear Chickweed
- Oxalis
- Pennsylvania Smartweed

**Tough Weed Control (Perennials/Brush)**

- Alder
- Artichoke Thistle
- Bahiagrass
- Bentgrass
- Bermudagrass
- Blackberries
- Broadleaf Plantain
- Canada Thistle
- Cattail
- Ceanothus
- Cherry species
- Cocklebur
- Cogongrass
- Common Mullein
- Common Ragweed
- Coyote Brush
- Creeping Bentgrass
- Creeping Charlie
- Curly Dock
- Dandelion
- False Dandelion
- Dewberry
- Elderberry
- Dallisgrass
- Fescues
- Field Bindweed (Wild Morningglory)
- Guineagrass
- Honeysuckle
- Horsenettle
- Horseradish
- Iceplant
- Johnsongrass
- Kentucky Bluegrass
- Kikuyugrass
- Knapweed
- Kudzu
- Lantana
- Milkweed
- Multiflora Rose
- Nightshade Silverleaf
- Nimblewill
- Nutsedge
- Oak species
- Oldenlandia

- Prickly Lettuce
- Prostrate Spurge
- Puncture Vine
- Redroot Pigweed
- Sandspur
- Shepherdspurse
- Smooth Cat's Ear
- Smooth Pigweed
- Sowthistle
- Spotted Spurge
- Sprangletop
- Tansy Mustard
- Tansy Ragwort
- Teaweed
- Texas Panicum
- Tumble Mustard
- Witchgrass
- Wild Mustard

- Orchardgrass
- Oxalis
- Pampasgrass
- Pennywort
- Perennial Ryegrass
- Poison Hemlock
- Poison Oak
- Poison Ivy
- Primrose
- Purple Nutsedge
- Quackgrass
- Quaking Aspen
- Ragweed
- Raspberry
- Red Clover
- Smooth Bromegrass
- Smooth Bentgrass
- St. Augustinegrass
- Sumac
- Tall Fescue
- Timothy

- Torpedograss
- Trumpetcreeper
- Vaseygrass
- Virginia Creeper
- White Clover
- Whitetop
- Wild Barley
- Wild Oats
- Wild Sweet Potato
- Willow
- Yellow Nutsedge (Nutgrass)
- Yellow Starthistle
- Zoysia

**STOP** Read and follow label instructions.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Always read and follow label directions.

**MIXING INSTRUCTIONS**

Use the following table to determine the amount of this product you need. Close cap tightly after use. Mix only what you can use in a day.

APPLICATOR	MIXING INSTRUCTIONS General Weed Control Annuals	MIXING INSTRUCTIONS Tough Weed Control for Perennials, Brush or Lawn Renovation	AREA TO TREAT
Tank Sprayer	Use 1.5 fl oz (3 tbsp) in 1 gallon of water	Use 2.5 fl oz (5 tbsp) in 1 gallon of water	300 sq ft (30 ft x 10 ft)
Hose-End Sprayer	Add 1.5 fl oz (3 tbsp) to sprayer jar. DO NOT ADD WATER. Set dial to 1.5 fl oz and spray	Add 2.5 fl oz (5 tbsp) to sprayer jar. DO NOT ADD WATER. Set dial to 2.5 fl oz and spray	300 sq ft (30 ft x 10 ft)
Hand Trigger Sprayer	Use 2 tsp in 24 fl oz of water	Use 1 tbsp in 24 fl oz of water	Use for spot treatments or single weeds

1 teaspoon (tsp); 1/2 fl oz = 1 tablespoon (tbsp) = 3 teaspoons (tsp); 1 fl oz = 2 tablespoons (tbsp)

**HOW TO APPLY**

**IMPORTANT:** This product is an all-purpose weed and grass killer which will kill almost all plants contacted. Spray carefully when air is calm to prevent spray or drift onto desirable plants, lawn grasses, shrubs or trees. Spray to evenly wet the weeds. If necessary, use cardboard or plastic to shield desirable plants. If plants are accidentally sprayed, rinse off immediately with water.

To apply this product use:

- Plastic or stainless steel tank sprayer
- Hose-end sprayer recommended for weed killers
- Hand trigger sprayer

Do not use or store solutions of this product in galvanized steel or unlined steel sprayers, or apply through any type of irrigation system or with a sprinkling can.

Rinse sprayer and flush all sprayer components with water 3 times after use. Spray rinse water on bare soil or gravel or treated area. After very thorough cleaning, sprayer may be used to apply other products.

5-7/8"

3-3/8"

3-3/8"

**WHEN TO APPLY**

Use any time weeds and grasses are actively growing. Most treated weeds usually show initial symptoms within 1 week and complete kill in 1 to 2 weeks. Larger more established weeds may take up to 4 weeks for complete kill. For best results, apply on a warm sunny day when daytime temperatures are above 60° F and no rainfall is forecasted for 24 hours. Warm, sunny weather will speed up weed control. Apply only when air is calm to prevent drift to desirable plants. Reapply if it rains within 2 hours after application. Rainfall or watering 2 hours after application will not wash away effectiveness. Hard-to-control weeds (such as bermudagrass) may require a repeat application, if they regrow. Do not use for spot weed control in lawns since glyphosate kills all green plants, including lawn grasses.

**WHEN TO REPLANT**

- Ornamental flowers, trees and shrubs may be reseeded or replanted 1 day after application.
- The following berries may be planted 1 day after application: Blackberry, Blueberry, Boysenberry, Currant, Dewberry, Elderberry, Gooseberry, Huckleberry, Loganberry, Oalleberry and Raspberry.
- The following fruits, vegetables and herbs may be planted 1 day after application: Artichoke (Jerusalem), Beans (all), Beet Greens, Broccoli, Brussel Sprouts, Cabbage (all), Carrot, Cauliflower, Celery, Chard (Swiss), Chikony, Collards, Endive, Horseradish, Kale, Kohlrabi, Leek, Lentils, Lettuce, Mustard Greens, Okra, Onion, Rape Greens, Parsley, Parsnips, Potato, Radish, Rhubarb, Rutabaga, Spinach, Sweet Potato, Turnip and Yams.
- The following fruits, vegetables and herbs may be planted 3 days after application: Corn, Cucumber, Eggplant, Garlic, Gourds, Melons (all), Peas (all), Peppers (all), Pumpkin, Squash, Tomato, Tomato (by seed) and Watercress.
- Lawn grasses may be planted 7 days after application.
- Tomatoes from transplant and unlisted fruits, vegetables and herbs may be planted 30 days after application.

**WHERE TO USE**

**GENERAL WEED CONTROL:** Use along fences, patios, patios, sidewalks and driveways, around trees, shrubs, and ornamental plantings and flower beds around buildings and on brick and gravel walkways. Use to trim and edge landscape areas. DO NOT use for spot weed control in lawns since glyphosate kills all green plants, including lawn grasses.

**SPOT SPRAYING:** Use on actively growing weeds in and around flower beds, ornamental trees, fruit and nut trees, grapevines, shrubs, fences, driveways and walkways. Spray when air is calm. Make sure this product does not contact the leaves, green stems, or exposed roots of plants you don't want to kill. If necessary use cardboard or plastic to shield plants. This product will not move in or on the soil to untreated plants. If this product is used to control weeds around fruit or nut trees or grapevines, allow 21 days before eating the fruit or nuts.

**LANDSCAPING:** Use to prepare areas for planting of ornamentals, trees, shrubs, desert landscapes, rock gardens, flower beds or similar plantings. Treated areas can be replanted 1 day after treatment.

**LAWN RENOVATION:** Use this product to kill existing weeds and grasses including the existing lawn.

- For best results, apply in the Spring or Fall when daytime temperatures are at least 60° F.
- Under dry conditions, water lawn every other day for a week before using this product.
- Do not mow for 7 days before or after treatment.
- After 7 days, prepare the soil for planting by raking or rototilling the lawn. Rake up and remove loosened thatch or debris.
- Apply seed according to directions on seed package, or install sod. Grass seed must have good contact with soil to germinate and grow.
- Keep area moist for 2 weeks to establish new lawn, then water as needed.

**BRUSH CONTROL:** Use when brush is green and actively growing. If plants are taller than 5 feet, cut back and spray regrowth. Brush sprayed in the fall may not be fully controlled until the following season. Hard-to-control species such as Blackberry, Kutzu, Poison Ivy or Poison Oak may require a repeated application to kill deep roots.

**STUMP TREATMENT:** Stumps can be treated to prevent regrowth. For best results, treat when the vegetation is actively growing and immediately after being cut down.

- Cut the stump close to the soil surface
- Drill 4-5 holes into the stump
- Immediately pour undiluted product into holes

**IMPORTANT:** Some trees may share the same root system. Adjacent trees having a similar age, height and spacing may signal a shared roots system. Injury may occur to non-treated trees when one or more trees sharing common roots are treated.

**TO KILL VINES:**

- If vines are growing up poles, fences, or tree trunks with mature bark, cut vines to a height of 3 to 4 feet and spray vines thoroughly
- If vines are climbing shrubs or immature tree trunks with green bark, cut vines at base and treat as directed for stumps or spray regrowth. If spraying regrowth, shield shrubs and immature tree trunks from spray drift with a piece of cardboard or plastic.

**FLOWER BED AND GARDEN PLOT PREPARATION:** Use this product to kill weeds, grasses and brush before planting flowers, fruits, vegetables or herbs.

- If soil is dry, water before application and 2 to 3 days after application.
- Apply evenly over treatment areas.
- Wait 1 to 3 days after last application before planting flowers, trees and shrubs.

See WHEN TO REPLANT section for details.



SKU 894 928

OPEN Resealable Label for Directions and Precautions PRESS TO RESEAL

# Weed and Grass Killer Concentrate

**STOP** Read and follow label instructions.

**WHAT IT DOES:**  
Kills All Types of Weeds and Grasses

- WHERE TO USE OUTDOORS:**
- On Patios, Walkways, or Driveways
  - Around Flowers, Shrubs and Trees
  - Along Fences
  - In Large Areas for Lawn Replacement

**WHEN TO USE:**  
For Best Results, Apply During Warm, Sunny Weather (Above 60° F)

**QUESTIONS OR COMMENTS?**  
Call 1-866-324-9201

**NOTICE:** To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

Manufactured By:  
Swiss Farms Products, Inc.  
3993 Howard Hughes PKY, Suite 250  
Las Vegas, NV 89169-6754  
© 2015. World rights reserved.  
EPA Reg. No.: 71995-7-73327  
EPA Est. Nos: 239-IA-3, 239-MS-001\*, 085652-0H-1\*  
Superscript is first letter of Lot Number

PROOF OF PURCHASE



LB6432

5-7/8"

3-3/8"

3-3/8"