

Contains REDLINE® Technology

EQUI-SENSE™
BRAND



TRIGGER™

Horse Spray
Citronella Scented

Sweat &
Weather
Resistant

- Protects against Biting & Nuisance Flies, Gnats, Mosquitoes (*Culex* spp).
- Stays active for up to 14 days

| | | |
|-------------------------------|---------|--|
| ACTIVE INGREDIENTS: | | |
| Cypermethrin, CAS #52315-07-8 | 1.00% | |
| OTHER INGREDIENTS: | 99.00% | |
| Total: | 100.00% | |

KEEP OUT OF REACH OF CHILDREN
CAUTION

See back panel for additional Precautionary Statements

Net Contents: 1 Qt. (946 mL)

Ready-to-use insecticide • Field tested and proven effective

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid contact with eyes, skin, or clothing. Avoid contamination of food. Wash hands with soap and water after use.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply to any body of water. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Not for use on horses intended for human consumption.

Shake well before using. Avoid contact with eyes or mucous membranes. Harmful if swallowed. Avoid contamination of food.

To protect horses and ponies from Horse Flies, House Flies, Stable Flies, Face Flies, Horn Flies, Deer Flies, Gnats, Mosquitoes (*Culex* spp): Thoroughly brush the horse's coat prior to application to remove loose dirt and debris. For dirty horses, shampoo and rinse thoroughly. Wait until the coat is completely dry before applying this product. Trigger Horse Spray is sweat- and weather-resistant, so it keeps working when the horse sweats, and after rainfall.

Spray or Wipe Application: Application should be liberal for best results. For horse's face, always apply as a wipe using a piece of clean, absorbent cloth, toweling (Turkish) or sponge. Avoid getting spray into horse's eyes, nose or mouth. Wear rubber glove or mitt when applying as a wipe. Spray or wipe horse's entire body while brushing against the lay of the coat to insure adequate coverage.

Reapply every 14 days for fly control normal conditions for initial applications. As protection builds, reapply every 14-17 days. Reapply every 3 to 7 days for mosquito repellency. Also, reapply each time animal is washed thoroughly, particularly if with shampoo or soap.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store in a cool, dry place.

CONTAINER DISPOSAL:

If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

FIRST AID

| | |
|--------------------------------|--|
| IF SWALLOWED: | <ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person. |
| IF IN EYES: | <ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison center or doctor immediately for treatment advice. |
| IF ON SKIN OR CLOTHING: | <ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor immediately for treatment advice. |
| IF INHALED: | <ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor immediately for treatment advice. |

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact SafetyCall® International (866) 897-8050 for emergency medical treatment information.

NOTE: Buyer assumes all risk of use, storage or handling of this product not in strict accordance with directions given herein.

Control Solutions, Inc.

5903 Genoa-Red Bluff - Pasadena, TX 77507-1041

EPA REG. NO. 53883-150

EPA EST. NO. 53883-TX-002



0 72693 07501 6

Contains REDLINE® Technology

EQUI-SENSE™
BRAND



TRIGGER™

Horse Spray
Citronella Scented

**Sweat &
Weather
Resistant**

- **Protects against Biting & Nuisance Flies, Gnats, Mosquitoes (*Culex* spp).**
- **Stays active for up to 14 days**

ACTIVE INGREDIENTS:

Cypermethrin, CAS #52315-07-8 1.00%

OTHER INGREDIENTS: 99.00%

Total: 100.00%

KEEP OUT OF REACH OF CHILDREN
CAUTION

See back panel for additional Precautionary Statements

Net Contents: 1 Gallon (3.785 L)

Ready-to-use insecticide • Field tested and proven effective

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid contact with eyes, skin, or clothing. Avoid contamination of food. Wash hands with soap and water after use.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply to any body of water. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Not for use on horses intended for human consumption.

Shake well before using. Avoid contact with eyes or mucous membranes. Harmful if swallowed. Avoid contamination of food.

To protect horses and ponies from Horse Flies, House Flies, Stable Flies, Face Flies, Horn Flies, Deer Flies, Gnats, Mosquitoes (*Culex* spp): Thoroughly brush the horse's coat prior to application to remove loose dirt and debris. For dirty horses, shampoo and rinse thoroughly. Wait until the coat is completely dry before applying this product. Trigger Horse Spray is sweat- and weather-resistant, so it keeps working when the horse sweats, and after rainfall.

Spray or Wipe Application: Application should be liberal for best results. For horse's face, always apply as a wipe using a piece of clean, absorbent cloth, toweling (Turkish) or sponge. Avoid getting spray into horse's eyes, nose or mouth. Wear rubber glove or mitt when applying as a wipe. Spray or wipe horse's entire body while brushing against the lay of the coat to insure adequate coverage.

Reapply every 14 days for fly control normal conditions for initial applications. As protection builds, reapply every 14-17 days. Reapply every 5 to 7 days for mosquito repellency. Also, reapply each time animal is washed thoroughly, particularly if with shampoo or soap.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store in a cool, dry place.

CONTAINER DISPOSAL:

If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

FIRST AID

IF SWALLOWED:

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison center or doctor immediately for treatment advice.

IF ON SKIN OR CLOTHING:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor immediately for treatment advice.

IF INHALED:

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
- Call a poison control center or doctor immediately for treatment advice.

Have the product container or label with you when calling a poison central center or doctor, or going for treatment. You may also contact SafetyCall® International (866) 897-8050 for emergency medical treatment information.

NOTE: Buyer assumes all risk of use, storage or handling of this product not in strict accordance with directions given herein.

Control Solutions, Inc.
 5903 Genoa-Red Bluff • Pasadena, TX 77507-1041

EPA REG. NO. 53883 - 150

EPA EST. NO. 53883-TX-002

