



SYNERGIZED

Lice-No-More

INSECTICIDE

► **KILLS FLIES & LICE**



► **FOR CATTLE, SHEEP* AND THEIR PREMISES**

Ready-To-Use as a Pour-On, Spray or Mist - or Mix for Back-Rubber Use

ACTIVE INGREDIENTS:

- ** Permethrin [(3-Phenoxyphenyl) methyl (+ or -) cis-trans-3-(2,2-dichloroethenyl) 2,2-dimethylcyclopropanecarboxylate] . . . 1.00%
- *** Piperonyl Butoxide 1.00%
- **** **OTHER INGREDIENTS** 98.00%
- TOTAL 100.00%

** Cis-trans isomers ratio: Min. 35% (+ or -) cis and Max. 65% (+ or -) trans.
 *** (Butylcarbyl)l(6-propylpiperonyl) ether and related compounds.
 **** Contains petroleum distillates.

See attached booklet for complete Precautionary Statements and Directions for Use (including First Aid and Storage and Disposal).

KEEP OUT OF REACH OF CHILDREN CAUTION

*Not registered in the state of California for control of sheep keds and lice on sheep.

NET CONTENTS: ONE GALLON



SYNERGIZED

Lice-No-More

INSECTICIDE

Apply To:

Lactating and non-lactating dairy cattle, beef cattle, and calves

Sheep*

Premises - in and around horse, beef, dairy, swine, sheep, and poultry premises

Target Insects:

Lice, horn flies, face flies, aids in control of horse flies, stable flies, house flies, mosquitoes, and black flies

Sheep keds* and lice*

House flies, stable flies, face flies, gnats, mosquitoes, black flies, fleas, little house flies (*Fannia* spp). Aids in control of cockroaches, ants, spiders, and crickets

* Not registered in the State of California for control of sheep keds and lice on sheep.



For questions or comments call toll-free **800.884.3179**
Mon.-Fri. 8:00 a.m. - 4:30 p.m. CST

729/2-2017 AP011317
EPA REG. NO. 1021-1739-2217
EPA EST. NO. 2217-KS-2

 **pbi/GORDON**
CORPORATION
Employee-Owned

See inside pages for complete
Precautionary Statements and
Directions for Use (including First
Aid, and Storage and Disposal).



(ONE GALLON)



SYNERGIZED

Lice-No-More

INSECTICIDE

ACTIVE INGREDIENTS:

- ** Permethrin [(3-Phenoxyphenyl) methyl (+ or -) cis-trans-3-(2,2-dichloroethenyl) 2,2-dimethylcyclopropanecarboxylate] . . . 1.00%
- *** Piperonyl Butoxide. 1.00%
- **** **OTHER INGREDIENTS** 98.00%
- TOTAL 100.00%

** Cis-trans isomers ratio: Min. 35% (+ or -) cis and Max. 65% (+ or -) trans.

*** (Butylcarbityl)(6-propylpiperonyl) ether and related compounds.

**** Contains petroleum distillates.

**KEEP OUT OF REACH
OF CHILDREN
CAUTION**



READ ENTIRE LABEL BEFORE EACH USE. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

First Aid	
IF SWALLOWED:	<ul style="list-style-type: none"> • Immediately call a poison control center or doctor. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give any liquid to the person. • Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF INHALED:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment.

(cont. on next page)

First Aid (cont.)

NOTE TO PHYSICIAN: Contains petroleum distillate – vomiting may cause aspiration pneumonia hazard. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information regarding medical emergencies or pesticide incidents, call **1-877-800-5556**.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Contains Petroleum distillate. Harmful if absorbed through skin or inhaled. Avoid contact with skin, eyes or clothing. Avoid breathing vapor or spray mist. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

PERSONAL PROTECTIVE EQUIPMENT

Mixers, loaders, applicators (except for hand-held foggers or fog/mist generator use in indoor spaces) and other handlers must wear the following: Long-sleeved shirt; Long pants; Shoes and socks; Chemical-resistant gloves for all handlers made of barrier laminate, nitrile rubber, neoprene rubber or viton; and Chemical-resistant apron for mixers loaders, persons cleaning equipment, and persons exposed to the concentrate and for handlers performing animal dip applications.

In addition to the above PPE, applicators using hand-held foggers or fog/mist generators in indoor spaces must wear: Coveralls over long-sleeved shirt and long pants; chemical-resistant

gloves; chemical-resistant footwear plus socks; chemical-resistant headgear, if overhead exposure; and a half-face, full-face or hood-style NIOSH-approved respirator with a dust/mist filtering cartridge (MSHA/NIOSH approval number prefix TC-21C), a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G), or a cartridge or canister with any N, R, P, or HE filter.

USER SAFETY REQUIREMENTS

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

USER SAFETY RECOMMENDATIONS

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic organisms, including fish and invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and run-off may be hazardous to aquatic organisms in water adjacent

to treated areas. Do not contaminate water when disposing of equipment washwaters or rinsate.

This product may contaminate water through run-off. This product has a potential for run-off for several months or more after application. Poorly draining soils and soils with shallow water tables are prone to produce run-off that contains this product. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. See Directions of Use for additional precautions and requirements.

This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS:

- Apply this product only as specified on this label.
- Do not contaminate food or feedstuffs.
- The following use restriction is required to permit use of SYNERGIZED LICE-NO-MORE™ INSECTICIDE in the State of California: Application is prohibited in the State of California for control of sheep keds and lice on sheep.
- Do not use in aircraft cabins.
- Do not make applications during rain.
- Do not make applications with a sponge.
- Do not breathe spray mist.
- Do not use this product directly on domestic

(companion) animals (dogs, cats, puppies, or kittens).

- This product is not for use in outdoor residential misting systems (indoor or outdoor), or in metered release misting systems.
- Except when applying to livestock, do not apply this product in a way that will contact workers or other persons, either directly or through drift.
- Except when applying to livestock, do not enter or allow others to enter treated area until sprays have dried.
- Except when applying to livestock, only protected handlers may be in the area during application.
- Do not use in food/feed areas of food handling establishments, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where food is served, such as dining rooms, but excluding areas where foods may be prepared or held.
- Remove or cover exposed food and drinking water before application. Remove or cover dishes, utensils, food processing equipment, and food preparation surfaces or wash them before use.
- When used in dairy barns or facilities; Close milk bulk tank lids to prevent contamination from spray and from dead or falling insects. Remove or cover milking utensils before application. Wash teats of animals before milking.
- Application of this product is prohibited directly into sewers or drains, or to any area like a gutter where drainage to storm sewers, storm drains, water bodies, or aquatic habitat can

occur. Do not allow this product to enter any drain during or after application.

- Remove pets, birds, and cover fish aquariums

and ornamental fish ponds before spraying, and turn aquarium systems off prior to use.

READY TO USE - No dilution necessary.

Apply To	Target Insects	Application Instructions
Lactating and Non-lactating Dairy Cattle, Beef Cattle and Calves	Lice, Horn Flies, Face Flies. Aids in control of Horse Flies, Stable Flies, House Flies, Mosquitoes and Black Flies.	DOSAGE: Apply ½ fl. oz. (15cc) per 100 lbs. body weight of animal up to a maximum of 5 fl. oz. for any one animal. POUR ON: Pour correct dose along back and down face. READY-TO-USE SPRAY: Use undiluted in a mist sprayer to apply correct dose. Apply directly to neck, face, back, legs and ears. BACKRUBBER USE: Mix one pint per gallon of mineral oil. Keep rubbing device charged. Results improved by daily forced use.
Sheep*	Sheep Keds*, Lice*.	Pour along back. Apply ¼ fl. oz. (7.5cc) per 50 lbs. body weight of animal, up to a maximum of 3 fl. oz. for any one animal. For optimum control, all animals in the flock should be treated after shearing.
Premises – in and around Horse, Beef, Dairy, Swine, Sheep and Poultry premises. Animal Hospital Pens and Kennels and “outside” Meat Processing Premises.	House Flies, Stable Flies, Face Flies, Gnats, Mosquitoes, Black Flies, Fleas, Little House Flies (<i>Fannia spp</i>). Aid in control of cockroaches, ants, spiders, and crickets.	For use as a ready-to-use spot spray or premise spray, use undiluted in a mist sprayer. Apply directly to surface to leave a residual insecticide coating, paying particular attention to areas where insects crawl or alight. One gallon will treat approximately 7,300 square feet.

APPLICATION INSTRUCTIONS:

Apply ½ fl. oz. per 100 lbs. body weight of animal, up to a maximum of 5 fl. oz. for any one animal to kill Lice, Horn Flies, and Face Flies. Aids in insecticidal control of Horse Flies, Stable Flies, Mosquitoes and Black Flies on lactating and non-lactating dairy cattle, beef cattle, calves and sheep.

For sheep, apply ¼ fl. oz per 50 lbs. body weight of animal, up to a maximum of 3 fl. oz for any one animal. Pour-On: Pour along back line and down face. For Keds* on sheep*, pour along back line over neck, shoulders and rump.

Ready-To-Use Spray: Use undiluted in a mist sprayer to apply correct dose. Apply directly to neck, face, back, legs and ears.

For Pour-On and Ready-To-Use Spray applications, repeat treatment as needed but do not exceed 5 fl. oz. for any one animal on cattle or 3 fl. oz. for any one animal on sheep during any 14 day interval. For optimum insecticidal effectiveness against lice, a second treatment at 14 day intervals is recommended.

Backrubber Use: Mix one pint per gallon of mineral oil. Keep rubbing device charged. For Backrubber applications, results are improved by daily forced use.

For cattle and sheep, repeat treatment as needed, but not more often than once every two weeks. For optimum lice control, two treatments at a 14-day interval are recommended.

SPECIAL NOTE: SYNERGIZED LICE-NO-MORE INSECTICIDE is not effective in controlling cattle grubs.

SYNERGIZED LICE-NO-MORE INSECTICIDE is an oil-based, ready-to-use product, that may leave an oily appearance on the hair coat of some animals.

SYNERGIZED LICE-NO-MORE INSECTICIDE should be used in an integrated pest management system which may involve repeat treatments and the use of other pest control practices.

*Not registered in the State of California for control of Sheep Keds and Lice on Sheep.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Store in a cool, dry (preferably locked) place in an area that is inaccessible to children and animals. Always store pesticides in the original container. Store away from food, pet food and feed.

PESTICIDE DISPOSAL: To avoid wastes, use all material in this container by application according to label directions. If wastes cannot be avoided, offer remaining product to a waste disposal facility or pesticide disposal program (often such programs are run by state or local governments or by industry).

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour

(cont. on next page)

STORAGE AND DISPOSAL *(cont.)*

rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer for recycling if available for reconditioning if appropriate, or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities.

LICE-NO-MORE™ is a trademark of PBI-Gordon Corporation.

Gordon's® logo is a registered trademark of PBI-Gordon Corporation.

729/2-2017 AP011317
EPA REG. NO. 1021-1739-2217
EPA EST. NO. 2217-KS-2

**DISTRIBUTED BY
PBI/GORDON CORPORATION
1217 WEST 12TH STREET
KANSAS CITY, MISSOURI 64101**

THIS PAGE IS BLANK INTENTIONALLY



READ ENTIRE LABEL BEFORE EACH USE. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

First Aid	
IF SWALLOWED:	<ul style="list-style-type: none">• Immediately call a poison control center or doctor.• Do not induce vomiting unless told to do so by a poison control center or doctor.• Do not give any liquid to the person.• Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
IF INHALED:	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.• Call a poison control center or doctor for further treatment.

(cont. on next column)

First Aid (cont.)

NOTE TO PHYSICIAN: Contains petroleum distillate – vomiting may cause aspiration pneumonia hazard. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information regarding medical emergencies or pesticide incidents, call **1-877-800-5556**.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Contains Petroleum distillate. Harmful if absorbed through skin or inhaled. Avoid contact with skin, eyes or clothing. Avoid breathing vapor or spray mist. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

729/2-2017 AP011317
EPA REG. NO. 1021-1739-2217
EPA EST. NO. 2217-KS-2

**DISTRIBUTED BY
PBI/GORDON CORPORATION
1217 WEST 12TH STREET
KANSAS CITY, MISSOURI 64101**