

3.25"

5.6875"

5.9375"



BUG B GON[®]

**INSECT KILLER
FOR LAWNS & GARDENS
CONCENTRATE** INSECTICIDA PARA CÉSPEDES
Y JARDINES CONCENTRADO¹

**6
MONTH
PROTECTION****
**6 MESES DE
PROTECCIÓN

KILLS 300 INSECTS*
ELIMINA 300 ESPECIES DE INSECTOS*

**MAKES
UP TO 42 GALLONS** RINDE HASTA
159 LITROS



KILLS INSECTS* IMMEDIATELY

Spiders, Ants, Fleas, Ticks, Mosquitoes, Japanese Beetles

* REFER TO BOOKLET FOR COMPLETE LIST OF INSECTS

**APPLIES OUTDOORS TO: SPIDERS (EXCLUDING BLACK WIDOW, BROWN RECLUSE, HOBOT)

**FOR RESIDENTIAL OUTDOOR USE ONLY
KEEP OUT OF REACH OF CHILDREN**

CAUTION See back panel for additional
precautionary statements.
MANTENER FUERA DEL ALCANCE DE LOS NIÑOS

PRECAUCIÓN Consulte el panel posterior para conocer
los niveles de precaución adicionales.

ACTIVE INGREDIENTS: By WL
Bifenthrin¹ 0.300%
Zeta-Cypermethrin² 0.075%
OTHER INGREDIENTS: 99.625%
Total 100.000%

¹ Cis isomers 97% min, trans isomers 3% max
² Cis:trans ratio: Max, 75% (±) cis and min. 25% (±) trans



LB7604

NET CONTENTS / CONTENIDO NETO 32 fl oz (946 ml)

3.5"



1.375"

.675"

.80"

1.5"

GUARANTEED KILL

OR YOUR MONEY BACK†

LB7607

2.3125"

2.50"

5.5625"

5.6875"

AVISOS DE PRECAUCIÓN

RIESGOS PARA LOS SERES HUMANOS Y LOS ANIMALES DOMÉSTICOS

PRECAUCIÓN: El producto es nocivo si se ingiere. Causa irritación moderada de los ojos. Evite el contacto con los ojos o la ropa. Use: camisa de manga larga y pantalones largos, medias o calcetines, zapatos y guantes. Lávese bien con agua y con jabón después de manipular el producto y antes de comer, beber, masticar chicle, consumir tabaco o utilizar el inodoro. En algunas personas, el contacto prolongado o frecuente con la piel puede provocar reacciones alérgicas.

RIESGOS AMBIENTALES:

Este pesticida es extremadamente tóxico para los peces, los invertebrados acuáticos, las ostras y los camarones. Para proteger el medio ambiente, no permita que el pesticida ingrese o discurra a desagües de tormenta, zanjas de drenaje, canalones o aguas superficiales. La aplicación de este producto en un clima tranquilo, cuando no haya un pronóstico de lluvia para las siguientes 24 horas, ayudará a asegurar que el viento o la lluvia no arrastren o laven el pesticida del área de tratamiento. Enjuagar el equipo de aplicación en la zona tratada ayudará a evitar que el producto discurra a cuerpos de agua o sistemas de drenaje. El desvío o escurrimiento del producto fuera de las zonas tratadas puede ser peligroso para los organismos acuáticos de las áreas vecinas. El producto se debe aplicar con cuidado para no afectar a los peces y reptiles de mascota que se encuentran dentro o cerca de estanques ornamentales. Este producto es altamente tóxico para las abejas expuestas al tratamiento directo de residuos en los cultivos o las malezas en floración. No aplique este producto ni permita que entre en contacto con cultivos en floración si hay abejas que estén visitando el área de tratamiento.

RIESGOS FÍSICOS O QUÍMICOS:

No aplique este producto ni por dentro ni por fuera de equipos eléctricos, ya que podría recibir una descarga eléctrica.

ADVERTENCIA:

En la medida contemplada por las leyes aplicables, el comprador asume toda la responsabilidad derivada del uso, el almacenamiento o el manejo de este producto si no se siguen las instrucciones.

***LA GARANTÍA ORTHO®:** Si por algun razón usted, el consumidor, no está satisfecho con este producto, envíenos por correo el comprobante de compra original para obtener un reembolso completo de su precio de compra.

16



BUG B GON®

INSECT KILLER FOR LAWN & GARDENS CONCENTRATE
INSECTICIDA PARA CÉSPEDES Y JARDINES CONCENTRADO

OPEN Responsible Label Application & Instructions

KILLS INSECTS* OUTSIDE BEFORE THEY COME INSIDE

- Kills 300 Insects*
- Long Lasting Insect Control
- Kills Insects* Immediately
- Formulated for Use on Edibles
- Direct Connect to Ortho® Dial N Spray®



WHAT IT DOES: WHERE TO USE: WHEN TO USE:

 Kills 300 insects* <small>Kills 300 insects* including ants, bees, cockroaches, spiders, & other household pests.</small>	 Use on lawns, around home perimeter, ornamentals, flowers, trees, shrubs, vegetables & fruit trees	 Apply when insects first appear
---	---	--

The ORTHO® Guarantee
If for any reason you, the consumer, are not satisfied with this product, mail us your original proof of purchase to obtain a full refund of your purchase price.

People and pets may experience irritation after contact with this product. Download or Call 1-800-225-2833

80% SIZE 12-digit UPC-A (non-suppressed) For Position Only

0 71549 01765 1 1005

FOR RESIDENTIAL OUTDOOR USE ONLY
© 2016 The ORTHO Group. World rights reserved. Sold by The ORTHO Group, 600 Rte 150, Marysville, OH 43040. EPA Reg. No. 249-3718. EPA Est. No. 276-16-31, 58596, 400-10, 016652, 016-199, 219-825-0014. Superstring is first letter of the number.

FPO
LB7608

2.75"

2.75"

2.3125"

2.3125"

5.5625"

5.9375"

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Do not water the treated area to the point of run-off. Do not make applications during rain.

OUTDOOR APPLICATIONS INCLUDING HARD SURFACES

All outdoor applications must be limited to spot and crack-and-crevice treatments only, except for the following permitted uses:

- 1. Treatment to soil or vegetation around structures;
- 2. Application to lawns, turf, and other vegetation;
- 3. Application to building foundations, up to a maximum height of 3 feet.

Other than applications to building foundations, all outdoor applications to hard surfaces such as sidewalks, driveways, patios, porches and structural surfaces (e.g., windows, doors and eaves) are limited to spot and crack-and-crevice applications only.

Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain, during or after application.

APPLICATION TO HORIZONTAL HARD SURFACES

To help prevent product from running off into sewers, storm drains, and curbside gutters, do not treat hard flat surfaces (e.g. driveways, sidewalks) unless the surface is protected from rainfall and spray from sprinklers.

APPLICATION TO VERTICAL HARD SURFACES

Pest control on outside surfaces and around buildings: Applications to hard vertical surfaces outdoors (e.g. foundations) are permitted to a maximum height of 3 feet above the ground. Sections of hard vertical surfaces that join to hard flat surfaces outdoors can only be treated if either 1) these sections are protected from rainfall and spray from sprinklers, or, 2) the hard flat surfaces they touch do not drain into a sewer, storm drain, or curbside gutter.

Perimeter treatment: For sections of foundation that join to hard flat surfaces, the treated areas must be protected from rainfall and spray from sprinklers unless those hard flat surfaces do not drain into a sewer, storm drain, or curbside gutter.

Food utensils such as spoons and measuring cups must not be used for food purposes after use with pesticides.

Shake Well

2

KILLS INSECTS:

- **Adelgids** Eastern Sprucegall
- **Ants** Acrobat, Allegheny Mound, Argentine, Big Headed, Carpenter, Citronella, Cornfield, Crazy, Ghost, Harvester, Imported Fire, Lasius, Little Black, Odorous House, Pavement, Pharaoh/Sugar, Pyramid, Small Honey, Thief, White Footed
- **Aphids** Apple, Black Cherry, Black Pecan, Buckhorn, Greenbug, Pea, Root, Rose, Rosy Apple, Walnut, Yellow Pecan
- **Bees**
- **Beetles & Larvae** Bean Leaf, Billbugs (Bluegrass & Hunting), Cucumber (Banded, Spotted & Striped), Black Turfgrass Ateanius, Blister, Brown Leaf Notcher, Carpet, Colorado Potato, Corn Rootworm (Mexican, Northern, Southern, & Western), Curculio (Cow Pea & Plum), Elm Leaf, Flea (Black, Dichondra, & Sweetpotato), Ground, Japanese Adult, Ladybeetles (Asian, Convergent, Seven-Spotted, Thirteen-Spotted, & Twice-Stabbed), Mexican Bean, Pine Chafer, Pine Shoot, Red Flour, Rose Chafer, Sap, Southern Corn Leaf, Weevils (Annual Bluegrass, Black Vine, Blue Green Citrus Root, Carrot, Cranberry, Diaprepes Root, Little Leaf Notcher, Northern Pine, Orchard, Orchid, Pea Leaf, Pecan, Pepper, Pine Shoot, & Sweetpotato), Whitefringed
- **Bores** American Plum, Common Stalk, European Corn, Hop Vine, Lesser Peachtree, Peach Twig, Peachtree, Southern Corn, Southwestern Corn, Squash Vine, Stalk
- **Boxelder Bug**
- **Bristletails**
- **Caterpillars** Alfalfa, Alfalfa Looper, Armyworm (Beet, Fall, Southern, True, & Yellowstriped), Bagworms, Banded Ash Clearwing, Blueberry Spanworm, Budworm, Casebearers (Pecan Leaf & Pecan Nut), Celery Leaf-tier, Corn Earworm (same as Tomato Fruitworm), Cross-Striped, Cabbageworm, Cutworms (Black, Bronzed, Dingy, Granulate, Spotted, Variegated, & Western Bean), Fiery Skipper, Filbertworm, Fruitworms (Cranberry, Green, & Tomato), Green Cloverworm, Hickory Shuckworm, Imported Cabbageworm, Loopers (Cabbage & Celery), Melonworm, Navel Orangeworm, Orange Tortrix, Painted Lady, Pickleworm, Pine Tip Moths (Nantucket, Pitch, Ponderosa, Southwestern, & Western), Rindworm, Saltmarsh, Striped Grassworm, Tent, Hornworms (Tobacco & Tomato), Tomato Pinworm, Webworms (Fall, Mimosa, Oak, Sod, & Tropical Sod), Velvetbean
- **Centipedes**
- **Chinch Bugs** False, Hairy, Southern Banded, German, Smoky Brown
- **Cockroaches** American, Asian, Brown Banded, German, Smoky Brown
- **Crickets** Arizona, Common Short Tailed, Eastern Striped, Fall Field, House, Indies Short Tailed, Northern Wood, Sand Field, Spring Field Cricket, Southeastern Field, Southern Wood, Texas Field, Tropical, Variable Field, Vocal Field, Western Striped
- **Earwigs**
- **Firebrats**
- **Fleas** Cat, Dog
- **Fleahoppers**
- **Flies** Apple Maggot, Biting Flies, Cherry Fruit, Cornsilk, European Crane, European Crane (larvae), Frit, House, Walnut Husk
- **Fungus Gnats**
- **Grasshoppers**
- **Hornets**
- **Lace Bugs**
- **Leaffooted Bugs** Squash Bug
- **Leafhoppers** Aster/California, Corn, Eastern Grape, Glassy Winged, Sharpshooter, Potato, Southern Garden, Western Grape
- **Leafminers** Alder, Boxwood, Holly, Oak, Spruce Needle, Tentiform, Vegetable
- **Leafrollers** Oblique Banded, Red-Banded, Variegated

3

2.75"

2.75"

2.3125"

2.3125"

5.5625"

5.9375"

KILLS INSECTS: (cont'd)

- **Mealybugs**
- **Midges**
- **Millipedes**
- **Mites** Banks Grass, Broad, Carmine, Chigger, Clover, European, Grain, Pacific Spider, Pecan Leaf Scorch, Pecan Scorch, Red Spider, Spider, Spruce, Two-Spotted Spider
- **Mole Crickets** European, Northern, Prairie, Short-winged, Southern, Tawny
- **Mosquitos*** Malaria, Northern House, Yellowfever, *(including those that may transmit the Chikungunya virus, yellow fever, dengue, fever, encephalitis, and West Nile Virus)
- **Moths** Artichoke Plume, Codling, Diamondback, Gypsy, Lucerne Oriental Fruit, Zimmerman Pine
- **Periodical Cicadas**
- **Pillbugs & Rollie Pollies**
- **Plant Bugs** Tarnished, Lygus Bugs
- **Phylloxera** Pecan Leaf, Pecan
- **Psyllids**
- **Sawflies** European Pine, Redheaded Pine, Rose Slug
- **Scales** Brown Soft, California Red, Euonymus, Pine Needle, San Jose
- **Scorpions** California Common, Dune, Eastern Sand, Lesser Stripetail, Northern, Southern Unstriped, Striped Tail, Yellow Ground
- **Seed Maggots**
- **Silverfish**
- **Sowbugs**
- **Spiders** Black Widow, Burrowing Wolf, Brown Recluse, Daddy Long Legs, Hobo, Long-bodied Cellar, Marbled Cellar, Pirate Wolf, Short-bodied Cellar, Thin-legged Wolf
- **Spittlebugs** Meadow, Pecan, Two Lined
- **Stink Bugs** Brown Marmorated, Kudzu
- **Springtails**
- **Stored Product Pests**
- **Termites**
- **Thrips**
- **Ticks*** American Dog, Brown Dog, Deer *(including ticks that may transmit Lyme disease)
- **Treehoppers** Threecornered Alfalfa, Hopper
- **Wasps**
- **Whiteflies**
- **Wireworms** Corn, Southern Potato
- **Yellowjackets**

WHERE TO USE

- Roses and other ornamentals
- Listed vegetables and fruit trees
- Trees and shrubs
- Lawns
- Around house foundations, porches, patios and stored lumber

AMOUNT TO USE

Roses, ornamentals, vegetable gardens, melons and fruit trees:	Mix 3 Tbs (1.5 fl oz) per gallon of water. Spray plants until thoroughly covered.
Lawns:	Mix 1.5 to 3 Tbs (0.75 fl oz to 1.5 fl oz) per gallon of water sprayed to cover 125 sq ft.
Around house foundations:	Mix 3 Tbs (1.5 fl oz) per gallon of water sprayed to cover 65 sq ft.

People & Pets: 	People and pets may enter treated areas after spray has dried.
---	--

4

ROSES, FLOWERS, SHRUBS & SMALL TREES

KILLS INSECTS Aphids, Armyworms (including Beet, Fall, Southern, True, Yellowstriped), Bagworms, Beetles (including Elm Leaf, Flea, Japanese (Adult), Pine Chaffer, Pine Shoot, Sap), Caterpillars (including Saltmarsh, Tent), Crickets, Eastern Sprucegall Adelgid, Grasshoppers, Lace Bugs, Lygus Bugs, Mealybugs, Mites (including Spruce, Two-Spotted Spider), Mosquitoes, Moths (including Gypsy, Zimmerman Pine), Periodical Cicadas, Plant Bugs (including Tarnished), Sawflies (including European Pine, Redheaded Pine), Spittlebugs, Stink Bugs (including Brown Marmorated, Kudzu Bug), Thrips, Wasps/Hornets, Webworms (including Fall, Mimosa, Oak), Weevils (including Northern Pine, Orchard, Pine Shoot), Whiteflies

HOW TO USE **ORTHO® DIAL 'N' SPRAY® WITH DIRECT CONNECT INSTRUCTIONS Set:**

1. Turn dial to 1.5 fl. oz.
- Connect:**
1. Remove container from Ortho® Dial 'N Spray®
 2. Remove cap from the concentrate bottle.
 3. Twist the Ortho® Dial 'N Spray® onto concentrate bottle to attach.
 4. Connect hose to the sprayer and turn on water.

- Spray:**
1. Press and hold trigger for continuous spray. Apply evenly.
 2. Spray only until the surface of the plants are wet.

- Finish:**
1. Untwist the concentrate bottle from the Ortho® Dial 'N Spray®
 2. Replace cap on the concentrate bottle.
 3. To clean: Refer to the Ortho® Dial 'N Spray® cleaning instructions. Refer to the Ortho® Dial 'N Spray® label and booklet for additional information.

Important: To prevent sprayer from clogging, always clean after use, as directed.

TANK SPRAYER INSTRUCTIONS

1. Add 1.5 fl oz per gallon of water.
2. Spray plants until thoroughly covered.

HOW TO APPLY • Spray to uniformly cover upper and lower leaf surfaces, stems, and branches. When treating potted plants also lightly spray the soil surface.

- Spray when air is calm to avoid drift. Apply as necessary, waiting 7 to 14 days between each application. Hard to control insects may require 2 to 3 applications.
- If temperature is expected to exceed 85° F, spray in early morning or late afternoon when it is cooler.
- Mosquitoes coming to rest on treated areas will be killed for varying periods of time after application, depending on exposure of treated areas to weather conditions.
- Try to spray underside of leaves and penetrate dense foliage. Bottle (32 fl oz) will treat 2,700 sq. ft.

5

2.75"

2.75"


2.3125"

2.3125"

5.5625"

5.9375"

AROUND HOUSE FOUNDATIONS, PORCHES, PATIOS & STORED LUMBER Do NOT TREAT Firewood	
KILLS INSECTS	Ants (including Argentine, Carpenter, Lasius, Odorous, Pavement, Pharaoh/Sugar, Pyramid, Red Harvester), Centipedes, Cockroaches/Roaches (including American/Palmetto/Waterbug, Asian/Oriental, German), Crickets, Earwigs, Fleas, House Flies, Millipedes, Mosquitoes, Scorpions, Sowbugs/Pillbugs/Rollie Pollies, Spiders (including Black Widow, Brown Recluse, Hobo), Stink Bugs (including Brown Marmorated and Kudzu Bug), Ticks (including American, Brown Dog, Deer)
HOW TO USE	ORTHO[®] DIAL 'N' SPRAY[®] WITH DIRECT CONNECT INSTRUCTIONS Set: 1. Turn dial to 1.5 fl oz. Connect: 1. Remove container from Ortho [®] Dial 'N' Spray [®] 2. Remove cap from the concentrate bottle. 3. Twist the Ortho [®] Dial 'N' Spray [®] onto concentrate bottle to attach. 4. Connect hose to the sprayer and turn on water. Spray: 1. Press and hold trigger for continuous spray. Apply evenly. 2. Spray only until the surface is wet. Finish: 1. Untwist the concentrate bottle from the Ortho [®] Dial 'N' Spray [®] 2. Replace cap on the concentrate bottle. 3. To clean: Refer to the Ortho [®] Dial 'N' Spray [®] cleaning instructions. Refer to the Ortho [®] Dial 'N' Spray [®] label and booklet for additional information. Important: To prevent sprayer from clogging, always clean after use, as directed.
	TANK SPRAYER INSTRUCTIONS 1. Add 1.5 fl oz (3Tbs) per gallon of water for every 16 linear feet (65 sq. ft).
HOW TO APPLY	<ul style="list-style-type: none"> To keep insects from entering the house, use a hose-end or tank sprayer to spray a 2 foot band of soil around the house next to the foundation. Also spray the foundation of the house to a height of 2 feet. Repeat application every 14 days if necessary. Bottle (32 fl oz) will treat 1,400 sq ft of foundation/perimeter.

LAWN INSECTS	
KILLS INSECTS	Ants (including Argentine, Carpenter, Foraging Fire), Armyworms, Beetles (including Black Turfgrass Ataenius, Adult Japanese), Billbugs, Chinch Bugs, Crickets, Cutworms, Deer Ticks, Greenbug, Mole Crickets, Mosquitoes, Sod Webworms, Weevils (including Annual Bluegrass)
WHEN TO MOW & WATER	<ul style="list-style-type: none"> Apply to lawn that was mowed and watered within the last 24 hours. Mowing may be resumed after 2-3 days. For mole cricket control, water thoroughly immediately after application.
WHEN TO APPLY	<ul style="list-style-type: none"> Apply when insects first appear. Wait 4 to 6 weeks between applications.
HOW TO USE	ORTHO[®] DIAL 'N' SPRAY[®] WITH DIRECT CONNECT INSTRUCTIONS Set: 1. Turn dial to 1.5 fl oz. Connect: 1. Remove container from Ortho [®] Dial 'N' Spray [®] 2. Remove cap from the concentrate bottle. 3. Twist the Ortho [®] Dial 'N' Spray [®] onto concentrate bottle to attach. 4. Connect hose to the sprayer and turn on water. Spray: 1. Press and hold trigger for continuous spray. Apply evenly. 2. Spray only until the surface of the lawn is wet. Finish: 1. Untwist the concentrate bottle from the Ortho [®] Dial 'N' Spray [®] 2. Replace cap on the concentrate bottle. 3. To clean: Refer to the Ortho [®] Dial 'N' Spray [®] cleaning instructions. Refer to the Ortho [®] Dial 'N' Spray [®] label and booklet for additional information. Important: To prevent sprayer from clogging, always clean after use, as directed.
	TANK SPRAYER INSTRUCTIONS 1. Add 0.75 to 1.5 fl oz (1.5-3 Tbs) per gallon of water for every 125 sq ft.
HOW TO APPLY	 <ul style="list-style-type: none"> Measure lawn. Calculate square feet by multiplying length times width. Spray evenly over measured area. Treat entire lawn. Bottle (32 fl oz) will treat up to 5,300 sq ft. Tough to Control Insects: To control carpenter ants spray 1.5 fl oz per gallon evenly over 65 sq ft. Mosquitoes coming to rest on treated areas will be killed for varying periods of time after application, depending on exposure of treated areas to weather conditions.

2.75"

2.75"

2.3125"

2.3125"

5.5625"

5.9375"

HOME VEGETABLE GARDENS, MELONS AND FRUIT & NUT TREES

KILLS INSECTS Aphids (including Apple, Black Cherry, Buckhorn, Pea, Pecan, Rosy Apple, Walnut), Apple Maggot, Armyworms (including Beet), Beetles (including Colorado Potato, Flea, Mexican Bean, Sap, Spotted Cucumber, Striped Cucumber), Borers (including American Plum, Lesser Peachtree, Peachtree, Peach Twig, Squash Vine, Stalk), Caterpillars (including Alfalfa, Alfalfa Looper, Blueberry Spanworm, Cabbage Looper, Celery Looper, Cranberry Fruitworm, Filbertworm, Green Cloverworm, Green Fruitworm, Hickory Shuckworm, Imported Cabbageworm, Navel Orangeworm, Painted Lady, Pickleworm, Rindworm, Sallmarsh, Tobacco Hornworm, Tomato Fruitworm/Corn Earworm, Tomato Hornworm, Tomato Pinworm, Velvetbean), Chinch Bugs, Corn Borers (including European, Southwestern), Corn Rootworms, Crickets, Cutworms (including Western Bean, Fall Webworms, Flies (including Cherry Fruit, Conesilk, Walnut Husk), Grasshoppers, Lace Bugs, Leafhoppers (including Potato), Leafminers (including Jentiform, Vegetable), Leafrollers (including Oblique Banded, Red-Banded, Variegated), Lygus Bug, Mites, (including Cloves), Moths (including Artichoke Plume, Codling, Diamondback, Oriental Fruit), Pear Psylla, Pecan Leaf Casebearer, Pecan Leaf Phylloxera, Pecan Nut Casebearer, Pecan Spittlebug, Plant Bugs (including Tarnished), Scales (including San Jose), Squash Bug, Stink Bug, (including Brown Marmorated, Kudzu Bug), Weevils (including Black Vine, Carrot, Cow Pea Curculio, Cranberry, Pea, Pecan, Pepper, Plum Curculio), Whiteflies

WHEN TO USE
 • Apply when insects first appear.
 • Re-apply as necessary to maintain control waiting at least 7 days between each application.

HOW TO USE **ORTHO® DIAL 'N' SPRAY® WITH DIRECT CONNECT INSTRUCTIONS**
Set:
 1. Turn dial to 1.5 fl oz.
Connect:
 1. Remove container from Ortho® Dial 'N' Spray®
 2. Remove cap from the concentrate bottle.
 3. Twist the Ortho® Dial 'N' Spray® onto concentrate bottle to attach.
 4. Connect hose to the sprayer and turn on water.
Spray:
 1. Press and hold trigger for continuous spray. Apply evenly.
 2. Spray only until the leaves are wet.
Finish:
 1. Untwist the concentrate bottle from the Ortho® Dial 'N' Spray®
 2. Replace cap on the concentrate bottle.
 3. To clean: Refer to the Ortho® Dial 'N' Spray® cleaning instructions. Refer to the Ortho® Dial 'N' Spray® label and booklet for additional information.
Important: To prevent sprayer from clogging, always clean after use, as directed.

TANK SPRAYER INSTRUCTIONS
 1. Mix 1.5 fl oz (3 Tbs) per gallon of water.

8

HOME VEGETABLE GARDENS, MELONS AND FRUIT & NUT TREES (cont'd)

HOW TO APPLY
 • Apply as a thorough spray, wetting leaves and branches, but do not let runoff occur.
 • Be sure to follow important limitations for the specific edible plant you are spraying, including the amount of spray which can be applied, the interval between sprays, and the days to wait before harvest.
 • Try to spray underside of leaves and penetrate dense foliage. Bottle (32 fl oz) will treat 2,700 sq ft.

VEGETABLES AND FRUITS **DAYS TO HARVEST**

Tomatoes	1
Corn (Sweet corn)	3
Blackberries, Raspberries	3
Lima Beans	3
Peas (Green pea, Snow pea, Sugar Snap pea), Beans (Snap bean, Wax bean), Blackeyed pea	3
Chayote (fruit), Cucumber, Edible gourds, Cantaloupe, Casaba, Honeydew melon, Pumpkin, Summer squash (Zucchini), Winter squash (Butternut squash, Acorn squash, Spaghetti squash), Watermelon	3
Mustard Greens (DO NOT USE IN CA)	7
Broccoli, Chinese broccoli, Cabbage, Cauliflower	7
Peppers (Bell and Non-bell), Eggplant	7
Head Lettuce	7
Pears	14
Pecans	21

9

2.75"

2.75"

2.3125"

2.3125"

5.5625"

5.9375"

INSTRUCCIONES DE USO

Se considera una violación a la ley federal usar este producto con fines distintos de los indicados en la etiqueta. No riegue el área tratada hasta el punto que oscurea. No realice aplicaciones cuando llueva.

APLICACIONES EN EXTERIORES, INCLUYENDO SUPERFICIES IMPERMEABLES

Todas las aplicaciones en exteriores deben limitarse a tratamientos focalizados o en grietas y hendiduras únicamente, excepto para los siguientes usos permitidos:

1. Tratamiento para tierra o vegetación alrededor de estructuras.
2. Aplicaciones para césped, grama y otra vegetación.
3. Aplicación para cimientos de construcción hasta una altura máxima de 3 pies (90 centímetros).

A menos que sean para cimientos de construcción, todas las aplicaciones en exteriores para superficies impermeables, tales como aceras, caminos de entrada, patios, porches y superficies estructurales (como ventanas, puertas y aleros) están limitadas a tratamientos focalizados y en grietas y hendiduras únicamente.

Se prohíbe la aplicación directa en alcantarillas o desagües, o en cualquier área similar a un canalón donde se pueda producir el drenaje hacia alcantarillas, desagües de tormenta, cuerpos de agua o hábitats acuáticos. No permita que el producto ingrese en ningún desagüe durante ni después de la aplicación.

APLICACIÓN EN SUPERFICIES IMPERMEABLES HORIZONTALES

Para impedir que el producto se oscurea a alcantarillas, drenajes pluviales y cunetas, no trate superficies impermeables llanas (como caminos de entrada o aceras), a menos que la superficie este protegida de la lluvia y del rocío de aspersores.

APLICACIÓN EN SUPERFICIES IMPERMEABLES VERTICALES

Control de plagas en superficies exteriores y alrededor de edificios: Se permite la aplicación del producto en superficies impermeables verticales en exteriores (como cimientos) hasta una altura máxima de 3 pies (90 centímetros) sobre el nivel del suelo. Las secciones de las superficies impermeables verticales que conectan con superficies impermeables llanas en exteriores sólo podrán ser tratadas si 1) estas secciones están protegidas de la lluvia y el rocío de aspersores; o 2) las superficies impermeables llanas con las que conectan no escurren hacia una alcantarilla, drenaje pluvial o cuneta.

Tratamiento perimetral: Para las secciones de los cimientos que conectan con superficies impermeables llanas, las áreas tratadas deberán estar protegidas de la lluvia y el rocío de aspersores, a menos que dichas superficies impermeables llanas no escurren hacia una alcantarilla, drenaje pluvial o cuneta.

Los utensilios de cocina, tales como cucharas y tazas medidoras, no deben utilizarse con alimentos luego de usarlas con pesticidas.

Agitar bien**ELIMINA INSECTOS:**

Elimina 300 especies de insectos, incluidas arañas, hormigas, pulgas, garrapatas, mosquitos y escarabajos japoneses.

DÓNDE USARLO

- En rosales y otras plantas ornamentales
- En las hortalizas y los árboles frutales indicados
- En árboles y arbustos
- En céspedes
- Alrededor de cimientos, porches, patios y madera almacenada

10

CUÁNTO USAR

En rosales, plantas ornamentales, huertos, melones y árboles frutales:	Mezcle 3 cucharadas (1.5 onzas líquidas o 44 ml) por galón (3.79 l) de agua. Rocíe las plantas hasta cubrirías completamente.
En céspedes:	Mezcle de 1.5 a 3 cucharadas (de 0.75 onzas líquidas a 1.5 onzas líquidas o de 22 ml a 44 ml) por galón (3.79 l) de agua para rociar y cubrir 125 pies ² (11.6 m ²).
Alrededor de los cimientos:	Mezcle 3 cucharadas (1.5 onzas líquidas o 44 ml) por galón (3.79 l) de agua para rociar y cubrir 65 pies ² (6 m ²).

Personas y mascotas:

Las personas y mascotas pueden entrar a las áreas tratadas después de que se haya secado el rocío.

ROSALES, FLORES, ARBUSTOS Y ÁRBOLES PEQUEÑOS**COMO USARLO****INSTRUCCIONES DEL DIAL 'N SPRAY® DE ORTHO® CON CONEXIÓN DIRECTA****Ajuste:**

1. Gire el selector a la posición de 1.5 onzas líquidas (44 ml).

Conecte:

1. Retire el depósito del Dial 'N Spray® de Ortho®.
2. Quite la tapa de la botella de concentrado.
3. Enrosque el Dial 'N Spray® de Ortho® en la botella de concentrado.
4. Conecte la manguera al rociador y abra la llave del agua.

Rocíe:

1. Apriete la manija del rociador sin soltarla para un rociado continuo. Aplique uniformemente.
2. Rocíe únicamente hasta humedecer la superficie de las plantas.

Termine:

1. Desenrosque la botella de concentrado del rociador Dial 'N Spray® de Ortho®.
2. Vuelva a cerrar la botella de concentrado con la tapa.
3. Para limpiar: consulte las instrucciones de limpieza del Dial 'N Spray® de Ortho®.

Para obtener información adicional, consulte la etiqueta y el folleto del Dial 'N Spray® de Ortho®.

Importante: Para evitar que el rociador se obstruya, límpielo siempre después de usarlo, tal y como se indica.

INSTRUCCIONES DEL ROCIADOR CON DEPÓSITO

1. Agregue 1.5 onzas líquidas (44 ml) por cada galón (3.79 l) de agua.
2. Rocíe las plantas hasta cubrirías por completo.

COMO APLICARLO

- Rocíe para cubrir uniformemente las superficies superiores e inferiores de las hojas, los tallos y las ramas. Al tratar plantas en macetas, también se debe rociar levemente la superficie de la tierra.
- Rocíe cuando no haya brisa para evitar que se desvie el rociado. Aplicar cuantas veces sea necesario, esperando de 7 a 14 días entre cada aplicación. Puede ser necesario realizar de 2 a 3 aplicaciones para los insectos difíciles de controlar.
- Si está previsto que la temperatura exceda los 85 °F (29 °C), rocíe durante las primeras horas de la mañana o durante las últimas horas de la tarde cuando está más fresco.
- La eliminación de los mosquitos que descansan en las zonas tratadas se dará en diferentes períodos luego de la aplicación y dependerá de la exposición de las zonas tratadas a las condiciones climáticas.
- Intente rociar el reverso de las hojas y penetrar el follaje tupido. La botella (32 onzas líquidas o 946 ml) alcanza para tratar 2,700 pies² (251 m²).

11

2.75"

2.75"

2.3125"

2.3125"

5.5625"

5.9375"

ALREDEDOR DE LOS CIMIENTOS DE LA CASA, PORCHES, PATIOS Y MADERA ALMACENADA

No trate la leña para el fuego

CÓMO USARLO	<p>INSTRUCCIONES DEL DIAL 'N SPRAY® DE ORTHO® CON CONEXIÓN DIRECTA</p> <p>Ajuste:</p> <ol style="list-style-type: none"> 1. Gire el selector a la posición de 1.5 onzas líquidas (44 ml). <p>Conecte:</p> <ol style="list-style-type: none"> 1. Retire el depósito del Dial 'N Spray® de Ortho®. 2. Quite la tapa de la botella de concentrado. 3. Enrosque el Dial 'N Spray® de Ortho® en la botella de concentrado. 4. Conecte la manguera al rociador y abra la llave del agua. <p>Rocíe:</p> <ol style="list-style-type: none"> 1. Apriete la manija del rociador sin soltarla para un rociado continuo. Aplique uniformemente. 2. Rocíe únicamente hasta humedecer la superficie. <p>Termine:</p> <ol style="list-style-type: none"> 1. Desenrosque la botella de concentrado del rociador Dial 'N Spray® de Ortho®. 2. Vuelva a cerrar la botella de concentrado con la tapa. 3. Para limpiar: consulte las instrucciones de limpieza del Dial 'N Spray® de Ortho®. <p>Para obtener información adicional, consulte la etiqueta y el folleto del Dial 'N Spray® de Ortho®.</p> <p>Importante:</p> <p>Para evitar que el rociador se obstruya, límpielo siempre después de usarlo, tal y como se indica.</p>
	<p>INSTRUCCIONES DEL ROCIADOR CON DEPÓSITO</p> <ol style="list-style-type: none"> 1. Agregue 1.5 onzas líquidas (44 ml) o 3 cucharadas por cada galón (3.79 l) de agua, por cada 16 pies lineales (4.9 metros) (65 pies² o 6.04 m²).
CÓMO APLICARLO	<ul style="list-style-type: none"> • Para impedir que los insectos entren a la casa, use un rociador de manguera o con depósito para rociar una franja de tierra de 2 pies (60 cm) alrededor de la casa junto a los cimientos. También rocíe los cimientos de la casa hasta una altura de 2 pies (60 cm). • Repita la aplicación cada 14 días, de ser necesario. • La botella (32 onzas líquidas o 946 ml) alcanza para tratar 1,400 pies² (130 m²) de cimientos/perímetro.

12

INSECTOS DE CÉSPED

CUÁNDO CORTAR Y REGAR EL CÉSPED	<ul style="list-style-type: none"> • Aplique al césped cortado y regado en las últimas 24 horas. Se puede volver a cortar el césped después de 2 a 3 días. • Para el control de los grillos topo, riegue de manera abundante inmediatamente después de la aplicación.
CUÁNDO APLICARLO	<ul style="list-style-type: none"> • Aplique tan pronto como aparezcan los insectos. • Espere de 4 a 6 semanas para aplicar nuevamente.
CÓMO USARLO	<p>INSTRUCCIONES DEL DIAL 'N SPRAY® DE ORTHO® CON CONEXIÓN DIRECTA</p> <p>Ajuste:</p> <ol style="list-style-type: none"> 1. Gire el selector a la posición de 1.5 onzas líquidas (44 ml). <p>Conecte:</p> <ol style="list-style-type: none"> 1. Retire el depósito del Dial 'N Spray® de Ortho®. 2. Quite la tapa de la botella de concentrado. 3. Enrosque el Dial 'N Spray® de Ortho® en la botella de concentrado. 4. Conecte la manguera al rociador y abra la llave del agua. <p>Rocíe:</p> <ol style="list-style-type: none"> 1. Apriete la manija del rociador sin soltarla para un rociado continuo. Aplique uniformemente. 2. Rocíe únicamente hasta humedecer la superficie del césped. <p>Termine:</p> <ol style="list-style-type: none"> 1. Desenrosque la botella de concentrado del rociador Dial 'N Spray® de Ortho®. 2. Vuelva a cerrar la botella de concentrado con la tapa. 3. Para limpiar: consulte las instrucciones de limpieza del Dial 'N Spray® de Ortho®. <p>Para obtener información adicional, consulte la etiqueta y el folleto del Dial 'N Spray® de Ortho®.</p> <p>Importante: Para evitar que el rociador se obstruya, límpielo siempre después de usarlo, tal y como se indica.</p>
	<p>INSTRUCCIONES DEL ROCIADOR CON DEPÓSITO</p> <ol style="list-style-type: none"> 1. Agregue de 0.75 a 1.5 onzas líquidas (22 a 44 ml) o 1.5 a 3 cucharadas por cada galón (3.79 l) de agua, por cada 125 pies² (11.6 m²).
CÓMO APLICARLO	<ul style="list-style-type: none"> • Tome las medidas del césped. Calcule los metros cuadrados multiplicando el largo por el ancho. • Rocíe el área medida de manera uniforme. Trate el césped entero. • Una botella (32 onzas líquidas o 946 ml) alcanzará para tratar hasta 5,300 pies² (492 m²). • Insectos difíciles de controlar: para controlar las hormigas carpinteras, rocíe 1.5 onzas líquidas (44 ml) por cada galón (3.79 l) de agua, por cada 65 pies² (6.04 m²). • Los mosquitos que se posen en las áreas tratadas serán eliminados en un periodo de tiempo variable después de la aplicación, dependiendo de la exposición de las áreas tratadas a las condiciones climáticas.

13

2.75"

2.75"

2.3125"

2.3125"

5.5625"

5.9375"

HUERTAS CASERAS, MELONES, Y ÁRBOLES FRUTALES Y DE NUECES	
CUÁNDO USARLO	<ul style="list-style-type: none"> • Aplique tan pronto como aparezcan los insectos. • Aplique nuevamente cuando sea necesario para mantener el control, esperando al menos 7 días entre cada aplicación.
CÓMO USARLO	<p>INSTRUCCIONES DEL DIAL 'N SPRAY® DE ORTHO® CON CONEXIÓN DIRECTA</p> <p>Ajuste:</p> <ol style="list-style-type: none"> 1. Gire el selector a la posición de 1.5 onzas líquidas (44 ml). <p>Conecte:</p> <ol style="list-style-type: none"> 1. Retire el depósito del Dial 'N Spray® de Ortho®. 2. Quite la tapa de la botella de concentrado. 3. Enrosque el Dial 'N Spray® de Ortho® en la botella de concentrado. 4. Conecte la manguera al rociador y abra la llave del agua. <p>Rocíe:</p> <ol style="list-style-type: none"> 1. Apriete la manija del rociador sin soltarla para un rocío continuo. Aplique uniformemente. 2. Rocíe únicamente hasta humedecer las hojas. <p>Termine:</p> <ol style="list-style-type: none"> 1. Desenrosque la botella de concentrado del rociador Dial 'N Spray® de Ortho®. 2. Vuelva a cerrar la botella de concentrado con la tapa. 3. Para limpiar: consulte las instrucciones de limpieza del Dial 'N Spray® de Ortho®. <p>Para obtener información adicional, consulte la etiqueta y el folleto del Dial 'N Spray® de Ortho®.</p> <p>Importante: Para evitar que el rociador se obstruya, límpielo siempre después de usarlo, tal y como se indica.</p> <p>INSTRUCCIONES DEL ROCIADOR CON DEPÓSITO</p> <ol style="list-style-type: none"> 1. Mezcle 1.5 onzas líquidas (44 ml o 3 cucharadas) por cada galón (3.79 l) de agua.
CÓMO APLICARLO	<ul style="list-style-type: none"> • Aplique el producto de manera abundante, mojando las hojas y las ramas, pero sin dejar que escorra. • Asegúrese de respetar las restricciones de importancia para la planta comestible específica que esté rociando, como la cantidad que puede aplicarse, el intervalo entre aplicaciones y los días que hay que esperar antes de la cosecha. • Trate de rociar el reverso de las hojas y penetrar el follaje tupido. Una botella (32 onzas líquidas o 946 ml) alcanzará para tratar 2,700 pies² (251 m²).

14

FRUTAS Y HORTALIZAS	DIAS HASTA LA COSECHA
Tomates	1
Maíz (maíz dulce)	3
Moras y frambuesas	3
Habas	3
Chicharos (verdes, tirabeques, arvejas dulces), ejotes (verdes, amarillos) y frijol de ojo negro	3
Chayote (fruta), pepino, calabazas comestibles, melón, melón verde, melón chino, calabaza, calabacín (zapallito), calabaza de invierno (sidra, bellota y espagueti) y sandía	3
Hojas de mostaza (NO LO USE EN CALIFORNIA)	7
Brócoli, brócoli chino, repollo, coliflor	7
Pimientos (morrón y de otros tipos) y berenjena	7
Cabeza de lechuga	7
Peras	14
Pecanas	21

PRIMEROS AUXILIOS

EN CASO DE INGERIR EL PRODUCTO:	<ul style="list-style-type: none"> • Llame a un centro de control de envenenamientos o al médico para obtener recomendaciones de tratamiento. • Si la persona puede tragar, haga que beba poco a poco un vaso de agua. • No induzca el vómito, a menos que así se lo indique el médico o el centro de control de envenenamientos. • No administre nada por la boca a una persona que haya perdido el conocimiento.
SI ENTRA EN LOS OJOS	<ul style="list-style-type: none"> • Mantenga el ojo abierto y enjuáguelo con agua despacio y con cuidado por 15 a 20 minutos. • Si tuviera lentes de contacto, quítelos después de lavarse con agua los primeros 5 minutos y continúe lavando el ojo. • Llame a un centro de control de envenenamientos o al médico para obtener recomendaciones de tratamiento.

NÚMERO PARA EMERGENCIAS: Tenga a la mano el envase o la etiqueta del producto cuando llame al centro de control de envenenamientos o al médico, o al acudir a recibir tratamiento. También puede llamar al 1-800-225-2883 para recibir ayuda de emergencia.

NOTA PARA EL MÉDICO: Para obtener información de emergencia, llame al 1-800-225-2883.

15

2.75"

2.75"

2.375"

5.6875"

5.9375"

STORAGE & DISPOSAL

PESTICIDE STORAGE:	Keep from freezing. To be stored in original container and placed in area inaccessible to children.
PESTICIDE DISPOSAL AND CONTAINER HANDLING:	If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any drain (including toilet) or capture (including sewer) drain.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear long-sleeved shirt and long pants, socks, shoes, and gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Precautions or frequently repeated skin contact may cause allergic reactions in some individuals.

FIRST AID

IF SWALLOWED:	<ul style="list-style-type: none"> Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF IN EYES:	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

HOTLINE NUMBER: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-225-2883 for In-Home Assistance.

NOTE TO PHYSICIAN: Emergency information call 1-800-225-2883

ENVIRONMENTAL HAZARDS:

This pesticide is extremely toxic to fish, aquatic invertebrates, oysters and shrimp. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run-off to water bodies or drainage systems. Drift and run-off from treated areas may be hazardous to aquatic organisms in neighboring areas. Care should be used when spraying to avoid fish and wildlife present around residential ponds. This product is highly toxic to bees exposed to direct treatment of residues on blooming crops or weeds. Do not apply this product or allow to drift to blooming crops if bees are visiting the treatment area.

PHYSICAL OR CHEMICAL HAZARDS:

Do not apply this product to or on electrical equipment due to the possibility of shock hazard.

NOTICE:

To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of the product not in accordance with directions.

The ORTHO® Guarantee If for any reason you, the consumer, are not satisfied with this product, mail us your original proof of purchase to obtain a full refund of your purchase price.

©2016 The ORTHO Group.
World rights reserved.
Sold by The ORTHO Group
RD, Box 190, Marysville, OH 43040
EPA Reg. No. 230-2718
EPA Est. No. 239-1A, 91, 58996-MD-1A, 085652-OH-1W, 239-M5-001M
Superscript is first letter of lot number.

Questions or Comments
1-800-225-2883

1B7606

PRESS TO RESEAL. PRESIONE PARA VOLVER A CERRAR.

3.5"