

**ACCUSHOT**  
Continuous Power Sprayer™

**Just Aim & Spray**



Extendable Wand  
For Accuracy

**Overnight  
Results**

**MONEY BACK  
GUARANTEE\***

**Spectracide®**



kudzu

poison  
oak

poison  
ivy

**KUDZU, POISON IVY/OAK AND OTHER  
TOUGH BRUSH  
KILLER**

Herbicida para eliminar kudzu,  
hiedra/roble venenoso y  
otros matorrales resistentes

**Kills the Root!**

**Rainproof in Hours! • Also Kills Blackberries & ∞ Other Listed Brush**

Active Ingredients:

*2,4-D, dimethylamine salt.....	0.593%	Contains: *0.493% 2,4-D equivalent,
**Mecoprop-p, dimethylamine salt....	0.144%	**0.119% Mecoprop-p equivalent,
***Dicamba, dimethylamine salt.....	0.066%	***0.055% Dicamba equivalent.
Other Ingredients.....	99.197%	Contains single isomer form of
Total.....	100.000%	MCP-p

**Net Contents 1.33 gal (170 fl oz / 5.03 L)**

NOTE: DO NOT USE ON FLORATAM VARIETY OF  
ST. AUGUSTINEGRASS IN FLORIDA.

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION** See back booklet for additional  
precautionary statements.

**MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS**

**PRECAUCIÓN** Consulte el folleto en la parte posterior para conocer  
las declaraciones preventivas adicionales.

\*For terms of guarantee, see back panel.



**READY  
TO USE**


STOP. READ ENTIRE LABEL BEFORE USE.  
ALTO. LEA TODA LA ETIQUETA ANTES DE USAR.

**Spectracide**

KUDZU, POISON IVY/OAK AND OTHER  
**TOUGH BRUSH  
KILLER**

Herbicida para eliminar kudzu, hiedra/roble venenosos y otros matorrales resistentes

**ACCUSHOT**  
Continuous Power Sprayer™



Kills Over 200 Types  
of Brush and Weeds



Kills Weed Roots






See Results in Hours



Ready to Use

### OPERATING INSTRUCTIONS FOR ACCUSHOT™ SPRAYER



1. Remove sprayer from side holster. Unwrap the tubing.
2. Remove seal from top of cap. Unplug cap.
3. Securely snap the plug into hole on cap.
4. Remove plastic tab near bottom of sprayer to activate batteries.
5. Twist nozzle to adjust spray from CLOSE  to SPRAY  to STREAM .
6. When priming the sprayer, hold sprayer level to the ground. Sprayer may not prime if it is held at an angle. Once primed, it will spray in any direction.

### GUARANTEED RESULTS OR YOUR MONEY BACK

If you are not satisfied with this product for any reason, send your written request for a refund to the address below, together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.

**QUESTIONS & COMMENTS:** Call 1-800-917-5438 or visit our website at [www.spectracide.com](http://www.spectracide.com)

#### HOW TO USE THE ACCUSHOT SPRAYER

- Aim toward target weeds/plants, and away from people and pets. • To improve accuracy, use slider to extend wand.
- Press the trigger to spray. • Release the trigger to stop spray. After use: 1. Twist nozzle completely to CLOSE position. 2. Secure sprayer tip down in holster. 3. Failure to adjust nozzle completely to CLOSE position and properly secure sprayer in holster may result in leakage and damage to property or injury to people or animals.

**To replace batteries:** 1. Use screwdriver to open battery compartment. 2. Remove used batteries and insert four new AA batteries in correct positions as marked per diagram inside of battery compartment. **Never** insert the positive end where the negative end belongs and vice versa. **Always** use a complete set of new batteries of the same type when replacing batteries. **Never** mix alkaline, carbon-zinc or rechargeable batteries. 3. Securely close battery compartment door. 4. **Always** follow manufacturer's recommendations for use and disposal of batteries.

**Additional Operating Notes:** • Do not submerge in water. • Before each use, inspect sprayer carefully — make sure hose is flexible and not kinked, worn or cracked and that all connections are tight. • When storing sprayer for prolonged periods, remove batteries.

**NOTICE:** To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.  
NOTA: Hasta el grado que sea compatible con la legislación pertinente, el comprador asume toda la responsabilidad para seguridad y uso que no estén de acuerdo con las instrucciones.

Distributed by Spectrum Group, Division of United Industries Corporation, PO Box 143642, St. Louis, MO 63114-0642  
EPA Reg. No. 9608-109-8045 EPA Est. Nos. 9608-MO-1 (D), 58566-MO-1 (E), 11623-GA-1 (K), 11623-GA-3 (L)  
Circled letter is first letter of lot number. 17-16080 © 2016 UIC

PROOF OF PURCHASE




FPO UPC  
0 71121 96513 4

**Use Spectracide® Kudzu, Poison Ivy/Oak and Other Tough Brush Killer as directed to spot treat:**

Use el Herbicida para eliminar kudzu, hiedra/roble venenoso y otros matorrales resistentes Spectracide® como se indica para tratamiento localizado.

- |                             |                                     |                               |                           |
|-----------------------------|-------------------------------------|-------------------------------|---------------------------|
| • Annual yellow sweetclover | • Common mullen                     | • Multiflora rose             | • Spotted catsear         |
| • Ash                       | • Cranesbill                        | • Musk thistle                | • Spotted spurge          |
| • Aster                     | • Creeping Jenny (Creeping Charlie) | • Mustard                     | • Spurgeweed              |
| • Austrian fieldgrass       | • Cudweed                           | • Narrowleaf plantain         | • Stinging nettle         |
| • Bedstraw                  | • Curly dock                        | • Narrowleaf vetch            | • Strawberry, India mock  |
| • Beggarticks               | • Daisy, English                    | • Nettle                      | • Sumac                   |
| • Befony, Florida           | • Daisy, fleabane                   | • Orange hawkweed             | • Tall nettle             |
| • Bindweed, field           | • Daisy, oxeye                      | • Oriental cocklebur          | • Tall vervain            |
| • Birch                     | • Dandelion                         | • Oxalis                      | • Tansy ragwort           |
| • Bird vetch                | • Deadnettle                        | • Parsley-piert               | • Tansy mustard           |
| • Bitter wintercress        | • Dichondra                         | • Parsnip                     | • Tanweed                 |
| • Bittercress, hairy        | • Dogbane                           | • Pearlwort                   | • Thistle                 |
| • Bitterweed                | • Dogfenel                          | • Pennycress                  | • Trailing crownvetch     |
| • Black cherry              | • Dolianweed                        | • Pennywort                   | • Trumpet vine            |
| • Black medic               | • Elderberry                        | • Pepperglass                 | • Tumble mustard          |
| • Black mustard             | • English daisy                     | • Peppercow                   | • Tumble pigweed          |
| • Blackberry                | • False dandelion                   | • Pigweed                     | • Velvetleaf              |
| • Black-eyed Susan          | • False sunflower                   | • Venice mallow               | • Virginia buttonweed     |
| • Blackseed plantain        | • Falsefat                          | • Plains coreopsis (tickseed) | • Virginia creeper        |
| • Blessed thistle           | • Fiddleneck                        | • Plantain                    | • Virginia pepperweed     |
| • Bloodflower milkweed      | • Filaree                           | • Poison ivy                  | • Water pennywort         |
| • Blue lettuce              | • Fleabane                          | • Poison oak                  | • Mayleaf bullthistle     |
| • Blue vervain              | • Florida pusley                    | • Poopie                      | • Western clematis        |
| • Bracted plantain          | • Frenchweed                        | • Prairie sunflower           | • Western salsify         |
| • Brambles                  | • Galinsoga                         | • Prickly lettuce             | • White mustard           |
| • Brassbutlons              | • Geothhead                         | • Prickly sida                | • Wild aster              |
| • Britisy oxtongue          | • Goldenrod                         | • Prostrate knotweed          | • Wild buckwheat          |
| • Broadleaf dock            | • Gooseberry                        | • Prostrate pigweed           | • Wild carrot             |
| • Broadleaf plantain        | • Ground ivy                        | • Prostrate spurge            | • Wild cherry             |
| • Broomweed                 | • Gumweed                           | • Prostrate vervain           | • Wild four-o'clock       |
| • Buckhorn                  | • Hackberry                         | • Puncturevine                | • Wild garlic             |
| • Buckhorn plantain         | • Hairy fleabane                    | • Purslane, common            | • Wild geranium           |
| • Bulbous buttercup         | • Hawkweed                          | • Ragweed                     | • Wild lettuce            |
| • Bull thistle              | • Healall                           | • Raspberry                   | • Wild manigold           |
| • Bullnettle                | • Heartleaf drymary                 | • Red sorrel                  | • Wild mustard            |
| • Burclover                 | • Heath aster                       | • Redroot pigweed             | • Wild onion              |
| • Burdock                   | • Hedge bindweed                    | • Redstem filaree             | • Wild parsnip            |
| • Burning nettle            | • Hedge mustard                     | • Rough cinquefoil            | • Wild plum               |
| • Burweed                   | • Hemp                              | • Rough fleabane              | • Wild radish             |
| • Buttercup                 | • Henbit                            | • Russian pigweed             | • Wild rape               |
| • Buttonweed                | • Hoary cress                       | • Russian thistle             | • Wild strawberry         |
| • Canada thistle            | • Hoary plantain                    | • Sagebrush                   | • Wild sweet potato       |
| • Carolina geranium         | • Hoary vervain                     | • Scarlet pimpinell           | • Wild vetch              |
| • Carpetweed                | • Horsenettle                       | • Scotch thistle              | • Wild violet             |
| • Catchweed bedstraw        | • Jimsonweed                        | • Sheep sorrel                | • Woodsorrel              |
| • Catnip                    | • Knotweed                          | • Shepherdspurse              | • Woolly croton           |
| • Catsear                   | • Kochia                            | • Shierder plantain           | • Woolly morningglory     |
| • Cedar                     | • Kudzu                             | • Smallflower galinsoga       | • Woolly plantain         |
| • Chickweed, common         | • Lambsquarters                     | • Smooth dock                 | • Wormseed                |
| • Chickweed, mouseear       | • Lespedeza                         | • Snowberry                   | • Yarrow                  |
| • Chicky                    | • Liliac                            | • Soliva                      | • Yellow rocket           |
| • Cinquefoil                | • Mallow                            | • Sorrel                      | • Yellowflower pepperweed |
| • Clover, crimson           | • Matchweed                         | • Spanshneedles               |                           |
| • Clover, hop               | • Mexicancress                      | • Milk vetch                  |                           |
| • Clover, red               | • Milk vetch                        | • Spiny amaranth              |                           |
| • Clover, strawberry        | • Morningglory                      | • Spiny cocklebur             |                           |
| • Clover, sweet             | • Mouseear hawkweed                 | • Spiny sowthistle            |                           |
| • Clover, white             | • Mugwort                           |                               |                           |
| • Cockle                    |                                     |                               |                           |
| • Cocklebur                 |                                     |                               |                           |

**INSTRUCCIONES DE MANEJO PARA EL ROCIADOR ACCUSHOT™**

1. Retire el rociador del soporte lateral. Desenvuelva el tubo. 2. Retire el sello de la parte superior de la tapa. Desconecte la tapa. 3. Inserte bien el tapón en el orificio en la tapa. 4. Quite la lengüeta de plástico próxima a la parte inferior del rociador para activar las pilas. 5. Gire la boquilla para ajustar el rocio de CLOSE (CERRAR)  a SPRAY (ROCIAR)  o a JUSTEAR (FLUJO) .
6. Al cebar el rociador, sosténgalo al nivel del suelo. Es posible que no se cebe si está inclinado. Una vez cebado, rocíará en cualquier dirección.

**CÓMO USAR EL ROCIADOR ACCUSHOT**

- Dirija hacia las malezas y plantas que tiene como objetivo y lejos de las personas y las mascotas. • Para una mayor precisión, extienda la varilla con la pieza que se desliza. • Presione el gatillo para rociar. • Suelte el gatillo para dejar de rociar. Después de usar: 1. Gire la boquilla completamente hasta la posición CLOSE (cerrar). 2. Asegure la punta del rociador en el diagrama que se encuentra dentro del compartimiento de las pilas. **Nunca** coloque el extremo positivo donde va el extremo negativo ni al revés. Cuando reemplace las pilas, use **siempre** un juego completo de pilas nuevas del mismo tipo. **Nunca** mezcle pilas alcalinas, de carbono zinc ni pilas recargables. 3. Cierre bien la tapa del compartimiento de las pilas. 4. Siga **siempre** las recomendaciones del fabricante sobre el uso y eliminación de las pilas.

**Para reemplazar las pilas:** 1. Abra el compartimiento de las pilas usando un destornillador. 2. Retire las pilas usadas y coloque cuatro pilas AA nuevas en las **posiciones correctas** tal como está indicado en el diagrama que se encuentra dentro del compartimiento de las pilas.

**Nunca** coloque el extremo positivo donde va el extremo negativo ni al revés. Cuando reemplace las pilas, use **siempre** un juego completo de pilas nuevas del mismo tipo. **Nunca** mezcle pilas alcalinas, de carbono zinc ni pilas recargables. 3. Cierre bien la tapa del compartimiento de las pilas. 4. Siga **siempre** las recomendaciones del fabricante sobre el uso y eliminación de las pilas.

**Notas adicionales sobre el funcionamiento:** • No lo sumerja en agua. • Revise cuidadosamente el rociador antes de cada uso, asegure de que la manopla sea flexible y no está retrógrada, gastada ni rota y que todas las uniones estén ajustadas. • Cuando guarde el rociador durante periodos prolongados, retire las pilas.

**ALTO. LEA TODA LA ETIQUETA ANTES DE USAR.**

**MODO DE EMPLEO**

Se considera una violación a la ley federal usar este producto de una manera que no sea la indicada en la etiqueta.

**ALTO** No permita que las personas ni las mascotas entren en la zona tratada hasta que los rocios se hayan secado.

**CÓMO USAR**

Rocio suficiente Herbicida para eliminar kudzu, hiedra/roble venenoso y otros matorrales resistentes Spectracide® solo para cubrir ligeramente las malezas. El **exceso de rocío puede dañar algunos tipos de césped**. No rocíe malezas que crecen dentro de la franja de gólobo de los árboles. No aplique cuando las temperaturas diurnas sean superiores a 85°F ya que se puede dañar el césped. Aplicar cuando las temperaturas son inferiores a los 60°F; puede resultar en un control de las malezas más lento. Rocíe solo las malezas, no todo el césped. Las malezas comenzarán a marchitarse y adquirir color marrón durante la noche. No aplique este producto de modo que entre en contacto con cualquier persona o mascota, ya sea directamente o por arañste. Mantenga a las personas y las mascotas fuera de la zona durante la aplicación y hasta que el rocío se haya secado.

**RESTRICCIONES DE USO**

- Se limita a dos tratamientos localizados por año (un tratamiento localizado se define como un área no más grande que 1,000 pies cuadrados por acre)
- Debe esperar por lo menos 30 días entre las aplicaciones
- Un máximo de 0.046 lb como 2, 4-D o 1 galón por cada 1,000 pies cuadrados

**PRECAUCIONES**

- Puede ser necesario repetir el tratamiento en algunas malezas difíciles de eliminar. Espere por lo menos 30 días entre las aplicaciones; algunas malezas pueden demorar ese tiempo en morir.
- No riegue la zona tratada dentro de las 6 horas de la

**STOP. READ ENTIRE LABEL BEFORE USE.**

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**Do not allow people or pets to enter the treated area until sprays have dried.**

**HOW TO USE**

Spray just enough Spectracide® Kudzu, Poison Ivy/Oak and Other Tough Brush Killer to lightly cover weeds. **Excessive spraying can injure some lawns.** Do not spray weeds growing within the drip-line of trees. Do not apply when daytime temperatures are above 85°F as lawn injury can occur. Application when temperatures are below 60°F may result in slower appearance of weed control. Spray only the weeds, not the entire

lawn. Weeds will begin wilting and browning overnight. Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application and until spray has dried.

### USE RESTRICTIONS

- Limited to two spot treatments per year (a spot application is defined as an area no greater than 1,000 sq ft per acre)
- Minimum of 30 days between applications
- Maximum of 0.046 lb ae 2, 4-D or 1 gal per 1,000 sq ft

### PRECAUTIONS

- Some hard-to-kill weeds may require re-treatment. Wait at least 30 days between applications — some weeds can take that long to die.
- Do not water treated area within six hours after application or apply if rain is expected that day. Do not use this product on or near desirable plants, including within the drip-line of the roots of desirable trees and shrubs, since injury may result. Do not apply directly to or near water, storm drains, gutters, sewers or drainage ditches. Do not apply within 25 ft of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays and oceans. Do not apply when windy. To prevent product runoff, do not overwater the treated area(s) to the point of runoff or apply when raining or when rain is expected that day.

### STORAGE AND DISPOSAL

**Pesticide Storage:** Turn the nozzle to "CLOSE" position. To prevent leakage, attach sprayer to clip. Store this product only in its original container in a secure storage area away from sources of heat or open flame and in an area inaccessible to children and pets. Keep from freezing. **Pesticide Disposal:** Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

### PRECAUTIONARY STATEMENTS

#### Hazards to Humans and Domestic Animals

**CAUTION.** Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. When using this product, wear protective eyewear, long-sleeved shirt, long pants, socks, shoes and rubber gloves. After using this product, rinse clothes before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower. Wash hands thoroughly with soap and water before eating, drinking, chewing gum or using tobacco. Do not contaminate food or feedstuffs.

#### First Aid

**If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.

**If Swallowed:** Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person. **If on Skin:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

Have the product container or label with you when calling a Poison Control Center or doctor, or going to treatment.

#### Environmental Hazards

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters. Do not contaminate domestic or irrigation waters. Do not apply when weather conditions favor drift from target area.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

**NOTICE:** To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

**Questions & Comments?** Call 1-800-917-5438 or visit our website at [www.spectracide.com](http://www.spectracide.com)

aplicación, ni lo aplique si se espera lluvia ese día. No use este producto en, ni cerca de, plantas deseables, incluyendo dentro de la franja de goteo de las raíces de árboles y arbustos deseables, ya que pueden sufrir daños. No lo aplique directamente, ni cerca de, agua, drenajes pluviales, cunetas, alcantarillas ni zanjas de drenaje. No lo aplique en una franja de 25 pies de ríos, estanques de peces, lagos, arroyos, embalses, pantanos, estuarios, bahías y océanos. No lo aplique cuando haya viento. Para evitar el escurrimiento del producto, no riegue en exceso la zona o zonas tratadas hasta el punto de escurrimiento, ni lo aplique cuando llueve o el día que se espere lluvia.

### ALMACENAMIENTO Y ELIMINACIÓN

**Almacenamiento del pesticida:** Gire la boquilla hasta la posición "CLOSE" (cerrar). Para evitar derrames, conecte el rociador a la abrazadera. Guarde este producto solamente en su envase original en un lugar de almacenamiento seguro, lejos de fuentes de calor o del fuego, y que no sea accesible a los niños y las mascotas. No permita que se congele. **Eliminación del pesticida:** Envase no rellenable. No vuelva a usar ni a rellenar este envase. **Si está vacío:** Tirelo en la basura u ofrézcalo para reciclar, si existe esa opción. **Si está parcialmente vacío:** Llame a su servicio de eliminación de desechos más cercano para obtener instrucciones de eliminación. Nunca tire el producto sin usar por ningún drenaje interno ni externo.

### DECLARACIONES PREVENTIVAS

#### Riesgos para los seres humanos y los animales domésticos

**PRECAUCIÓN.** Causa irritación moderada a los ojos. Evite el contacto con los ojos, la piel o la ropa. Cuando utilice este producto, use gafas de protección, camisa de manga larga, pantalones largos, calcetines, zapatos y guantes de goma/hule. Luego de utilizar este producto, enjuague los guantes antes de quitárselos, quítese la ropa y lávela por separado antes de volver a usarla y rápidamente lávese bien las manos y la piel que estuvo expuesta con agua y jabón. Quítese la ropa mojada y báñese en regadera tan pronto como sea posible. Lávese muy bien las manos con agua y jabón antes de comer, beber, mamitar chicle o usar tabaco. No contamine los alimentos para personas o animales.

#### Primeros Auxilios

**Si entra en contacto con los ojos:** Mantenga los ojos abiertos y enjuague con agua lentamente, con cuidado, durante 15 a 20 minutos. Si hay lentes de contacto, retírelas después de los primeros 5 minutos, luego continúe enjuagando los ojos. Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.

**Si se ingiere:** Llame inmediatamente a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento. Si la persona puede tragar, haga que beba poco a poco un vaso de agua. No induzca el vómito a menos que así se lo indique un centro de control de envenenamientos o un médico. No administre nada por la boca a una persona que haya perdido el conocimiento. **Si entra en contacto con la piel:** Quítese la ropa contaminada. Lave inmediatamente la piel con abundante agua durante 15 a 20 minutos. Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento. Cuando llame a un centro de control de envenenamientos o a un médico, o intente obtener tratamiento, tenga a la mano el envase o la etiqueta del producto.

#### Riesgos para el medio ambiente

Este producto es tóxico para los invertibrados acuáticos. El arrastre y el escurrimiento pueden afectar de manera adversa a los invertibrados acuáticos y las plantas que no sean el objetivo. No aplique directamente al agua. No contamine el agua cuando elimine las aguas de lavado del equipo. No contamine el agua con uso doméstico ni el agua de riego. No lo aplique cuando las condiciones climáticas favorezcan el arrastre desde la zona de objetivo.

Este producto químico tiene propiedades y características relacionadas con sustancias químicas detectadas en aguas subterráneas. El uso de este producto químico en zonas de suelos permeables, particularmente donde la capa freática es poco profunda, puede ocasionar la contaminación del agua subterránea. La aplicación alrededor de un tanque de agua o un pozo puede contaminar el agua potable o subterránea.

**NOTA:** Hasta el grado que sea compatible con la legislación pertinente, el comprador asume toda la responsabilidad para seguridad y uso que no estén de acuerdo con las instrucciones.

¿Preguntas o comentarios? Llame al 1-800-917-5438.