

Fast-Acting

MONEY BACK GUARANTEE†

Spectracide®



**KUDZU,
POISON IVY/OAK
and OTHER TOUGH BRUSH KILLER**

CONCENTRATE

Herbicida concentrado para eliminar kudzu, hiedra/roble venenoso y otros matorrales resistentes

Kills The Root!

Rainproof in Hours! • Also Kills Blackberries [†] other listed brush

Active Ingredients:	
2,4-D, 2-ethylhexyl ester.....	9.74%
Dichlorprop-p, 2-ethylhexyl ester.....	4.78%
Dicamba.....	1.65%
Other Ingredients.....	83.83%
Total.....	100.00%

KEEP OUT OF REACH OF CHILDREN
WARNING See back panel for Personal Protective Equipment, First Aid and other precautionary statements.

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS
ADVERTENCIA Consulte el folleto en la parte posterior para conocer el Equipo de protección personal, los Primeros auxilios y otras declaraciones preventivas.

†For terms of guarantee, see back panel.
This product contains: 0.51 lb 2,4-D equivalent per gallon or 6.46%; 0.24 lb Dichlorprop-p per gallon or 3.23%; 0.13 lb Dicamba equivalent per gallon or 1.65%. Contains single isomer form of Dichlorprop-p. Contains aromatic petroleum distillates.

**Net 32 fl oz
(1 qt / 946 mL)**

MIX WITH WATER



17-13748

TM



STOP READ ENTIRE LABEL BEFORE USE.
ALTO. LEA TODA LA ETIQUETA
ANTES DE USAR.

PEEL HERE
RESEALABLE LABEL
ABRA AQUÍ
ETIQUETA RESELLABLE

KUDZU, POISON IVY/OAK and OTHER TOUGH BRUSH KILLER

CONCENTRATE

Herbicida concentrado para eliminar kudzu, hiedra/roble venenoso y otros matorrales resistentes

Fast-Acting!	Also Kills Stumps
Kills the Root	Makes 10 Gallons of Spray

PRODUCT FACTS

WHAT IT DOES:
Kills over 120 types of brush, weeds and vines, including poison ivy, poison oak, kudzu, sumac, blackberries and stumps.

QUESTIONS & COMMENTS:
Call 1-800-917-5438 or visit our website at www.spectracide.com

WHERE TO USE:
Outdoors along fence lines, walkways and driveways and around buildings and your property.

GUARANTEED RESULTS OR YOUR MONEY BACK

If you are not satisfied with this product for any reason, send your written request for a refund to the address at right, together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

NOTA: Hasta el grado que sea compatible con la legislación pertinente, el comprador asume toda la responsabilidad para seguridad y uso que no estén de acuerdo con las instrucciones.

Questions & Comments? Call 1-800-917-5438 or visit our website at www.spectracide.com

Distributed by Spectrum Group
Division of United Industries Corporation
PO Box 142642, St. Louis, MO 63114-0642
EPA Reg. No. 9688-286-8845

EPA Est. Nos. 9688-MO-1 (U), 39754-WI-1 (R), 79533-WI-1 (BT),
39609-MO-1 (RM), 58996-MO-1 (AE), 11623-GA-1 (K)
Circled letter is first letter of lot number. 17-13749 © 2011 UIC

PROOF OF PURCHASE

FPO UPC
0 71121 95967 6

Primeros Auxilios

Si entra en contacto con los ojos:	<ul style="list-style-type: none"> Mantenga los ojos abiertos y enjuague con agua lentamente, con cuidado, durante 15 a 20 minutos. Si hay lentes de contacto, retírelos después de los primeros 5 minutos, luego continúe enjuagando los ojos. Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.
Si entra en contacto con la piel o la ropa:	<ul style="list-style-type: none"> Quítese la ropa contaminada. Lave inmediatamente la piel con abundante agua durante 15 a 20 minutos. Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.
Si se ingiere:	<ul style="list-style-type: none"> Llame inmediatamente a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento. No induzca el vómito, a menos que así se lo indique un centro de control de envenenamientos o un médico. No administre nada de líquido a la persona. No administre nada por la boca a una persona que haya perdido el conocimiento.
Si es inhalado:	<ul style="list-style-type: none"> Saque a la persona al aire fresco. Si la persona no respira, llame al 911 o a una ambulancia. Luego adminístrele respiración artificial, preferentemente boca a boca, si es posible. Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.
Cuando llame a un centro de control de envenenamientos o a un médico, o intente obtener tratamiento, tenga a la mano el envase o la etiqueta del producto.	

Nota para el médico: Contiene destilados de petróleo; los vómitos pueden causar neumonía por aspiración.

Riesgos para el medio ambiente

Este producto es tóxico para los peces e invertebrados acuáticos. No lo aplique directamente al agua, a zonas donde haya aguas superficiales o áreas intermareales por debajo de la marca promedio correspondiente al nivel más alto del agua. El arrastre y el escurrimiento pueden resultar peligrosos para los organismos acuáticos de las aguas cercanas a la zona de tratamiento. No contamine el agua cuando elimine las aguas de lavado del equipo o cuando elimine los desechos.

Este producto químico tiene propiedades y características relacionadas con sustancias químicas detectadas en aguas subterráneas. El uso de este producto químico en zonas de suelos permeables, particularmente donde la capa freática es poco profunda, puede ocasionar la contaminación del agua subterránea. La aplicación alrededor de un tanque de agua o un pozo puede contaminar el agua potable o subterránea.

Riesgos Físicos o Químicos

Combustible: No lo use ni guarde cerca de una fuente de calor ni del fuego.

Spectracide® Kudzu, Poison Ivy/Oak and Other Tough Brush Killer Concentrate is intended for the control of woody plants, vines and broadleaf weeds. It controls the listed varieties of brush, woody plants, vines and broadleaf weeds along fence lines, walkways and driveways and around homes, buildings and overgrown areas around your property. Brush and weeds can be treated with either foliar applications or cut stump applications.

- Ash
- Aspen
- Aster
(white heath and white prairie)
- Bedstraw
- Beggarweed
(creeping)
- Bindweed
- Birch
- Black cherry
- Black locust
- Black medic
- Blackberry
- Brambles
- Broadleaf plantain
- Buckbrush
- Buckhorn
- Buckhorn plantain
- Bull thistle
- Burclover
- Burdock
(common)
- Carpetweed
- Cedar
- Cherry
- Chickweed
(common)
- Chicory
- Cinquefoil
- Clover
- Compassplant
- Cottonwood
- Curly dock
- Dandelion
- Dayflower
- Deadnettle
- Dogfennel
- Dogwood
- Elm
- English daisy
- False dandelion
(*spoiled catsear and common catsear)
- Field bindweed
(*morningglory and creeping Jenny)
- Field oxeye-daisy
(*creeping oxeye)
- Filaree
(whitestem and redstem)
- Florida pusley
- Gooseberry
- Ground ivy
- Groundsel
- Hawkweed
- Healall
- Henbit
- Honey locust
- Honeysuckle
- Jimsonweed
- Knotweed
- Kochia
- Kudzu
- Lambsquarters
- Lawn burweed
- Lespedeza
(common)
- Mallow
(common)
- Matchweed
- Morningglory
- Mouseear chickweed
- Multiflora rose
- Mustard
- Nettle
- Oak
- Oxalis
(*yellow woodsorrel and creeping woodsorrel)
- Parsley-piert
- Pennsylvania smartweed
(*smartweed)
- Pennywort
(*dollarweed)
- Peppergrass
- Pepperweed
- Pigweed
- Pine
- Pineappleweed
- Plantain
- Poison ivy
- Poison oak
- Prostrate Knotweed
(*knotweed)
- Puncturevine
- Purslane
- Ragweed
- Red sorrel
(*sheep sorrel)
- Shepherdspurse
- Shortleaf pine
- Smartweed
- Speedwell
- Spotted spurge
- Spruce
- Spurge
- Sumac
- Sunflower
- Sycamore
- Thistle
- Trumpet vine

- Velvetleaf
(*pie marker and Indian mallow)
- Veronica
(*corn speedwell)
- Virginia buttonweed
- White clover
(*Dutch clover, honeysuckle clover,
- white trefoil and purplewort)
- Wild carrot
- Wild garlic
- Wild geranium
- Wild lettuce
- Wild mustard
- Wild onion
- Wild plum
- Wild strawberry
- Wild violet
- Willow
- Yarrow
- Yellow rocket

STOP READ ENTIRE LABEL BEFORE USING.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. *For outdoor use around the home only.*



Do not allow people (other than applicator) or pets on treatment area during application. Do not enter or allow others to enter treatment area until spray has dried.

USE PRECAUTIONS

- (1) Apply when air is calm to avoid the possibility of drift onto nearby vegetables, ornamental plants, grass or other desirable plantings.
- (2) Keep away from the roots of desirable plants and trees.
- (3) Avoid sprays that are too fine because they can drift and damage other plants.
- (4) Take extra care to control spray drift or runoff around carpetgrass, dichondra, St. Augustinegrass or bentgrass to avoid lawn damage. Clover will be damaged by spray.
- (5) Treating when air temperatures exceed 85°F could cause damage to nearby grass.

Other Use Information

1. Use a lawn and garden pressure sprayer or similar sprayer to apply.
2. For best results, treat during warm weather when brush and broadleaf weeds are actively growing.
3. Do not water within 24 hours after treatment. Poor control may result if spray is applied just before rain.
4. Use around established lawns (grass that has been mowed at least three times).
5. Seed can be sown three to four weeks after treatment.
6. Poor performance may result with treatments following a frost.

HOW TO MIX

Using the appropriate measurements given below, add half of the water to the sprayer. Slowly add the product. Add the remaining water, close the sprayer and shake well to mix. To prevent separation, mix thoroughly and shake often while spraying. NOTE: 1 fl oz = 2 Tbsp; 1 qt = 32 fl oz = 2 pints = 4 cups.

FOLIAGE TREATMENT

Treating the foliage of brush and weeds is effective throughout the growing season, from the spring when leaves are full until leaves drop in the fall.

Mix 2.5-5 fl oz (5-10 Tbsp) of product in 1 gal of water following the directions under *How to Mix*. Use higher rates for larger plants, dense growth or well established brush. Thoroughly wet all leaves, stems and shoots. Allow five to seven days after treating before cutting or removing treated area. Reapply to regrowth on resistant plants if needed. This product is most effective against young, actively growing brush and weeds.

CUT STUMP TREATMENT

This treatment method is most effective on stumps with diameters larger than 3-4 inches and works throughout the year except when snow, ice or water prevents complete spray coverage. **Mix 20 fl oz (2½ cups) of product with 1 gal of water following the directions under *How to Mix*.** Mineral oil, kerosene or diesel oil (No. 1 or No. 2 fuel oil) may be substituted for water. Apply to freshly cut stumps. Thoroughly wet the cut surface, bark and exposed roots. Treat the entire stump, drenching it until runoff begins.

STUMP REMOVAL

Once the stump has been killed, decomposition can be accelerated using a stump removal product such as Spectracide® Stump Remover, a ready-to-use formula that won't harm the surrounding soil. Read and follow all directions on the product label.

STORAGE AND DISPOSAL

Pesticide Storage: Store in original container in a locked storage area inaccessible to children. **Pesticide Disposal and Container Handling:** If empty: Nonrefillable container. Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

WARNING. Causes substantial but temporary eye injury. Causes skin irritation. Harmful if swallowed or absorbed through skin. Do not get in eyes or on skin or clothing. When using this product, wear coveralls over short-sleeved shirt and short pants, socks, chemical-resistant shoes, goggles, chemical-resistant gloves, chemical-resistant apron when mixing product or cleaning equipment, and chemical-resistant headgear for overhead exposure. After using this product, rinse gloves before removing, remove clothing and launder separately before reuse and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower. Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried.

First Aid	
If in Eyes:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a Poison Control Center or doctor for treatment advice.
If on Skin or Clothing:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a Poison Control Center or doctor for treatment advice.
If Swallowed:	<ul style="list-style-type: none">• Immediately call a Poison Control Center or doctor for treatment advice.• Do not induce vomiting unless told to do so by the Poison Control Center or doctor.• Do not give any liquid to the person.• Do not give anything by mouth to an unconscious person.
If Inhaled:	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.• Call a Poison Control Center or doctor for treatment advice.
Have the product container or label with you when calling a Poison Control Center or doctor or when going for treatment.	

Note to Physician: Contains petroleum distillates — vomiting may cause aspiration pneumonia.

Environmental Hazards

This product is toxic to fish and aquatic invertebrates. Do not apply directly to water, areas where surface water is present or intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment washwaters or rinsate.

The chemicals in this product have properties and characteristics associated with chemicals detected in groundwater. The use of this product in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

Physical or Chemical Hazards

Combustible. Do not use or store near heat or open flame.

El herbicida concentrado para eliminar kudzu, hiedra/roble venenoso y otros matorrales resistentes de Spectracide® está diseñado para el control de plantas leñosas, enredaderas y malezas de hoja ancha. Controla las variedades enumeradas de matorrales, plantas leñosas, enredaderas y malezas de hoja ancha a lo largo de cercas, senderos y caminos de entrada de automóviles y alrededor de casas, edificios y otras zonas con maleza cerca de su propiedad. Los matorrales y las malezas pueden tratarse con aplicaciones foliares o en tocones de árbol cortados.

ALTO LEA TODA LA ETIQUETA ANTES DE USAR.

MODO DE EMPLEO

Se considera una violación a la ley federal usar este producto de una manera que no sea la indicada en la etiqueta. *Sólo para usar al aire libre alrededor de la casa.*



No permita que las personas (aparte de la persona que aplica el producto) ni las mascotas entren en la zona tratada durante la aplicación. No entre ni permita otras personas de entrar en la zona tratada hasta que el rocío se haya secado.

PRECAUCIONES DE USO

(1) Aplique cuando no haya viento para evitar la posibilidad de arrastre en hortalizas, plantas ornamentales, césped u otras plantas deseables cercanas. (2) Mantenga alejado de las raíces de las plantas y árboles deseables. (3) Evite los rocíos demasiados finos ya que pueden arrastrarse y dañar otras plantas. (4) Tenga especial cuidado de controlar el arrastre de rocío o escurrimiento alrededor del césped alfombra, dichondra, el césped San Agustín o agróstide para evitar dañar el césped. El trébol se daña con el rocío. (5) Dar tratamiento cuando la temperatura excede los 85°F puede causar daños al césped cercano.

Información sobre el uso

1. Use un rociador de presión para céspedes y jardines o un rociador parecido para aplicarlo.
2. Para mejores resultados, trate en época de calor cuando los matorrales y las malezas de hoja ancha están en crecimiento activo.
3. No riegue durante las 24 horas siguientes al tratamiento. El control puede resultar deficiente si se aplica justo antes de llover.
4. Use alrededor de céspedes establecidos (que ya haya sido cortado por lo menos tres veces).
5. Puede sembrar semillas de tres a cuatro semanas después del tratamiento.
6. Los tratamientos después de una helada pueden resultar poco eficientes.

CÓMO MEZCLAR

Usando las medidas correctas que se ofrecen abajo, añada la mitad del agua al rociador. Añada el producto lentamente. Agregue el resto del agua, cierre el rociador y agite bien para mezclar. Para evitar que se separe, mezcle bien y agite con frecuencia mientras rocía. NOTA: 1 oz. líq. = 2 cdas. soperas; 1 qt = 32 oz. líq. = 2 pintas = 4 tazas.

TRATAMIENTO PARA FOLLAJE

Tratar el follaje de los matorrales y las malezas es efectivo durante la temporada de crecimiento, desde la primavera cuando las hojas están completas hasta que se caen en otoño.

Mezcle 2.5-5 oz. líq. (5-10 cdas. soperas) del producto en 1 gal. de agua siguiendo las instrucciones en *Cómo mezclar*. Utilice dosis más altas para plantas más grandes, crecimiento espeso o matorrales bien establecidos. Moje bien todas las hojas, tallos y retoños. Deje pasar de cinco a siete días después del tratamiento para cortar o eliminar la zona tratada. Aplique otra vez a los nuevos brotes en las plantas resistentes si es necesario. Este producto es más efectivo contra los matorrales y malezas jóvenes en crecimiento activo.

TRATAMIENTO EN TOCONES CORTADOS

Este método de tratamiento es más efectivo en tocones de árbol con diámetros mayores de 3-4 pulgadas y funciona todo el año, excepto cuando la nieve, el hielo o el agua evitan la cobertura completa del rocío. **Mezcle 20 oz. líq. (2½ tazas) del producto en 1 gal. de agua siguiendo las instrucciones en *Cómo mezclar*.** Puede reemplazar el agua con aceite mineral, queroseno o diesel (combustible No. 1 o No. 2). Aplique a los tocones recién cortados. Moje bien la superficie cortada, la corteza y las raíces expuestas. Trate el tocón completo, empapándolo hasta que comience a escurrir.

ELIMINACIÓN DEL TOCÓN

Cuando el tocón esté muerto, puede acelerar la descomposición usando un producto para eliminar el tocón como el eliminador de tocones de Spectracide®, una fórmula lista para usar que no hará daño a la tierra de los alrededores. Lea y siga todas las instrucciones en la etiqueta del producto.

ALMACENAMIENTO Y ELIMINACIÓN

Almacenamiento del pesticida: Guarde en su envase original en un lugar de almacenamiento cerrado inaccesible a los niños. **Eliminación del pesticida y manipulación del envase:** Si está vacío: Envase no rellenable. No vuelva a usar este envase. Tírelo en la basura u ofrézcalo para reciclar, si existe esa opción. Si está parcialmente vacío: Llame a su servicio de eliminación de desechos más cercano para obtener instrucciones de eliminación. Nunca tire el producto sin usar por ningún drenaje interno ni externo.

DECLARACIONES PREVENTIVAS

Riesgos para los seres humanos y los animales domésticos

ADVERTENCIA. Causa daño considerable a los ojos, aunque temporal. Causa irritación de la piel. Nocivo si se ingiere o se absorbe por la piel. Evite el contacto con los ojos, la piel o la ropa. Cuando utilice este producto, use un overol sobre camisa de manga corta y pantalones cortos, calcetines, zapatos resistentes a los productos químicos, gafas de protección, guantes resistentes a los productos químicos, delantal resistente a los productos químicos al mezclar el producto o limpiar el equipo y sombrero resistente a los productos químicos si hay exposición aérea. Después de usar este producto, enjuague los guantes antes de quitárselos, quítese la ropa y lávela por separado antes de volver a usarla y rápidamente lávese muy bien las manos y la piel que estuvo expuesta, con agua y jabón. Quítese la ropa mojada y báñese en regadera tan pronto como sea posible. No permita que las personas (aparte de la persona que aplica el producto) ni las mascotas entren en la zona de tratamiento durante la aplicación. No entre en las zonas de tratamiento hasta que el rocío se haya secado.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

WARNING. Causes substantial but temporary eye injury. Causes skin irritation. Harmful if swallowed or absorbed through skin. Do not get in eyes or on skin or clothing. When using this product, wear coveralls over short-sleeved shirt and short pants, socks, chemical-resistant shoes, goggles, chemical-resistant gloves, chemical-resistant apron when mixing product or cleaning equipment, and chemical-resistant headgear for overhead exposure. After using this product, rinse gloves before removing, remove clothing and launder separately before reuse and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower. Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried.

First Aid • If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice. **If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice. **If Swallowed:** Immediately call a Poison Control Center or doctor for treatment advice. Do not induce vomiting unless told to do so by the Poison Control Center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. **If Inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a Poison Control Center or doctor for treatment advice. • Have the product container or label with you when calling a Poison Control Center or doctor or when going for treatment.

Note to Physician: Contains petroleum distillates — vomiting may cause aspiration pneumonia.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

Questions & Comments? Call 1-800-917-5438 or visit our website at www.spectracide.com

DECLARACIONES PREVENTIVAS

Riesgos para los seres humanos y los animales domésticos

ADVERTENCIA. Causa daño considerable a los ojos, aunque temporal. Causa irritación de la piel. Nocivo si se ingiere o se absorbe por la piel. Evite el contacto con los ojos, la piel o la ropa. Cuando utilice este producto, use un overol sobre camisa de manga corta y pantalones cortos, calcetines, zapatos resistentes a los productos químicos, gafas de protección, guantes resistentes a los productos químicos, delantal resistente a los productos químicos al mezclar el producto o limpiar el equipo y sombrero resistente a los productos químicos si hay exposición aérea. Después de usar este producto, enjuague los guantes antes de quitárselos, quítese la ropa y lávela por separado antes de volver a usarla y rápidamente lávese muy bien las manos y la piel que estuvo expuesta, con agua y jabón. Quítese la ropa mojada y báñese en regadera tan pronto como sea posible. No permita que las personas (aparte de la persona que aplica el producto) ni las mascotas entren en la zona de tratamiento durante la aplicación. No entre en las zonas de tratamiento hasta que el rocío se haya secado.

Primeros Auxilios • Si entra en contacto con los ojos: Mantenga los ojos abiertos y enjuague con agua lentamente, con cuidado, durante 15 a 20 minutos. Si hay lentes de contacto, retírelos después de los primeros 5 minutos, luego continúe enjuagando los ojos. Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento. **Si entra en contacto con la piel o la ropa:** Quítese la ropa contaminada. Lave inmediatamente la piel con abundante agua durante 15 a 20 minutos. Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento. **Si se ingiere:** Llame inmediatamente a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento. No induzca el vómito, a menos que así se lo indique un centro de control de envenenamientos o un médico. No administre nada de líquido a la persona. No administre nada por la boca a una persona que haya perdido el conocimiento. **Si es inhalado:** Saque a la persona al aire fresco. Si la persona no respira, llame al 911 o a una ambulancia. Luego adminístrele respiración artificial, preferentemente boca a boca, si es posible. Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento. • Cuando llame a un centro de control de envenenamientos o a un médico, o intente obtener tratamiento, tenga a la mano el envase o la etiqueta del producto.

Nota para el médico: Contiene destilados de petróleo; los vómitos pueden causar neumonía por aspiración.

NOTA: Hasta el grado que sea compatible con la legislación pertinente, el comprador asume toda la responsabilidad para seguridad y uso que no estén de acuerdo con las instrucciones.

¿Preguntas o comentarios? Llame al 1-800-917-5438.

Distributed by Spectrum Group, Division of United Industries Corporation

PO Box 142642, St. Louis, MO 63114-0642

EPA Reg. No. 9688-286-8845 EPA Est. Nos. 9688-MO-1(U), 39754-WI-1(R), 79533-WI-1(BT),

39609-MO-1(BM), 58996-MO-1(AE), 11623-GA-1(CK)

Circled letter is first letter of lot number. 17-13749 © 2011 UIC