



HOME DEFENSE[®]

INSECT KILLER FOR LAWNS GRANULES GRANULOS DE INSECTICIDA PARA CÉSPEDES

3 MONTH PROTECTION**
**3 MESES DE PROTECCIÓN

KILLS BUGS* OUTSIDE BEFORE THEY COME INSIDE MATA LOS INSECTOS* EN EXTERIORES ANTES DE ELLOS ENTRAN

*Refer to back panel for complete insect lists

TREATS UP TO 10,000 SQ FT TRATA HASTA 10,000 PIES CUADRADOS

**Refer to back panel for the insects controlled for 3 months

KEEP OUT OF REACH OF CHILDREN

CAUTION See back panel for additional precautionary statements

MANTENER FUERA DEL ALCANCE DE LOS NIÑOS

PRECAUCIÓN Consulte el panel posterior para declaraciones de precaución adicionales

ACTIVE INGREDIENTS

Other Ingredients

OTHER INGREDIENTS

Net Weight

Net Weight

Net Weight

Net Weight

Net Weight

Net Weight



STARTS CREATING A BUG BARRIER IN MINUTES

NET WT / PESO NETO 10 lb / 4.54 kg

ORTHO HOME DEFENSE

INSECT KILLER FOR LAWNS GRANULES SATISFACTION GUARANTEED OR YOUR MONEY BACK!

- ✓ 3 Month Protection**
- ✓ Kills All Listed Home Invading Bugs*
- ✓ Fast Acting
- ✓ Kills Bugs* Which Annoy People and Pets
- ✓ Treats up to 10,000 SQ FT

INSECT KILLER FOR LAWNS GRANULES

SATISFACTION GUARANTEED OR YOUR MONEY BACK!

3 Month Protection**

Keeps Bugs* From Coming Inside

Fast Acting

Kills Bugs* Which Annoy People and Pets

Treats up to 10,000 SQ FT



ORTHO® & YOUR ENVIRONMENT

Your home and yard are places for family and pets to enjoy. That's why Ortho® products are designed with care to provide effective solutions to insect problems outside your home. For best results and a healthy environment, please follow instructions for appropriate usage, storage and disposal.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Apply this product directly to the lawn or garden area or non-hard surfaces around the perimeter of your home. Water treated area as directed on this label. Do not water to the point of run-off. Do not make applications during rain.

Do not apply to hard surfaces such as sidewalks, driveways and streets where the product is likely to wash off into sewers and waterways.

Apply proactively to prevent infestation.

Otherwise, apply when insect activity or damage is first observed in the lawn (lawn thins and turns brown or moths fly from the grass when you mow).

Do not treat just the browned area of lawn. To prevent further damage, treat entire lawn.

Repeat application is necessary only if there are signs of renewed insect activity.

In New York State, this product may NOT be applied to any grass or turf area (lawns) within 100 feet of a water body (lake, pond, river, stream, wetland, or drainage ditch).

In New York State, do make a single repeat application of this product if there are signs of renewed insect activity, but not sooner than two weeks after the first application.

Do not allow people or pets to re-enter lawn until dry.

PRODUCT FACTS

INSECTS KILLED/CONTROLLED FOR 3 MONTHS

Use Ortho® Home Defense® Insect Killer for Lawns Granules to kill and provide 3 month residual control of:

- **Ants** Acrobat, Allegheny Mound, Argentine, Big Headed, Black Turf, Citronella, Cornfield, Crazy, Ghost, Little Black, Odorous, Pavement, Pyramid, Red Harvester, Small Honey, Thief, White Footed
- **Armyworms** Fall, Lawn
- **Beetles** Billbugs (Bluegrass & Hunting), Black Turfgrass Ateanias, Dichondra Flea, Ground, Lady Beetles (Asian, Convergent, Seven-Spotted, Thirteen-Spotted & Twice-Stubbed), Weevils (Annual Bluegrass)
- **Bristletails**
- **Caterpillars** Cutworms (Black, Bronzed, Granulate, & Variegated), Fleety Skipper, Striped Grassworm, Webworms (Sod & Tropical Sod)
- **Chiggers**
- **Chinch Bugs**
- **Crickets** Arizona, Common Short Tailed, Eastern Striped, Fall Field, House, Indies Short Tailed, Northern Wood, Sand Field, Southeastern Field, Southern Wood, Spring Field, Texas Field, Tropical, Variable Field, Vocal Field, Western Striped
- **Earwigs**
- **Firebrats**
- **Flies** European Crane (larvae), Frit
- **Grasshoppers**
- **Greenbug**
- **Leafhoppers**
- **Mealybugs**
- **Millipedes**
- **Mole Crickets** Southern, Tawny
- **Moths** Lucerne
- **Pillbugs**
- **Scorpions** Arizona Stripetail, California Common, Eastern Sand, Lesser Stripetail, Northern, Southern Unstriped, Yellow Ground
- **Seed Maggots**
- **Sowbugs**
- **Spiders** Burrowing Wolf, Longbodied Cellar, Marbled Cellar, Pirate Wolf, Shortbodied Cellar, Thinklegged Wolf
- **Spirit Bugs** Two Lined
- **Ticks*** American Dog, Brown Dog
*including those that transmit Lyme Disease
- **Wireworms**

INSECTS KILLED/CONTROLLED

Ortho® Home Defense® Insect Killer for Lawns Granules. Also Kills:

- **Ants** Carpenter, Pharaoh
- **Centipedes**
- **Fleas**
- **Springtails**

For grub control, apply Scotts® GrubEx® Season-Long Grub Killer anytime from early April to August

WHERE TO APPLY	Lawns Around Home Foundations (Perimeter Treatment) Ornamental and Flower Gardens Vegetable Gardens
WHEN TO APPLY	Apply early in the Spring or Summer to prevent infestation. Otherwise, apply at the first sign of insect activity or damage.
HOW TO APPLY	For best results, treated area should be thoroughly watered immediately after application.
On Lawns	<ul style="list-style-type: none"> • Using a spreader designed for application of granular materials, uniformly apply 1 to 2 lbs over 1000 sq ft. • Leave a one-foot wide untreated strip of lawn next to hard surfaces (such as sidewalks and driveways) and sewer drains to prevent potential run-off into sewers and waterways. • For season long, (3 month) control, apply 4 lbs of product for every 1,000 sq ft. • A 10 pound bag will treat up to 10,000 sq ft of lawn.
On Ornamentals & Flowers	<ul style="list-style-type: none"> • Apply 0.5 to 1 lb of product evenly over each 500 sq ft area. Repeat if there are signs of renewed insect activity. • Product can be applied just before planting or after plants emerge.
Vegetable Gardens	<ul style="list-style-type: none"> • A single application may be applied just prior to planting or after plants emerge and worked into the top 4 to 6 inches of soil. • Use 1 lb of product for a 500 sq ft area.
Home Foundation	<ul style="list-style-type: none"> • Evenly apply a 2 foot wide band next to the home foundation. • Use 0.5 to 1 lb of product for each 500 sq ft (2 ft x 250 ft). • For 3 month control, apply 2 lbs of product for every 500 sq ft. • Re-apply after 3 months if necessary.

Ortho® Home Defense® Insect Killer for Lawns Granules can be applied to the vegetables listed below

CROP	DAYS TO WAIT TO HARVEST
Tomatoes, sweet com	1
Green peas, sugar snap peas, snow peas, green beans (wax beans, snap beans), dry beans (black-eyed peas, cow pea), cucumber, gourds, muskmelon, pumpkin, squash, and watermelon	3
Artichoke	5
Broccoli, Chinese broccoli, cabbage, cauliflower, kohlrabi, mustard greens, eggplant, head lettuce, peppers (bell and non-bell)	7

SPREADER TIPS For best results, use a Scotts® Spreader

SPREADER	SPREADER SETTINGS		
	Pounds of product / 1,000 sq ft		
	1 lb	2 lbs	4 lbs
Scotts® Drop Spreader	5 1/2	7	9

Directions: Mow lawn first if grass is tall enough to touch the bottom of the spreader. First apply two header strips. Operate spreader the longest way of the lawn. Overlap wheel marks to ensure uniform coverage. Shut off spreader when you have reached the header strips or stopped.

Scotts® SpeedyGreen™ or EdgeGuard® Rotary 3 • 4 1/2 • 6 1/4

Directions: Shut off spreader anytime you stop. For complete coverage, make each pass about 5 feet from the wheel track so that some overlapping occurs. For even application, walk at a steady pace slightly overlapping each pass.

• 1 lb/1,000 sq ft is equivalent to 0.5 lb/500 sq ft
When using other spreaders, calibrate the spreader settings based on the manufacturer's recommendations.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Do not get in eyes or on clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

FIRST AID

If in eyes:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

HOTLINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-225-2883 for emergency assistance.

NOTE TO PHYSICIAN

This product is a pyrethroid. If large amounts have been ingested, milk, cream or other digestible fats and oils may increase absorption and so should be avoided. For Information Regarding the Use of this Product Call 1-800-225-2883.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish and aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters.

Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

PHYSICAL AND CHEMICAL HAZARDS

Do not mix or allow contact with oxidizing agents. Hazardous chemical reaction may occur.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Keep out of reach of children and animals. Store in original bag only. Store in a clean, dry, well ventilated place and avoid excess heat. For bags after partial use, reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling, if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTICE: To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

If you are a retail buyer, the consumer, are not satisfied with this product, mail to your original point of purchase to obtain a full refund of your purchase price.

Questions or Comments
Call 1-800-225-2883 www.ortho.com

©2016 The Ortho Group.
World rights reserved.

Sold by
The Ortho Group
P.O. Box 190
Marysville, OH 43040

EPA Reg. No. 239-2726
EPA Est. No. 58996-MO-1A,
9198-AL-001, 9198-OH-20,
9198-OH-1M, 82757-MA-002F,
084175-TX-001B, 35512-FL-2H,
35497-OR-1W, 82757-OH-001F,
82757-FL-001T, 538-SC-001P,
538-OH-2V

Superscript is first letter of lot number.



WHAT IT DOES: WHERE TO USE: WHEN TO USE:

Kills All Listed Home Invading Bugs*

Use on lawns, ornamentals, home perimeter, listed edibles (in vegetable gardens) and flower beds

Apply at first sign of insect damage or activity

Refer to back panel for complete insect lists **Refer to back panel for the insects controlled for 3 Months

ORTHO® Y SU ENTORNO

En su hogar y su jardín son lugares que su familia y sus mascotas deben disfrutar. Es por eso que los productos Ortho® están diseñados cuidadosamente para proporcionar soluciones efectivas a los problemas de plagas en el exterior de su hogar. Para lograr los mejores resultados y proteger el medio ambiente, por favor siga las instrucciones de uso, almacenamiento y eliminación.

INSTRUCCIONES DE USO

Se considera una violación a la ley federal usar este producto con fines distintos de los indicados en la etiqueta. Aplique este producto directamente al césped o jardín, o a superficies no impermeables alrededor del perímetro de la casa. Riegue el área tratada como se indica en esta etiqueta. No riegue hasta el punto que el agua escurra. No realice aplicaciones cuando llueva. No aplique a superficies impermeables, tales como aceras, caminos de entrada y calles, donde sea probable que el producto sea arrastrado hasta alcantarillas y vías fluviales. Aplíquelo de manera preventiva para evitar infestaciones. Si no, aplíquelo en cuanto observe la actividad o el daño de insectos en el césped (cuando se tome ralo o de color marrón, o cuando salgan volando polillas al cortar). No trate únicamente el área del césped que se tione marrón. Para evitar mayores daños, trate todo el prado. Una nueva aplicación es necesaria únicamente si hay indicios de una actividad renovada de insectos. En el estado de Nueva York, este producto NO debe aplicarse a ningún área de grama o tepe (céspedes) que se encuentre a menos de 30.5 metros de distancia de un cuerpo de agua (lagos, estanques, ríos, arroyos, pantanos o cuencos de desagüe). En el estado de Nueva York, vuelva a realizar una sola nueva aplicación de este producto si hay indicios de actividad renovada de insectos, pero no antes de dos semanas después de la primera aplicación. No permita que las personas o las mascotas entren en el jardín hasta que se haya secado.

DATOS DEL PRODUCTO

INSECTOS QUE ELIMINA/CONTROLA POR 3 MESES

Use el Granulos de insecticida para céspedes Home Defense® de Ortho® para eliminar y proporcionar 3 meses de control residual de:

- Hormigas la acrobata, la de montículo de Allegheny, la argentina, la cabezona, la negra del césped, la citronela, la del maizal, la loca, la fantasma, la negra pequeña, la blanca, la del pavimento, la piramidal, la colorada recolectora, la pequeña de la miel, la ladrona y la de patas blancas
- Gusanos cogolleros del otoño y el del césped
- Escarabajos picudos (el del pasto azul y el cazador), el negro del césped del género Ateneus, el pulga del césped oreja de ratón, el de tierra, los mariquitas (la asiática, la convectora, la de siete puntos, la de trece puntos y la de dos puntadas) y los gorgojos (el del pasto azul anual)
- Lepismas
- Orugas las cortadoras (la negra, la bronceada, la granulada y la variegada), la del saltarin leonado, el fahú gusano medidor de la caña y los gusanos peludos (el del tepe y el tropical)
- Nigüas
- Chinchés
- Grillos de Arizona, el común de cola corta, el rallado del este, el de campo de otoño, el caero, el de cola corta de la India, el del bosque del norte, el de campo de arena, el de campo del sureste, el del bosque del sur, el de campo de primavera, el de campo de Texas, el tropical, el de campo variable, el de campo vocal y el rallado del oeste
- Tijeretas
- Insectos de fuego
- Moscas la larva de la tipula y la frit
- Saltamontes
- Afillos del césped
- Saltarillas
- Chinchés de encaje
- Milgües
- Grillos topo del del sur y el leonado
- Pelillas la de lucerna
- Cochinitas
- Escorpiones el de cola rayada de Arizona, el común de California, el del este de arena, el marrón, el del norte, el del sur y el de Baja California
- Gusanos de las semillas
- Cochinitas
- Arañas la lobo excavadora, la grande de sótano, la marmolada de sótano, la lobo pirata, la pequeña de sótano y la lobo de patas finas
- Gusanos escupidores el de dos líneas
- Garrapatas*, la americana del perro y la café del perro
- *Incluyendo las que pueden transmitir la enfermedad de Lyme
- Gusano alambre

INSECTOS QUE ELIMINA/CONTROLA

Granulos de insecticida para céspedes Home Defense® de Ortho® también elimina:

- Hormigas la carpintera y la faraona
- Ciempías
- Pulgas
- Insectos jorobados
- Gorgojos el del pasto azul

Para controlar el gusano blanco, aplique el insecticida contra el gusano blanco para toda la temporada GrubEx® de Scotts® en cualquier momento entre principios de abril y agosto

DÓNDE APLICAR	CÉSPED
	Alrededor de los cimientos de la casa (tratamiento perimetral) Jardines ornamentales y de flores Jardines de vegetales
CUANDO APLICAR	Aplique al inicio de la primavera o el verano para prevenir la infestación. De lo contrario, aplique al primer indicio de actividad o daño de insectos.
CÓMO APLICAR	Para obtener resultados óptimos, se debe regar completamente el área tratada después de la aplicación.
En el césped	• Usando un esparcidor diseñado para la aplicación de materiales granulados, aplique uniformemente 450 a 900 g sobre 93 m ² .
	• Deje sin tratar una franja de césped de 30 cm a lo largo de superficies impermeables (tales como aceras y caminos de entrada) y desagües para evitar posibles escurrimientos hacia alcantarillas y vías fluviales. • Para un control durante toda la temporada (3 meses), aplique 1.8 kg de producto por cada 93 m ² .
En plantas ornamentales y flores	• Con una bolsa de 4.5 kg se tratarán hasta 929 m ² .
	• Aplique uniformemente de 225 a 450 g de producto sobre cada área de 46 m ² . Repita si hay señales de actividad renovada de insectos.
Jardines de vegetales	• El producto se puede aplicar justo antes de plantar o después de que broten las plantas.
	• Se puede realizar una sola aplicación justo antes de sembrar o después de que las plantas broten y se revuelven con los primeros 10 a 15 cm de tierra.
Cimientos de la casa	• Utilice 450 g del producto para un área de 46 m ² .
	• Aplique uniformemente una franja de 61 cm a lo largo de los cimientos de la casa.
	• Use de 225 a 450 g de producto por cada 46 m ² (0.61 x 76 m). • Para un control de 3 meses, aplique 1.8 kg de producto por cada 93 m ² . • Si es necesario, vuelva a aplicar después de 3 meses.

El Granulos de insecticida para céspedes Home Defense® de Ortho® se puede aplicar a los vegetales que se enumeran a continuación

CULTIVO	DÍAS DE ESPERA PARA COSECHAR
Tomates, maíz dulce	1
Avejas, avejas dulces, tarabeques, ejotes (verdes y amarillos), frijoles verdes (judía verde, frijolillo), frijoles secos (frijol de ojo negro, guisante de la vaca), pepino, calabazas, melón, guisano, calabacín y sandía	3
Alcachofa	5
Brócoli, brócoli chino, repollo, coliflor, colinabano, mostaza china, berenjena, cabeza de lechuga, pimientos (mordón y de otros tipos)	7

CONSEJOS PARA EL ESPARCIDOR
Para obtener los mejores resultados, use un esparcidor Scotts®

ESPARCIDOR	POSICIONES DEL ESPARCIDOR	
	Kilogramos de producto/93 m ²	
Esparcidor por goteo Scotts®	450 g = 900 g	1.8 kg
	5/2 = 7	9

Instrucciones: Corte el césped primero si la grama es tan alta que toca la parte inferior del esparcidor. Primero aplique dos franjas de marca. Opere el esparcidor en la dirección más larga del césped. Traslape las marcas de las ruedas para asegurar una cobertura uniforme. Apague el esparcidor cuando llegue a la franja de marca o cuando pare.

Esparcidor giratorio SpeedyGreen™ o EdgeGuard® de Scotts® 3 = 4 1/2 = 6 1/4

Instrucciones: Apague el esparcidor cada vez que se detenga. Para una cobertura completa, haga cada pasada a aproximadamente 1.5 m de la marca de la rueda de manera que haya cinco traslape. Para una aplicación uniforme, camine a un peso constante traslapando ligeramente cada pasada.

• 450 g/93 m² equivalen a 225 g/46 m²
Cuando utilice otros esparcidores, calibre las posiciones del esparcidor con base en las recomendaciones del fabricante.

AVISOS DE PRECAUCIÓN

RIESGOS PARA LOS SERES HUMANOS Y LOS ANIMALES DOMÉSTICOS
PRECAUCIÓN: Causa irritación moderada de los ojos. Evite el contacto con los ojos o la ropa. Lávese bien con agua y con jabón después de manipular el producto y antes de comer, beber, masticar chicle, consumir tabaco o utilizar el motor.

PRIMEROS AUXILIOS

- Si entra en los ojos: • Mantenga el ojo abierto y enjuáguelo con agua despacio y con cuidado por 15 a 20 minutos.
- Si hubiera lentes de contacto, quítelos después de lavarse con agua los primeros 5 minutos y continúe lavando el ojo.
- Llame a un centro de control de envenenamientos o al médico para obtener recomendaciones de tratamiento.

NÚMERO PARA EMERGENCIAS

Tenga a la mano el envase del producto o la etiqueta del producto cuando llame al centro de control de envenenamientos o al médico, o al acudir a recibir tratamiento. También puede llamar al 1-800-225-2883 para recibir ayuda de emergencia.

NOTA PARA EL MÉDICO

Este producto es un piretroida. Si se ha ingerido en grandes cantidades debe evitarse tomar leche, crema o cualquier otra grasa o aceite digerible, pues puede aumentar la absorción del pesticida. Para obtener información sobre el uso de este producto, llame al 1-800-225-2883.

RIESGOS AMBIENTALES

Este pesticida es extremadamente tóxico para los peces y los invertebrados acuáticos. Para proteger el medio ambiente, no permita que el pesticida ingrese o discurra a desagües de tormenta, zanjas de drenaje, canalinas o aguas superficiales.

La aplicación de este producto en un clima tranquilo, cuando no haya un pronóstico de lluvia para las próximas 24 horas, ayudará a asegurar que el viento o la lluvia no arrastren o laven el pesticida fuera del área de tratamiento. Rorra el producto que caiga sobre la entrada de automóviles, la acera o la calle hacia el área tratada del césped o jardín para evitar que se derive a cuerpos de agua o sistemas de drenaje.

RIESGOS FÍSICOS Y QUÍMICOS

No mezcle ni permita el contacto con agentes oxidantes. Podría producirse una reacción química peligrosa.

ALMACENAMIENTO Y ELIMINACIÓN

Almacenamiento del pesticida: Manténgalo fuera del alcance de los niños y de los animales. Guárdelo en la bolsa/envase original únicamente. Almacénelo en un lugar limpio, seco y bien ventilado, y evite el calor excesivo. Después de usar parcialmente la bolsa, cierre de nuevo doblando la parte superior y asegúramola.

Eliminación y manejo del envase del pesticida: No reutilizable. No vuelva a utilizar ni a llenar este envase. Si está vacío: Colóquelo en la basura o recíclolo, si corresponde. Si está parcialmente lleno: Llame a su agencia de desechos sólidos local para obtener instrucciones sobre cómo eliminar el producto. Nunca elimine el producto no utilizado en drenajes internos o externos.

AVISO: De conformidad con la ley aplicable, el comprador asume todos los riesgos de uso, almacenamiento o manipulación de este producto que no esté en conformidad con las instrucciones.

Si por alguna razón usted, el consumidor, no está satisfecho con este producto, envíenos por correo su comprobante de compra original para recibir un reembolso total del precio de compra.

Preguntas o comentarios
Llame al 1-800-225-2883 www.ortho.com

©2016 The Ortho Group. EPA Reg. No. 239-2726 World rights reserved. EPA Est. No. 58996-MO-1A, 9198-AL-0011, 9198-OH-20, 9198-OH-1M, 82757-MA-002E, 084175-TX-001B, 35512-FL-2H, 35497-OR-1W, 82757-OH-001K, 82757-FL-001T, 538-SC-001P, 538-OH-2V
Sold By The Ortho Group P.O. Box 190 Marysville, OH 43040
Superscript is first letter of lot number.



HOME DEFENSE®

INSECT KILLER FOR LAWNS GRANULES

GRANULOS DE INSECTICIDA PARA CÉSPEDES

KILLS BUGS* OUTSIDE BEFORE THEY COME INSIDE

MATA LOS INSECTOS* EN EXTERIORES ANTES DE ELLOS ENTRAN

*Refer to back panel for complete insect lists

TREATS UP TO 10,000 SQ FT

TRATA HASTA 10,000 PIES CUADRADOS

**Refer to back panel for the insects controlled for 3 months

KEEP OUT OF REACH OF CHILDREN CAUTION
See back panel for additional precautionary statements.
MANTENER FUERA DEL ALCANCE DE LOS NIÑOS PRECAUCIÓN
Consulte el panel posterior para conocer los avisos de precaución adicionales.

ACTIVE INGREDIENT:

Bifenthrin..... 0.115%

OTHER INGREDIENTS:..... 99.885%

Total..... 100.000%

Cis isomers 97% minimum, trans isomers 3% maximum.

May contain peanut by-products

FOR RESIDENTIAL LAWN, HOME PERIMETER, ORNAMENTAL & FLOWER GARDEN, AND HOME GARDEN USE ONLY



PARA SU USO EXCLUSIVO EN CÉSPEDES RESIDENCIALES, EL PERÍMETRO DE LA CASA, JARDINES ORNAMENTALES Y DE FLORES, Y JARDINES CASEROS

3 MONTH PROTECTION**
**3 MESES DE PROTECCIÓN



STARTS CREATING A BUG BARRIER IN MINUTES

NET WT / PESO NETO 10 lb / 4.54 kg

ORTHO® HOME DEFENSE®

INSECT KILLER FOR LAWNS GRANULES SATISFACTION GUARANTEED OR YOUR MONEY BACK†

- ✓ 3 Month Protection**
- ✓ Kills All Listed Home Invading Bugs*
- ✓ Fast Acting
- ✓ Kills Bugs* Which Annoy People and Pets
- ✓ Treats up to 10,000 SQ FT



