

FRONT LABEL

OMRI
LISTED
For Organic Use

DISEASE CONTROL

READY TO USE

Controls powdery mildew & other listed diseases

- Use up to day of harvest
- Dormant and growing season liquid copper fungicide

KEEP OUT OF REACH OF CHILDREN
CAUTION
SEE BACK BOOKLET FOR ADDITIONAL PRECAUTIONARY STATEMENTS

ACTIVE INGREDIENT:

Copper Octanoate (Copper Soap)	.008%
Other Ingredients	99.992%
Total	100.00%

metallic copper equivalent 0.017%

EPA Reg. No. 67702-1
EPA Est. No. 48498-CA-1

NET WT. 24 FL. OZ. (710 mL)

VISIBLE BACK LABEL

(First Aid continued)

IF INHALED

- Move person to fresh air.
- If person is not breathing call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.
- Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment.


PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS: CAUTION. Harmful if swallowed, absorbed through skin or inhaled. Wash thoroughly with soap and water after handling. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and aquatic organisms and may contaminate water through runoff. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

NOTICE TO BUYER

To the extent consistent with applicable law, seller warrants that this product conforms to the chemical description on this label and is reasonably fit for purposes stated on this label only when used in accordance with directions under normal use conditions. This warranty does not extend to use of this product contrary to label directions, or under abnormal use conditions, or under conditions not reasonably foreseeable to seller. To the extent consistent with applicable law, buyer assumes all risk of any such use. To the extent consistent with applicable law, seller makes no other warranties, either expressed or implied.



**HYDRO
WORXX**

DISEASE CONTROL READY TO USE

- For organic gardening
- For Use in Homes, Home Gardens and Home Greenhouses
- Decomposes to form soluble copper and fatty acid, both of which can be used by microbes and plants


CONTROLS: listed plant diseases: powdery mildew, rusts, black spot, leaf & fruit spots, downy mildew, fruit rot, late blight, peach leaf curl

(See booklet for directions for use and additional precautions.)



Sold by:
Neudorff USA, Inc.
875 Mahler Road, Suite 260
Burlingame, CA 94010
info@neudorff.com
www.neudorff.com

Registrant:
W. Neudorff GmbH KG
An der Mühle 3,
31860 Emmerthal, Germany
EPA Reg. No. 67702-1
EPA Est. No. 48498-CA-1
Patent No. 5,246,716



DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read and follow all applicable directions and precautions on this label before using.

Application Directions

Spray all plant surfaces (top and bottom of leaves) thoroughly with HydroWorxx™ Disease Control Ready to Use. 22 fluid ounces will treat 7 square yards.

Begin treatment 2 weeks before disease normally appears or when disease first appears, and repeat at 7 to 10 day intervals for as long as needed. Re-apply after rain.

To control powdery mildews, begin treatment 2 weeks before disease normally appears. Alternatively, begin treatment when disease first appears, and repeat at 7 to 10 day intervals for as long as needed. Spray every 7 days when the amount of disease is increasing rapidly. If possible, time applications so that 12 hours of dry weather follow application. On plants that are very susceptible to powdery mildew, such as home-greenhouse-grown cucumber, it is best to spray the plants twice a week during the first 2 weeks after emergence, and weekly thereafter. On outdoor plants, re-apply after rain.

To control downy mildews, leaf and fruit spots, blights, and rust, begin treatment 2 weeks before disease normally appears or when weather forecasts predict a long period of wet weather. Alternatively, begin treatment when disease first appears, and repeat at 7 to 10 day intervals for as long as needed. Spray all plant parts thoroughly. Re-apply following heavy rain. Apply every 7 days when the amount of disease is increasing rapidly.

Sprays every 5 to 7 days should be used for preventing late blight on potatoes and tomatoes. If possible, time applications so that at least 12 hours of dry weather follows application.

To prevent fruit rots, spray HydroWorxx™ Disease Control Ready to Use thoroughly onto flowers and fruit. Apply at the start of flowering and continue every 7 to 10 days until harvest. Fungicidal sprays are especially warranted when weather forecasts predict a long period of wet weather. Re-apply after rain.


KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID	
IF IN EYES	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
IF SWALLOWED	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to by a poison control center or doctor.• Do not give anything by mouth to an unconscious person.

(continued on next page)

INSIDE OF BOOKLET

LABEL STUCK TO BOTTLE



Solid Green Line = Base Dieline = 3.375" x 3.75"

Dashed Green Line = Where booklet will be placed on Base = 3.375" x 3"

Pink Box = Live text area for base = 2.875" x 2.5"