

58 x 168 (205 x 604) DS Container LITHO CAN

KILL ZONE

flying insect killer formula 3

INSECTICIDA PARA INSECTOS VOLADORES
FORMULA 3

Water-Based Formula

Kills flying pests including gnats, flies and other insects
Fast fogging action – Kills on contact
Kills and repels mosquitoes

For Residential Use Only
NET WT/PESO NETO 3 oz (85 g)

**KEEP OUT OF REACH OF CHILDREN/
MANTÉNGASE FUERA DEL ALCANCE
DE LOS NIÑOS**
CAUTION/PRECAUCIÓN
See precautionary statements on back of can.

ACTIVE INGREDIENTS:

** Tetramethrin	0.15%
** Permethrin	0.15%
*** Piperonyl butoxide	0.75%
OTHER INGREDIENTS:	98.95%
Total	100.00%

* 1-cyclohexene-1,2-dicarboximidomethyl-2,2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate.
** (3-phenoxyphenyl) methyl (+/-) cis/trans 3-(2,2-dichloroethenyl)2,2-dimethylcyclopropanecarboxylate. Cis/trans ratio: min. 35% (+/-) cis and max. 65% (+/-) trans.
*** (butylcarbamoyl)(6-propylpiperonyl) ether and related compounds.

EPA Reg. No. 498-183 EPA Est. No. 498-IL-1

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if absorbed through skin or inhaled. Avoid contact with skin and clothing. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

FIRST AID

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-255-3924 for emergency medical information.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic organisms including fish and aquatic invertebrates. Do not apply directly to or near water. Drift and runoff may be hazardous to fish in water adjacent to treated areas. Do not contaminate water when disposing of equipment, washwater, or rinsate. See Directions for Use for additional precautions and requirements.

This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. DO NOT PUNCTURE OR INCINERATE CONTAINER. Exposure to temperatures above 130°F may cause bursting. Do not apply this product in conduits, motor housings, junction and switch boxes or other electrical equipment because of possible shock hazard. Do not use on surfaces that can be harmed or stained by water.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS: Do not apply this product in a way that will contact adults, children, or pets, either directly or through drift.

Remove pets and birds and cover fish aquariums before spraying or surface applications. Vacate room after treatment. Do not allow adults, children or pets to enter the treated area until sprays have dried. Do not remain in treated area. Exit area immediately and remain outside the treated area until aerosols, vapors, and/or mists have dispersed, and the treated area has been thoroughly ventilated. Avoid contamination of feed and foodstuffs.

Do not apply when food is present. Remove or cover exposed food and drinking water before application. Remove or cover dishes, utensils, food-processing equipment, and food preparation surfaces, or wash these before use. Do not wet articles to the point of runoff or drip. Do not use treated article until spray has dried. Dry clean treated clothes before wearing.

Not for broadcast use on indoor residential surfaces.

This product has a residual effect for up to 4 weeks; do not reapply before 4 weeks.

SHAKE WELL BEFORE USING

Hold container upright and spray from a distance of 12 to 15 inches.

MADE IN USA DSC 1-4905



Chase
PRODUCTS CO.

Putting the best at your fingertips® P.O. Box 70 • Maywood, IL 60153 • www.chaseproducts.com

INDOORS

HOUSEFLIES, FRUIT FLIES, MOSQUITOES, GNATS, WASPS, HORNETS, BEES, BLACKFLIES, SKIPPER FLIES, BLOWFLIES AND SMALL FLYING MOTHS: Close all doors and windows and direct spray upward into center of room with a slow sweeping motion. Spray 5-10 seconds for average room. Direct spray to all parts of the room, especially windows and other light sources, which attract these insects. Keep nozzle in constant motion. Keep the room closed for 15 minutes after spraying. Ventilate room thoroughly before reentry. Sweep up and discard fallen insects.

OUTDOORS

All outdoor applications must be limited to spot or crack-and-crevice treatments only except for the following permitted uses:

- 1) Treatment to soil or vegetation around structures, and,
 - 2) Applications to building foundations, up to a maximum height of 3 feet.
- Other than applications to building foundations, all outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors, and eaves) are limited to spot and crack-and-crevice, only.

Do not wet plants to the point of runoff or drip. Do not make applications during rain. Do not water the treated area to the point of run-off.

Point nozzle away from face. Hold can on slight downward angle. For best results, spray when air is calm. Allow a few minutes for product to take effect. Spray with wind if breeze is blowing. Remove all exposed food and cooking utensils. Cover all food-handling surfaces or wash thoroughly after treatment and before use. Do not use on edible crops.

FLYING INSECTS: FLIES, MOSQUITOES, GNATS, SMALL FLYING MOTHS, HORNETS AND YELLOW JACKETS: Allow fog to drift over area. Direct spray toward bushes or grass from at least 4 to 6 feet away. Give special attention to breeding areas such as garbage cans and compost piles.

FOR CONTROL OF ORNAMENTAL-GARDEN INSECTS: For use on roses, dahlias, asters and other ornamentals to kill **JAPANESE BEETLES** hit by spray, as well as **WHITEFLIES, APHIDS, EXPOSED THRIPS, SPIDERS, RED MITES AND LEAF MINERS.**

May be used on plants, as well as a multi-purpose spray in small gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas. Do not wet plants to point of runoff or drip.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store in a cool, dry area. Avoid freezing.
PESTICIDE DISPOSAL AND CONTAINER HANDLING: Do Not Puncture or Incinerate! If empty: Place in trash or offer for recycling if available. If partly filled: Call your local waste agency for disposal instructions.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW THE USER OF THIS PRODUCT ASSUMES ALL RISKS OF USE, STORAGE AND HANDLING NOT IN ACCORDANCE WITH ITS DIRECTIONS AND CAUTIONS.

MEDICAL EMERGENCY INFORMATION ONLY/PARA INFORMACIÓN MÉDICA DE EMERGENCIA:
ChemTel, Inc. (800) 255-3924

¡AVISO IMPORTANTE! Si usted no lee Inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

