Covers 5,000 sq ft

LANDSCAPERS™ SELECT



LAZER® WINTERIZER WEED & FEED

Apply when weeds are still growing actively in the FALL

Controls a wide spectrum of broadleaf weeds

NET WEIGHT: 16 LBS. (7.25 Kg)

LANDSCAPERS™ SELECT

LAZER® WINTERIZER WEED & FEED

NTERIZER WEED & FEED

NET WEIGHT: 16 LBS.

Apply when weeds are still growing actively in the FALL

Controls a wide spectrum of broadleaf weeds

- Provides both fast and long feeding action
- Weeds gradually die and disappear from the lawn
- Contains TIME-RELEASED nitrogen for extended feeding

19	0	11

Phosphorus - Free



ACTIVE INGREDIENTS:

Dimethylamine Salt of 2,4-D Acid*	0.990%
Dimethylamine Salt of Mecoprop-p Acid**†	0.240%
Dicamba Acid***	0.042%

Isomer Specific Method, Equivalent to:

*2,4-D Acid	0.820%
**Mecoprop-p Acid	0.200%

KEEP OUT OF REACH OF CHILDREN

LAZER® WINTERIZER WEED & FEED

NDSCAPERS SELECT

NET WEIGHT: 16 LBS. (7.25 Kg)

Phosphorus - Free

A PREMIUM GRADE HERBICIDE AND TURF FOOD

ACTIVE INGREDIENTS:	
Dimethylamine Salt of 2,4-D Acid*	0.990%
Dimethylamine Salt of Mecoprop-p Acid**†	0.240%
Dicamba Acid***	0.042%
OTHER INGREDIENTS:	98.728%
TOTAL:	100.000%

Isomer Specific Method, Equivalent to:	
*2,4-D Acid	0.820%
**Mecoprop-p Acid	0.200%
***Dicamba Acid	0.042%

†CONTAINS THE SINGLE ISOMER FORM OF MECOPROP-p

KEEP OUT OF REACH OF CHILDREN

CAUTION SEE BACK PANEL FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

NET WEIGHT: 16 LBS. (7.25 Kg)

LAZER®

LANDSCAPERS SELECT

MICRODOT

Covers 5,000 sq ft

LANDSCAPERS SELECT

LAZER® WINTERIZER WEED & FEED

A PREMIUM GRADE HERBICIDE AND TURF FOOD

NET WEIGHT: 16 LBS. (7.25 Kg)

MICRODOT

LANDSCAPERS SELECT

MICRODOT

LAZER® WINTERIZER WEED & FEED

This product is a premium grade herbicide and turf food combination which controls a wide spectrum of broadleaf weeds while providing both fast and long feeding action.

Weeds contacted by this product gradually die and disappear from the lawn.

Covers 5,000 square feet (50' x 100').

For chemical spill, leak, fire, or exposure, call PERS (800) 633-8253.

For medical emergencies only, call (877) 325-1840.

FIRST AID

IF SWALLOWED	• Call a poison control center or doctor for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF IN EYES	• Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-325-1840 for emergency medical treatment information.

GUARANTEED ANALYSIS 19-0-11

TOTAL NITROGEN (N)	19.0%
19.0% Urea Nitrogen*	
SOLUBLE POTASH (K_2O)	11.0%

DERIVED FROM: Urea, Polymer Sulfur-Coated Urea, Muriate of Potash.

CHLORINE (Cl) MAX	8.3%

*The urea nitrogen in this product has been coated to provide 6.0% coated slow release urea nitrogen.

Fertilizer guaranteed by Turf Care Supply Corp.

F1612

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Wear long-sleeved shirt, long pants, shoes, socks, and chemical-resistant gloves made of any waterproof material. After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water: also before eating, drinking, chewing gum or using tobacco.

Environmental Hazards

This pesticide may be toxic to fish and aquatic invertebrates and may adversely affect non-target plants. Do not apply directly to water. Do not contaminate water when disposing of equipment wash water or rinsate.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

This product is a stable mixture of three herbicides. It is for use on residential turf.

This product may be used on Bahia, common Bermuda, Blue Grass, Centipede, Fescue, Rye, St. Augustine, and Zoysiagrass. DO NOT USE on Dichondra and Carpet Grass. DO NOT USE this product where desirable clovers are present or allow the product to "wind drift" onto flowers, vegetables, ornamentals, shrubs, trees or other desirable plants.

Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until dusts have settled.

The maximum number of broadcast applications per treatment site is 2 per year.

Do not apply directly to or near water, storm drains, gutters, sewers or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. Apply this product directly to your lawn, and sweep any product landing on the driveway, sidewalk, gutter, or street back onto the treated area. To prevent product run-off, do not over water the treated area(s) to the point of runoff or apply when raining or when rain is expected that day.

Weeds Controlled

This product is designed to promote lush green growth in lawns and control many broadleaf weeds such as:

Alder
Annual yellow sweet clover
Artichoke
Aster
Austrian fieldcress
Bedstraw
Bulbous buttercup
Bull nettle
Bull thistle
Burdock
Burning nettle
Bur ragweed
Croton
Cudweed
Curly dock
Curly indigo
Dandelion
Dead nettle
Ground ivy
Gumweed
Hairy bittercress
Hairy fleabane
Hawkweed
Healall
Lupine
Mallow
Marshelder
Matchweed
Mexicanweed
Milk vetch
Plantain
Posion hemlock
Poison ivy
Poison oak
Pokeweed
Poorjoe
Scarlet pimpernel
Scotch thistle
Sheep sorrel
Shepherdspurse
Slender plantain
Smallflower galinsoga
Sweet clover
Tall nettle
Tall vervain
Tansy mustard
Tansy ragwort
Tanweed
Wild aster
Wild buckwheat
Wild carrot
Wild four-o'-clock
Wild garlic
Wild geranium

directly to your lawn, and sweep any product landing on the driveway, sidewalk, gutter, or street back onto the treated area. To prevent product run-off, do not over water the treated area(s) to the point of runoff or apply when raining or when rain is expected that day.

Weeds Controlled

This product is designed to promote lush green growth in lawns and control many broadleaf weeds such as:

Alder
Annual yellow sweet clover
Artichoke
Aster
Austrian fieldcress
Bedstraw
Beggartick
Biden
Bindweed
Bird vetch
Bitterweed
Bitter wintercress
Black-eyed Susan
Black medic
Black mustard
Blackseed plantain
Blessed thistle
Blue lettuce
Blue vervain
Box elder
Bracted plantain
Brassbuttons
Bristly oxtongue
Broadleaf dock
Broadleaf plantain
Broomweed
Buckhorn
Buckhorn plantain
Bulbous buttercup
Bull nettle
Bull thistle
Burdock
Burning nettle
Bur ragweed
Burweed
Buttercup
Canada thistle
Carolina geranium
Carpetweed
Catchweed bedstraw
Catsear
Catnip
Chickweed
Chicory
Cinquefoil
Clover
Cockle
Cocklebur
Coffeebean
Coffeeweed
Common chickweed
Common mullein
Common sowthistle
Corn Chamomile
Creeping jenny
Crimson clover
Croton
Cudweed
Curly dock
Curly indigo
Dandelion
Dead nettle
Dock
Dogbane
Dogfennel
Elderberry
English daisy
Fall dandelion
False dandelion
False flax
False sunflower
Fiddleneck
Field bindweed
Field pansy
Flea bane (daisy)
Flixweed
Florida betony
Florida pusley
Frenchweed
Galinsoga
Garlic mustard
Goathead
Goatsbeard
Goldenrod
Ground ivy
Gumweed
Hairy bittercress
Hairy fleabane
Hawkweed
Healall
Heartleaf drymary
Hedge bindweed
Hedge mustard
Hemp
Henbit
Hoary cress
Hoary plantain
Hoary vervain
Honeysuckle
Hop clover
Horsenettle
Horsetail
Indiana mallow
Ironweed
Jewelweed
Jimsonweed
Kochia
Knawel
Knotweed
Lambsquarter
Lespedeza
Locoweed
Lupine
Mallow
Marshelder
Matchweed
Mexicanweed
Milk vetch
Milkweed bloodflower
Mugwort
Morningglory
Mousear chickweed
Musk thistle
Mustard
Narrowleaf plantain
Narrowleaf vetch
Nettle
Orange hawkweed
Oxalis
Oxeye daisy
Parsley-piert
Parsnip
Pearlwort
Pennycress
Pennywort
Peppergrass
Pepperweed
Pigweed
Pineywoods bedstraw
Plains coreopsis
Plantain
Posion hemlock
Poison ivy
Poison oak
Pokeweed
Poorjoe
Povertyweed
Prickly lettuce
Prickly sida
Primrose
Prostrate knotweed
Prostrate pigweed
Prostrate spurge
Prostrate vervain
Puncture vine
Purslane
Ragweed
Red clover
Redroot pigweed
Red sorrel
Redstem filaree
Rough cinquefoil
Rough fleabane
Roundleafed marigold
Rush
Russian pigweed
Russian thistle
St. Johnswort
Scarlet pimpernel
Scotch thistle
Sheep sorrel
Shepherdspurse
Slender plantain
Smallflower galinsoga
Smartweed
Smooth dock
Smooth pigweed
Sneezeweed
Southern wild rose
Sowthistle
Spanishneedle
Spatterdock
Speedwell
Spiny Amaranth
Spiny cocklebur
Spotted catsear
Spotted knapweed
Spotted spurge
Spurge
Spurweed
Stinging nettle
Stinkweed
Stitchwort
Strawberry clover
Sumac
Sunflower
Sweet clover
Tall nettle
Tall vervain
Tansy mustard
Tansy ragwort
Tanweed
Tarweed
Thistle
Tick trefoil
Toadflax
Trailing Crownvetch
Tumble mustard
Tumble pigweed
Tumbleweed
Velvet leaf
Venice mallow
Veronica
Vervain
Vetch
Virginia buttonweed
Virginia creeper
Virginia pepperweed
Wavyleaf bullthistle
Western clematis
Western salsify
White clover
White mustard
Wild mustard
Wild aster
Wild buckwheat
Wild carrot
Wild four-o'-clock
Wild garlic
Wild geranium
Wild lettuce
Wild marigold
Wild onion
Wild parsnip
Wild radish
Wild rape
Wild strawberry
Wild sweet potato
Wild vetch
Willow
Witchweed
Wooly morningglory
Woodsorrel
Wooly croton
Wooly plantain
Wormseed
Yarrow
Yellow rocket
Yellowflower pepperweed

and other broadleaf weeds.

When to Apply

Best results are obtained when weeds are growing actively in spring or early fall. Avoid contact with desirable shrubs, plants, vegetables, or flowers; especially when applying with a rotary (spinner) type spreader. Do not reseed for at least 3 to 4 weeks after application. Do not apply to newly seeded or sodded lawn until after 3 mowings. For optimum results (1) Avoid mowing 1 to 2 days before and after application; (2) Apply when grass is moist (after a rain, sprinkling or dew); (3) Avoid unnecessary disturbances, including water of treated areas for 48 hours after application. Watering will wash off weed killing material; and (4) Avoid applying if rainfall is expected within 48 hours following treatment. Possible retreatment in approximately 30 days may be necessary if lawn is heavily overrun with weeds or if adverse low moisture conditions prevail and weeds are in a state of poor growth. Do not exceed recommended rates because damage to turf may occur.

NOTE: When applying to Southern Grasses - under conditions of inadequate moisture, high temperature and high humidity, over-application may cause minor transitory discoloration on Centipede and St. Augustinegrasses. It is recommended that during hot, dry conditions, application rates should be reduced 50% to avoid possible dehydration or browning of grass.

How to Apply

This 16 pound bag should be used on 5,000 square feet. Apply evenly with a lawn spreader as a one pass application. A two pass application, criss-crossing the area at half the rate each time is also acceptable.

The following settings are approximate for applying contents of this package at a suggested rate of 3.2 pounds per 1,000 square feet. These settings are furnished only as a guide. Age, spreader condition, operating speed, and unevenness of terrain can cause variation in applied rates. Settings are based on an average walking speed. Reduce setting for slower speed; raise setting for higher speed. Check your spreader on 250 square feet and adjust to apply at the rate of 0.8 pound per 250 square feet.

Spreader Settings

ONE PASS APPLICATION	
MAKE	SETTING
Cyclone Rotary	4 ½
Earthway® Rotary	15
Sta-Green® Rotary (1-10)	3 ½
Vigoro® Rotary (1-10)	3 ½
Scotts® EasyGreen®	22

Sweep (do not wash) all fertilizer materials from surfaces immediately after application, because certain fertilizer ingredients can cause permanent stains. Wash out spreader after each use and allow it to dry thoroughly. Treat any exposed metal spreader areas with oil to reduce corrosion.

A lawn typically will utilize 1 to 4 pounds of nitrogen per 1,000 square feet per growing season. When used as directed, this product will supplement your regular fertilizer program by providing 0.6 pound of nitrogen per 1,000 square feet and herbicide to control listed weeds. Please consult your local extension office for questions regarding a regular fertilizer program.

Environmental Benefits: Besides increasing property values, did you know a well-maintained lawn provides the following benefits to your home and environment:

- A 50' x 50' lawn produces enough oxygen for a family of 4 every day
- Reduces glare & reduces noise
- Purifies water & modifies temperature
- Traps dust, smoke particles & other pollutants
- Improves soil condition & controls erosion

Grass clippings and yard waste are approximately 20% of the volume in our nation's landfills.

WARRANTY DISCLAIMER

The directions for use of this product must be followed carefully. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.

LIMITATION OF LIABILITY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BY WAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR RISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR ITS CUSTOMERS. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

Earthway® Rotary	15
Sta-Green® Rotary (1-10)	3 ½
Vigoro® Rotary (1-10)	3 ½
Scotts® EasyGreen®	22
Scotts® EdgeGuard®	4 ½
Scotts® SpeedyGreen®	4 ½

providing 0.6 pound of nitrogen per 1,000 square feet and herbicide to control listed weeds. Please consult your local extension office for questions regarding a regular fertilizer program.

Environmental Benefits: Besides increasing property values, did you know a well-maintained lawn provides the following benefits to your home and environment:

- A 50' x 50' lawn produces enough oxygen for a family of 4 every day
- Reduces glare & reduces noise
- Traps dust, smoke particles & other pollutants
- Purifies water & modifies temperature
- Improves soil condition & controls erosion

Grass clippings and yard waste are approximately 20% of the volume in our nation's landfills. To do your part to reduce this amount, leave grass clippings on your lawn. Increased mowing height and frequency will produce smaller grass clippings that will decompose more readily so nutrients go back into your lawn.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage: Always use original container to store pesticides and keep any bags containing unused product in a locked storage area inaccessible to children and domestic animals. To prevent cross-contamination, do not store near open containers of fertilizer, seed or other pesticides. Do not stack more than two pallets high.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor (including toilet) or outdoor (including sewer) drain.

RELATING IN ANY WAY TO THESE GOODS.

LIMITATION OF LIABILITY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BY WAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR RISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR ITS CUSTOMERS. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

If you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.

Information concerning this product can be obtained by writing to Turf Care Supply Corp. at the address below, or by calling customer service at 877-220-1306 between the hours of 9 A.M. and 5 P.M., Eastern Time, Monday through Friday. Please refer to item number found on this bag when writing or calling.

Information regarding the contents and levels of metals in this product is available at the following website: http://www.aapfco.org/metals.htm

EPA REG. No. 228-429-82757

EPA EST. No. 82757-FL-001(S), 82757-MA-002(H), 82757-OH-001(MF)
First letter of lot code on end of container indicates establishment.

Manufactured and Guaranteed by:
Turf Care Supply Corp., 50 Pearl Road, Suite 200, Brunswick, OH 44212

MADE IN U.S.A.

Lazer® is a registered trademark of Nufarm Americas Inc. (RV091013)

Item #7615123

8 50526 00281 7

P7615123

NET WEIGHT: 16 LBS. (7.25 Kg)

NET WEIGHT: 16 LBS. (7.25 kg)

LAZER® WINTERIZER WEED & FEED

Covers 5,000 sq ft

A PREMIUM GRADE HERBICIDE AND TURF FOOD

LANDSCAPERS SELECT