

KEEP OUT OF REACH OF CHILDREN WARNING

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Wear safety glasses. Harmful if inhaled. Avoid treathing stray mist, Wash thoroughly with seap and water after handing and before sating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before rouse.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

NDX™ Weed and Grass Killer Concentrate, will kill almost all annual and perennial weeds, grasses and other unwanted plants. Misr HDX™ Weed and Grass Killer Concentrate, with water and use to control on driveways and walkways, or around fences, trees, flower beds, shrubs and other areas in your yard. This product can also be used for large jobs such as lawn restoration/renovation and garden plot preparation. HDX™ Weed and Grass Killer Concentrate, kills weeds by stopping the production of a substance found in plants. Any IDX™ Weed and Grass Killer Concentrate, not absorbed by the plant breaks down into natural materials. This product will not move in or on the soil to untreated plants.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store in original container in a safe place away from direct sunlight

PESTICIDE DISPOSAL: Non-refittable container. Do not reuse or refit! this container. If empty: Place in trash or offer for recycling if available. If parity filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.



SKU 894 928

OPEN Remarkable Label for Directions and Precautions PRESS TO RESEAL

Weed and Grass Killer Concentrate,

- · Kills weeds and grasses down to the root
- Use in or around vegetable gardens, flower beds, trees, shrubs
- Kills to the root
- · Starts Working in 24 Hours

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

Distributed By:
RAGAN AND MASSEY, INC.
101 Ponchatbuse Parkway
Ponchatbus, La 70454
Info@raganandmassey.com
985-386-6042
Mahaked Through:
Home Depot
2455 Paces Ferry Rd., N.W.
Aklania, Ga 90339

EPA Reg. No. 86068-3-84009 EPA Est. No. 084840-LA-001 NET CONTENTS: ½ GAL / 64 FL OZ / 1.89 L PROOF OF PURCHASE



TXC20100810 0715(01)

8

1

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL. USE ONLY ACCORDING TO LABEL INSTRUCTIONS.

WHEN TO USE

When ID USE. Use anytime weeds are actively growing. Most treated weeds usually show initial symptoms in 2-4 days and complete kill in 1 to 2 weeks. Larger more established weeds may take up to 4 weeks for complete kill. For beat results, apply on a warm sound day when daytime temperature is above 60°F and no ralinfall is forecast for 24 hours. Warm, sunny weather will speed up weed control. Apply only when all is calm. Reapply if it rains within 2 hours after application. Rainfall or watering 2 hours after application will not week away effectiveness. Hard-to-control weeds (such as expirement with new away effectiveness. Institute-Control Weeds (such as bermudagrass) may require a repeat application if they regrow. NOT recommended for spot weed control in lawns since HDXTM Weed and Grass Killer Concentrate, kills all green plants, including lawn grass.

Kills: Weeds and grasses
Use On: Patios, walkways or driveways; Around fruits, vegetables, flowers, shrubs or trees; Along fences
In Large Areas: For lawn replacement; For garden replacement

WHERE TO USE

WHERE TO USE
General Weed Control: Use along fences, paths, petios, sidewalks and driveways, around trees, strubs, and ornamental plantings and flower beds, around buildings, and in brick and gravel walkways. Use to thim and edge landscape areas.

DO NOT use for spot weed control in lawns since HDXTM Weed and Grass Killer Concentrate, kills all green plants, including lawn grass.

Spot Spraying: Use on actively growing weeds in and around flower beds, ornamental trees, fruit and nut trees, grapewines, shrubs, fences, driveways and walkways. Spray when air is calm. Make sure HDX™ Weed and Grass Killer Concentrate, does not contact the leaves, green stems, or expect roots of plants you don't want to kill. If necessary, use cardboard or plastic to shield plants. HIXX™ Weed and Grass Killer Concentrate, will not rivole in or not the soil to untreated plants. If HXX™ Weed and Grass Killer concentrate, is used to control when the plants is the plants of the plants o weeds around fruit or not trees or grapevines, allow 21 days before eating the fruit

Landscaping: Use to prepare areas for planting of ornamentals, trees, shrubs, desert landscapes, rock gardens, flower beds or similar plantings. Treated areas can be replanted 1 day after treatment.

Lawn Renovation:

- Use HDXTM Weed and Grass Killer Concentrate, to kill existing weeds and grasses including the old lawn.

 For best results, apply in Spring or Fall, when daytime temperatures are at least
- Under dry conditions, water lawn every other day for a week before using this
- Under any constitute, water tawn every order pay us a week usure using unisproduct.
 Do not mow for 7 days before or after treatment.
 After 7 days, prepare the sail for planting by raking or rototilling the lawn. Rake up and remove loosened thatch or debris.

 Mix in starter fertilizer and other amendments, if needed, Level the soil.
- Apply seed according to directions on seed package, or inetall eod. Grass seed must have a good contact with soil to germinate and grow.

 Keep area moist for 2 weeks to establish new lawn, then water as needed.
- Brush Control: Use when brush is green and growing. If plants are taller than 5 feet, cit back and spray regrowth. Brush sprayed in the fall may not be fully controlled until the following season. Hard-to-control species such as Blackberry, Kudzu, or Poison Oak may require a second application.

Stump Treatment: Slumps can be treeted to prevent regrowth. For best results, treat when the vegetation is actively growing and within 5 minutes of being cut down.

Out the stump close to the soil surface.
Drive 4-5 nall holes into the stump.
Flood the stump with undikted product.
This treatment with control or suppress many types of woody brush and trees, such as alder, bluegum, eucalyptus, madrone, oak, glant reed, saftcedar, sweetgum, and tan oak.

To Kill Vines:

- o kull vines:

 If vine is growing up a pole, fences, or mature tree trunk, cut vine to a height of
 3 to 4 feet and spray to thoroughly cover remaining vine.

 If vine is climbing a shrub or immature (green) tree trunk, cut vines at base and
 spray its regrowth. Shiled shrubs and green bark from spray drift with a sheet
 (plece) of cardboard or plastic.

HOW TO USE

HOW TO USE

IMPORTANT: HDX™ Weed and Grass Killer Concentrate, is an all-purpose weed and grass killer which will kill almost all plants contacted. If necessary, use cardboard or plastic to shield desirable plants: if plants are accidentally sprayed, rinse off immediately with water. Spray when air is calm. Spray to evenly wet the weed.

To apply this product use

- Plastic, aluminum or stainless eteel tank sprayer
 Other hose-end sprayer recommended for weed littlers
 Hand-trigger sprayer

Do not use or store solutions of this product in galvanized steel or unlined steel sprayers, or apply through any type of Irrigation system or with a sprinkling can.

Rinse sprayer and flush all sprayer components with water 3 times after use. Spray rinse water on bare soil or gravel. After very thorough cleaning, sprayer may be used to apply other products.

Use the following table to determine the amount of HDXTM Weed and Grass Killer Concentrate you need Close can Bahthu sharring

	APPLICATOR	MIXING INSTRUCTIONS General Weed Control Amuzaje	MIXING INSTRUCTIONS Tough Wood Control Permanials or Brush Lawn Renovation	AREA TO TREAT
	Tank Sprayer	Use 1.5 ft oz (3 tbsp) in 1 gallon of water	Use 2,5 ft oz (5 tbsp) in 1 gellon of water	300 mg ft (30 ft x 10 ft)
	Hand Trigger Sprayer	Use 2 top in 24 fl az of Water	Use 1 thep in 24 ff oz of water	Use (or spot treatments or single weeds

1 teaspoon (tap); 0.5 fl oz = 1 tablespoon (ttap); = 3 teaspoons (tap); 1 fl oz = 2 tablespoons (ttap)

RE-SEEDING AND REPLANTING IN SPRAYED AREAS WHEN TO REPLANT

- MEN TO REPLANT

 All ornamental flowers, trees & shrubs may be planted 1 day after application.

 The following barries may be planted 1 day after application:
 Blackborry, Blacteury, Boyzenberry, Cramberry, Currant, Dewberry, Elderberry,
 Gooseberry, Hockbeberry, Lognabery, Olssieborry, & Raspherry, (Black & Red).

 The following fruits, vegetables & herbs may be planted 1 day after application:
 Articholos (Lerusalem), Bears, 68th, Beet Greene, Broccoë, Brussel Sprouts,
 Cabbage (all), Carrot, Cauliflower, Celery, Chard (Swiss), Chicory, Collards,
 Endive, Horseradini, Kale, Kothrabi, Leek, Lemilis, Lettuce, Mustard Greens,
 Olvar, Orlan, Rape Greens, Paraley, Paraling, Potato, Turnije & Yams.

 The following fruits, vegetables & herbs may be planted 3 days after
 application:
- The tolowing muns, vegetables a norms may be panied 3 days after application:
 Corn, Cucumber, Eggplant, Garic, Gourids, Nellons (all), Peas (all), Peppers (all), Pumpkin, Squash (summer & winter), Tomatillo, Tomatio (by seed) & Watercress.
 Lawn grasses may be planted 7 days after application.
 Tomatios from fransplant & unlisted fruits, vegetables & herbs may be planted 30 days after application.

CONTROLS WEEDS AND GRASSES INCLUDING:

General Weed Control (Annuals)

- Annual Bluegrass
- Annual Bluegrass
 Annual Ryegrass
 Barnyardgrass
 Beggarweed
 Black Medic
 Blue Mustard
 Blue Toadflax
 Brasstyutons

- Brassbuttons
 Bromegrass
 Bur Clover
 Buttercup
 Chickwaed
 Common Groundsel
 Common Plantain
 Craharses
- Crabgrass
 Creeping Beggarweed
 Diffuse Lovegrass
 Dog Fennel
 Evening Primrose
 Fall Panicum

- (Annuals)

 Iddileneck
 Field Pannycress
 Field Sandbur
 Filaree
 Horida Pusley
 Forkall
 Garden Spurge
 Goosegrass
 Henbit
 Horseweed/Marestail
 Knobweed
 Lambequarters
 Little Bitter Cress
 London Rocket
 Mallow
 Mayweed
 Mouseear Chickweed
 Pennsylvania
 Smartweed

- Prickly Lettuce
 Prostrate Spurge
 Puncture Viria
 Pedroot Figweed
 Sandspurse
 Simooth Cat's Ear
 Smooth Figweed
 Sputged
 Sputged
 Sputged
 Sputged
 Sputged
 Sputged
 Sputged
 Sputged
 Sputged
 Tansy Mayeort
 Teaweed
 Teawas Pankcum
 Tumble Mustard
 Witchgrass
 Wild Mustard

Tough Weed Control (Perennials/Brush)

- Smooth Bromegrass
 Smooth Bentgrass
 St. Augustinegrass
 St. Augustinegrass
 Sumac
 Tail Fossale
 Timothy
 Terpedograss
 Timothy
 Terpedograss
 Timothy
 Terpedograss
 Timothy
 Terpedograss
 Vasoryass
 Vegnia Creeper
 White Clover
 White Clover
 White Sweet
 White Sweet
 White Sweet
 Wild Ostro
 Wild Ostro
 Wild Sweet Potato
 Wildrass
 Yallow Starthiade
 Zoysia
- Horseradish
 Iceptaint
 Johnsongrass
 Kenhucky Bluegrass
 Kenhucky Bluegrass
 Kenhucky Bluegrass
 Kenhucky Bluegrass
 Kenhucky Bluegrass
 Kenyuega
 Kodyuyaga
 Kodyuyaga
 Kodyuyaga
 Kodyuyaga
 Kodyuyaga
 Mullifera Rose
 Oldenlandia
 Orchardgrass
 Ovalis
 Pampusograss
 Pampusograss
 Pempusograss
 Pempusograss
 Pempusograss
 Penson Oak
 Peson Oak
 Peson Oak
 Peson Oak
 Polson My
 Primrose
 Purple Mutsedge
 Chieckgrass
 Chusking Appen
 Rasywed
 Rasybery
 Red Clover
 Red

- Alder
 Artichoka Thistile
 Artichoka Thistile
 Bahlagrass
 Bendyrass
 Bendyrass
 Bernatiagrass
 Blackbernes
 Broadteel Flantain
 Canada Thistile
 Cattail
 Ceanothus
 Cheny species
 Coddebur
 Cogning Rayeed
 Coyote Brush
 Creeping Bentyrass
 Creeping Charlie
 Cany Dode
 Dandelion
 Fake Dandelion
 Devberry
 Bellisgrass
 Fescue Species
 Field Bindweed
 (Wild Morningsbry)
 Cuthegrass
 Field Bindweed
 Windysuckle
 Horsernettile

For information regarding specific weeds controlled by this product, call (985) 386-6042.



People and pets may enter treated areas after spray has dried.

FIRST AID

IF IN EYES:

- . Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- · Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.
- · Call a poison control center or doctor for treatment advice.

IF INHALED:

- Move person to fresh air.
 If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth if possible.
- Call a poison control center or doctor for treatment advice.

Emergency Medical Information

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may contact the National Pesticide Information Center at 1-800-858-7378 for emergency medical treatment information. This product is identified as HDX™ Weed and Grass Killer Concentrate, EPA Reg. No. 86068-3-84009.

See inside booklet for Complete Precautionary Statements, Directions for Use and Storage and Disposal.

Questions, Comments Call (985) 386-6042 and info@raganandmassey.com

Distributed By: RAGAN AND MASSEY, INC. 101 Ponchatoula Parkway Ponchatoula, LA 70454 Info@raganandmassey.com 985-386-6042

Marketed Through: Home Depot 2455 Paces Ferry Rd., N.W. Atlanta, Ga 30339

EPA Reg. No. 86068-3-84009 EPA Est. No. 084840-LA-001

PROOF OF PURCHASE



TXC20100810