

NEW
DATE REVIEWED
3 2016

FEB

4 MONTH SUPPLY

11-20 lbs

For Use ONLY on Dogs and Puppies 7 Weeks and Older Weighing

11-20 lbs

For Use ONLY on Dogs and Puppies 7 Weeks and Older Weighing

Mita pulgait, los huevos de pulgait, larvas de pulgait. Comienza a trabajar a través del contacto.

4 MONTH SUPPLY

For Use ONLY on Dogs and Puppies 7 Weeks and Older Weighing **11-20 lbs**

FLEAS EGGS LARVAE LICE

TRIPLE FLEA PROTECTION:
KILLS ADULTS, LARVAE, AND EGGS

CONTAINS IMIDACLOPRID AND PYRIPROXYFEN, THE ACTIVE INGREDIENTS USED IN ADVANTAGE® II FOR DOGS

STARTS WORKING THROUGH CONTACT

KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for FIRST AID and PRECAUTIONARY STATEMENTS

Adventure™ Plus is a trademark of Promika, LLC. Advantage™ II is a registered trademark of Bayer Healthcare LLC Animal Health Division. Advantage™ Plus For Dogs is not manufactured, or distributed by Bayer Healthcare LLC Animal Health Division, seller of Advantage™ II For Dogs. Promika, LLC 1204 Village Market Place, #273, Morrisville, NC 27560

ACTIVE INGREDIENTS:

Imidacloprid: 0.10%

Pyriproxyfen: 0.49%

OTHER INGREDIENTS: 99.41%

TOTAL: 100.00%

EPA REG. NO. 91300-2 EPA EST. NO. 2596-0H-1

NET CONTENTS: 0.135 fl oz
4 tubes, each 0.1034 fl oz

adventure plus FOR DOGS

FOR USE ONLY ON DOGS AND PUPPIES 7 WEEKS AND OLDER WEIGHING **11-20 lbs**

READ THE ENTIRE LABEL BEFORE EACH USE

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS, CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands thoroughly with soap and warm water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

HAZARDS TO DOMESTIC ANIMALS. For external use only. Do not use on puppies under 7 weeks of age or weighing less than 11 lbs. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing dogs. Individual sensitivities, while rare, may occur after using ANY pesticide products for Dogs. If signs persist, or become more severe, consult a veterinarian immediately. If your dog is on medication, consult your veterinarian before using this or any other product.

FIRST AID

If Swallowed: Call a poison control center or a doctor immediately for treatment advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

If In Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If On Skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment or advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For medical emergencies call 1-844-685-9173.

NOTE TO PHYSICIAN

Treat the patient symptomatically.

RESTRICTIONS: Use only on dogs 7 weeks and older weighing 11-20 lbs. Do not use on other animals. Do not exceed labeled dosage amount for dogs. Do not apply more than one tube per treatment. Do not have contact or allow children to have contact with treated area until completely dry. Do not treat more than 1 dog per tube.

Side Effects: Monitor your dog after application. Side effects, although very rare, may include signs of skin irritations such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects (such as lethargy) occur, consult your veterinarian or call 1-844-685-9173.

DO NOT USE ON CATS. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian immediately.

Promika

Distributed by:
Promika, LLC
1204 Village Market Place #273
Morrisville, NC 27560
RM113216

adventure plus FOR DOGS

For Use ONLY on Dogs and Puppies 7 Weeks and Older Weighing **11-20 lbs**

UPC

FPO



BLISTER CARD

For Use ONLY on Dogs and Puppies 7 Weeks and Older Weighing **11-20 lbs**

READ THE ENTIRE LABEL BEFORE EACH USE

Prevent and Treat Flea and Lice Infestations

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. **DO NOT ALLOW CHILDREN TO APPLY PRODUCT.** To prevent harm to you and your dog, read the entire label and package insert before each use. Follow all directions and precautionary statements carefully. Use ONLY on Dogs 7 Weeks and Older and Weighing 11-20 lbs.

RESTRICTIONS: Use only on dogs 7 weeks and older weighing 11-20 lbs. Do not use on other animals. Do not exceed labeled dosage amount for dogs. Do not apply more than one tube per treatment. Do not have contact or allow children to have contact with treated area until completely dry. Do not treat more than one dog per tube.

HOW TO OPEN: Separate foil from corner of blister package. Peel back foil and take out the tube.

HOW TO APPLY: Remove one applicator tube from the package. Hold applicator tube in an upright position facing away from you and your pet's face and eyes. Pull cap off tube. Turn the cap around and place other end of cap back on tube. Twist cap to break seal, then remove cap from tube. The dog should be standing for easy application. Part the hair on the dog's back, between the shoulder blades, until the skin is visible. Place the tip of the tube on the skin and squeeze the tube to expel the entire contents directly on the skin. Do not get this product in your dog's eyes, or allow your dog to ingest this product. Do not allow the product to run off. Discard empty tube as described in the Storage and Disposal section. Under normal conditions this product is effective for a month. However, in case of severe flea infestation, retreatment may be necessary earlier than four weeks. Do not re-treat more often than once every seven days. After flea control is attained, return to a monthly retreatment schedule.

Side Effects: Monitor your dog after application. Side effects, although very rare, may include signs of skin irritations such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects (such as lethargy) occur, consult your veterinarian or call 1-844-685-9173.

DO NOT USE ON CATS. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian immediately.

RM113216

Promika

Distributed by: Promika, LLC
1204 Village Market Place #273, Morrisville, NC 27560
RM113216

65340

OR 91300-2



1.7400

