FIRST AID

SION DR CLOTHENS

- · Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice,
- SWALLOWED
- Immediately call a poison control center or doctor.
 - Do not include variety unless told to do so by a poison control center or doctor.
 Do not give any liquid to the person
 - . Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment,

For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with scap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. Do not apply directly to or near water. Do not contaminate water when disposing of equipment washwater, or rinsate. Drift and runoff may be hazardous to fish in water adjacent to treated areas. See Directions for Use for additional precautions and requirements.

This pesticide is highly toxic to bees exposed to direct freatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are foraging in the treatment area.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open fame, Do not purcture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

PRODUCT FACTS

Kills Insects: Mosquitoes, Flies, gnats, flying moths and other listed flying insects.

ferti-lome® MosquitoGo® Yard Fogger contains a combination of ingredients that provides rapid knockdown and kill of listed insects. This highly effective water-based formula can be used on listed flying and garden insects, and outdoor plant, and ornamental pests, ferti-forme? MosquitaGo® Yard Fogger provides effective residual control against listed pests.

Controls the following insects on contact: Almond Moths, American Dog Ticks that may carry and transmit Lyme disease, Angoumois Grain Moths, Bees, Biting Files, Black Files, Brown Dog Ticks, Chocolate Moths, Cigarette Beetles, Clothes Moths, Deer Flies, Deer Ticks, Face Flies Fleas, Flies, listed Flying Insects, Flying Moths, Fruit Flies, Gnats, Grain Mites, Gulf Coast Ticks, Homets, Horse Flies, Houseflies, Indian Meal Moths, Lone Star Ticks, Midges, Mosquitoes, Mud Daubers, Other brodict Species, Paper Nest Wasps, Sand Flies, Sciarid Flies, listed Small Flying Insects, Small Flying Moths, Stable Flies, Ticks, Vinegar Flies, Wasps, Webbing Clothes Moths.

For use on ornamental plants, shrubs, vines including: African Volet, Aspidistra, Asters, Azaleas, Begonias, Bougainvillea, Caladium, Calceolaria, Calendula, Calla, Camellia, Camation, Chinese begonias, pouganimiae, calculuir, catebolarie, caeroluire, cate, camend, calmand, ca Spathiphyllum, Spider Plant, Sweet Pea, Tulips, Viola, Wandering Jew, Yew, and Zinnia.

Kills the following plant insects: Aphids, Armyworms, Asparagus Beetles, Box Elder Bugs, Cabbage Loopers, Cankerworms, Caterpillars, Chewing Insects, Colorado Potato Beetles, Com Ear Worms, Cucumber Beetles, Cutworms, Diamondback Moths, Eastern Tent Caterpillars, Fiza Beetles, Gypsy Moth [adult and larvae], Inchworms, Japanese Beetles, Lace Bugs, Leaf Beetles, Leaf Miners, Leafhoppers, Leaffrelers, Leafliers, Mealy Bugs, Mexican Bean Beetles, Mittes, Oleander Caterpillars, Psyllids, Red Spider Mites, Rose Chafers, Soft Brown Scales, Southern Army Worms, Spider Mites, Spotled Mites, Stink Bugs, Tamisched Phont Bugs, Tent Caterpillars, Thrips, Tomato Fruit Worms, Tomato Pin Worms, Two-spotted Mites, Whiteflies.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ALL DIRECTIONS COMPLETELY BEFORE USE.

SHAKE WELL REFORE EACH USE, HOLD CONTAINER UPRIGHT, APPLY IN SHORT BURSTS.

For best results, follow directions for specific use areas. Do not use on animals. Avoid excessively wetting furniture and carpeting. Always test in an inconspicuous area before use since liquid products may adversely affect some natural and synthetic fibers.

Avoid contamination of food and feedstuffs. DO NOT CONTAMINATE FOOD AREAS. Do not apply this product in a way that will contact adults, children, or pets, either directly or through drift.

Remove pets, birds and cover fish aquariums before spraying. Do not apply when food is present. Remove or cover dishes, utensils, food processing equipment, and food preparation surfaces, or wash them before use. Remove or cover exposed food and drinking water before application.

OUTDOOR USE: All outdoor applications must be limited to spot or crack-and crevicetreatments only, except for the following permitted use: Applications to lawns, turf, and other vegetation. Do not water the treated area to the point of runoff.

Do not make applications during the rain. Do not use on edible crops. Take precautions to avoid spraying when wind conditions could create a mist that may blow back to applicator. Do not apply this product in or around bodies of water.

FUES, GNATS, MOSQUITOES, SMALL FLYING MOTHS, Midges, listed Small Flying Insects, Sand Flies, Black Flies, Biting Flies, Deer Flies, Face Flies, Horse Flies, Houseflies, Stable Flies, Vinegar Flies, Fruit Flies, and other listed flying insects: Hold container 18-24 inches from shrubs, bushes, grassy areas, and other areas infested with these pests. Spray with a slow sweeping motion. To reduce annoyance from these pests, treat surfaces of open porches, patio areas, screens, window frames, doors, and other areas where these pests may alight or congregate in a similar manner. Allow spray to dry before occupying treated area. WASPS, HORNETS, BEES, YELLOW JACKETS, AND PAPER NEST WASPS: Hold container 18-24 inches away from these insects and spray them directly. Do not spray into nests or hives. Only use an EPA registered product designed for use on nests and hives.

GARDEN PESTS: NOT FOR USE ON EDIBLE CROPS

Controls the following plant insects on contact Aphids, Armyworms, Asparagus Beetles, Box Elder Bugs, Cabbage Loopers, Cankerworms, Caterpillars, Chewing Insects, Colorado Polato Beetles, Com Ear Worms, Cucumber Beetles, Cutworms, D'armondback Moths, Eastern Tent Caterpillars, Fixe Beetles, Gypsy Molths, Inchworms, Japaness Beetles, Laze Bugs, Leaf Beetles, Leaf Miners, Leafhoppers, Leaffollers, Leafliers, Mealy Bugs, Mexican Bean Beetles, Mites, Oleander Caterpillars, Psyllids, Red Spider Mites, Rose Chafers, Soft Brown Scales, Southern Army Worms, Spider Miltes, Spotted Miltes, Stink Bugs, Tarnished Plant Bugs, Tent Caterpillars, Thrips, Tornato Fruit Worms, Tornato Pin Worms, Two-spotted Miltes, Whiteflies

For use on ornamental plants, shruks, vines, including: African Violet, Aspidistra, Aster, Azalea, Begonia, Bougainvillea, Caladium, Calcolaria, Calendula, Calla, Camella, Carnation, Azaka, oegona, bougariwate, casulumi, catecolarie, caenouat, cana, camena, carlaton, chinese Evergeen, Cineraria, Chrysanthemum, Coless, Creoping Charle, Datfodit, Dahla, Delphinium, Deciduous Ornamental, Dogwood, Dracaena, English Ivy, Evergreen, Falshedera, Falsa, Fern, Ficus, Fuchsia, Gardenia, Geranium, Galdrolus, Gypsophila, Höbscus, Holly, Hydranga, Eris, Ny, Jasmies, Jumper, Laly, Maripold, Palm, Peony, Petarpoinium, Petinia, Philodendron, Pine, Podocarpus, Pothos, Primula, Ranunculus, Rhododendron, Rose, Salvia. Schefflera, Snapdragon, Spathiphyllum, Spider Plant, Sweet Pea, Tulip. Viola, Wandering Jew. Yew, and Zinnia.

WHEN SPRAYING, HOLD CAN 24-36 INCHES FROM PLANT, Take precautions when spraying tender or new growth on young plants. First, spray these plants on a few leaves to ensure plant safety before spraying entire plant. For best results, apply in short bursts and spray in the evening or on a cloudy day when air is still.

Lightly mist plants. Use a slow sweeping motion. Avoid excessively wetting plant foliage with spray. Spray plants at the rate of one (1) linear foot per second. For heavy growth, spray both sides of plants. Do not spray when temperature exceeds 90°F.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pasticide Storage Store in a cool, dry area. Always store pesticides in the original container. Store away from lood and pet food.

Pesticide Dispesal and Centainer Handling: Do Not Puncture or Incinerate! Nonretitable container. On not reuse or refel this container. If empty: Place in trash or offer for recycling if analysis. If purity Mark Call your local solid waste agency for dispusal instructions.

Notice Buyer assumes all risk of use, storage or handling of this product not in accordance with directions.

2 solution

23D FM 87 • BONHAM, TEXAS 75418 EPA Reg. No. 1021-1667-7401 EPA Est. No. 11623 -GA-1 (A) EPA Est. No. 11623-GA-2 (B) EPA Est. No. 33595-MO-002 (C) EPA Est. No. 33595-MO-003 (D) EPA Est. No. 33595-MO-004-E

Letter in parenthesis at the end of the EPA Est. No. corresponds to the first letter in lot number on the container Product Questions? 855-270-4776

10042-0716-AP





ferti-lome

Mosquito Go®

YARD FOGGER

- Kills And Repels Mosquitoes, Biting Flies, **Gnats, Moths, And Other Listed Flying Insects**
- For Use On Porches, Patio Areas, Screens, **Window Frames, Doors And Other Areas**
- Water-Based Formula
- Treats An Avg. Patio (500 Sq Ft) 4 Times

ACTIVE INGREDIENTS:

Permethrin**	0.2%
Tetramethrin	0 2%
OTHER INGREDIENTS:	99.6%
TOTAL:	100 00%
"*Cis-trans isomers ratio: Min. 35% (+ or -) cis	
65% (+ or -) trans	

KEEP OUT OF REACH OF CHILDREN

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONS

NET WEIGHT 16 OZ. (454 G)