



● Feeds your lawn for up to 12 weeks
Fertiliza el césped durante 12 semanas

● Greens lawns and develops deep roots while controlling weeds
Hace el césped más verde y desarrolla raíces más profundas a la vez que controla las hierbas

● Triple Action Feeding works at every level:

Grass • Greener, Thicker lawn

Roots • Stronger Root System

Soil • Enriches & Fortifies Soil

Fertilización de triple acción que funciona en cada nivel:

Pasto • Césped más verde y más denso

Raíces • Sistema de raíces más fuertes

Suelo • Nutre y fortifica la tierra

NuLife 24-0-8

WEED & FEED

Covers up to 10,000 square feet

ACTIVE INGREDIENTS:

2,4-dichlorophenoxyacetic acid	0.69%
(+)-(R)-2-(4-chloro-2-methylphenoxy) propionic acid	0.15%
Dicamba: 3,6-dichloro-2-methoxybenzoic acid	0.06%
OTHER INGREDIENTS:	99.10%
TOTAL	100.00%

THIS PRODUCT CONTAINS:

13.6 lb 2,4-dichlorophenoxyacetic acid equivalent per ton (CAS Registry No. 94-75-7)
3.0 lb (+)-(R)-2-(4-chloro-2-methylphenoxy) propionic acid equivalent per ton (CAS Registry No. 16484-77-4)
1.2 lb 3,6-dichloro-2-methoxybenzoic acid equivalent per ton (CAS Registry No. 1982-89-0)

Isomer Specific by ADAC Methods.

TRAMEC® is a registered trademark of PBI/GORDON CORPORATION

EPA Reg No. 2217-579-72106

EPA Est. No. 69759-OR-002 (A)

69759-OR-004 (B)

Letter in parenthesis is shown in lot code.

Keep out of reach of children

CAUTION

See back panel for complete Precautionary Statements, including First Aid, and Directions for Use, including Storage and Disposal.

Net Weight 30 lbs / 13.61 kg

NuLife WEED & FEED

NuLife WEED & FEED

NuLife 24-0-8 WEED & FEED

24 - 0 - 8
Guaranteed Analysis
Total Nitrogen (N) 24.00%
24.00% Urea Nitrogen
Soluble Potash (K₂O) 8.00%
Derived From: Urea and Muriate of Potash

**READ THE ENTIRE LABEL FIRST.
OBSERVE ALL PRECAUTIONS AND
FOLLOW DIRECTIONS CAREFULLY.**

STOP!

**ANTES DE USAR EL PRODUCTO, LEA TODA LA
INFORMACIÓN DE LA ETIQUETA. TENGA EN
CUENTA TODAS LAS PRECAUCIONES Y SIGA LAS
INSTRUCCIONES CUIDADOSAMENTE.**

Directions for Use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS:

- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until dusts have settled.
- Do not use on dandelions, carpetgrass, or St. Augustine grass. Do not use this product where desirable plants are present. Do not exceed specified dosages for any area. Apply when the air is calm. Application of this product to newly seeded areas should be delayed until the third mowing.
- Do not use this product on or near desirable plants, and avoid spreading granules onto exposed root systems or adventitious shoots (rhizomes) within the drip line of desirable trees and shrubs, because injury may result.
- Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. Apply this product directly to your lawn, and sweep any product landing on the driveway, sidewalk, gutter, or street back onto the treated area. To prevent product run-off, do not over water the treated area(s) to the point of runoff or apply when raining or when rain is expected that day.

INSTRUCTIONS:

NuLife® Weed & Feed contains Trimec® herbicide. Trimec® controls a wide range of lawn weeds, including dandelion, chickweed, plantain, henbit, spurge and many other listed weeds commonly found in home lawns. In addition, a 24-0-8 fertilizer provides a supply of plant food. Possible retreatment may be necessary if (a) lawn is heavily overgrown by weeds or, (b) if adverse low moisture conditions prevail and weeds are in a state of poor growth. A second application may be made 30 days after the initial treatment. Treated areas may be seeded 3 to 4 weeks after application.

- Mow lawn to normal height 1 to 2 days before application.
- Water lawn thoroughly at least 1 day before application to sustain moisture until the next watering (see step 4).
- Apply when weeds are young and actively growing, preferably in the morning when the dew is on the grass. If grass is not moist at time of application, sprinkle lightly with water to allow the granules to adhere and to remain on the leaf surface of the weeds.
- Do not wash from weed leaves for 1 to 2 days after application. At this time a thorough watering should be made.

SPREADERS AND CALIBRATION:

- Drop spreaders and rotary spreaders must be calibrated for accurate application of this product.
- Close spreader opening (orifice).
- Adjust spreader setting using the Spreader Suggestions chart
- CALIBRATION INSTRUCTIONS:**

- For 3.0 pounds of product per 1,000 square feet of turfgrass: Check your spreader on 330 square feet and adjust to apply at the rate of 1 pound of product per 330 square feet.
- For 3.2 pounds of product per 1,000 square feet of turfgrass: Check your spreader on 310 square feet and adjust to apply at the rate of 1 pound of product per 310 square feet.
- For 3.6 pounds of product per 1,000 square feet of turfgrass: Check your spreader on 275 square feet and adjust to apply at the rate of 1 pound of product per 275 square feet.
- For 4.0 pounds of product per 1,000 square feet of turfgrass: Check your spreader on 250 square feet and adjust to apply at the rate of 1 pound of product per 250 square feet.

- Fill spreader. Fill spreader on driveway or sidewalk to eliminate the chance of spillage on the lawn.
- Apply the product to lawn. Refer to the patch charts below: The maximum broadcast application rate is 4.0 pounds of product per 1,000 sq. ft. per application. The maximum number of broadcast applications is limited to 2 per year with a minimum of 30 days between applications. The maximum seasonal rate is 8.0 pounds of product per 1,000 sq. ft.
- Close the spreader openings when turning to change directions or when stopping.
- If using a centrifugal/rotary spreader, avoid spreading product into adjacent landscape, flowers or vegetable plantings.

NOTE: Supplemental applications of lawn fertilizer are needed to achieve a minimum 1 pound nitrogen per 1,000 square feet.

This 30 pound bag should cover approximately 10,000 square feet

Storage & Disposal

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Store in original container and keep any bags containing unused product in a locked storage area inaccessible to children and domestic animals.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Precautionary Statements

Hazards to Humans and Domestic Animals

CAUTION: Harmful if absorbed through skin. Harmful if inhaled. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Avoid breathing dust. Wear long-sleeved shirt, long pants, shoes, socks, and chemical resistant gloves made of any waterproof material. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

First Aid

IF ON SKIN OR ON CLOTHING	- Take off contaminated clothing. - Rinse skin immediately with plenty of water for 15 - 20 minutes. - Call a poison control center or doctor for treatment advice.
IF INHALED	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
IF IN EYES	- Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. - Call a poison control center or doctor for treatment advice.
IF SWALLOWED	- Call a poison control center or doctor immediately for treatment advice. - Have person sip a glass of water if able to swallow. - Do not induce vomiting unless told to do so by a poison control center or doctor. - Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also call toll-free, 1-877-469-6356 for emergency medical treatment information.

Environmental Hazards

This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent runoff to water bodies or drainage systems. This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

LIMITED WARRANTY AND DISCLAIMER

FOR USE ONLY AS DIRECTED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY EXPRESSLY DISCLAIMED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO CASE SHALL THE MANUFACTURER BE LIABLE FOR INCIDENTAL, CONSEQUENTIAL, OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. If these terms are not acceptable, return this product unopened and immediately to the point of purchase, and the purchase price will be refunded in full. The terms of this LIMITED WARRANTY AND DISCLAIMER cannot be varied by any written or verbal statements or agreements at the point of sale or elsewhere.

Information regarding the contents and levels of metals in this product is available on the internet at: <http://www.aapfco.org/metals.htm>

Instrucciones de uso

Es una violación de la ley federal usar este producto de una manera inconsistente con su etiqueta.

PRECAUCIONES Y RESTRICCIONES:

- No aplique este producto de manera que pueda entrar en contacto con cualquier persona o mascota, ya sea directa o indirectamente. Mantenga a las personas y a las mascotas alejadas del área durante la aplicación. No permita que las personas o las mascotas entren en el área tratada hasta que el polvo se asiente en el suelo.
- No utilice este producto en plantas del género *Dichondra*, *Xanopogon* o especie *Stenotaphrum secundatum* (parte de San Agustín). No utilice este producto en áreas en las que existan árboles que se quieren mantener. No exceda la dosis especificada para cualquier área. Aplique el producto cuando no haya viento. La aplicación de este producto en áreas recién sembradas deberá posponerse hasta la tercera poda.
- No utilice este producto en plantas que no quiere matar, ni cerca de ellas, y evite la dispersión de las granúlas en sistemas de raíces expuestas a brotes espontáneos (rizomas) que se encuentran cerca de la línea de riesgo de árboles y arbustos que desea conservar, y que del centro del pasto alejados. No añada el producto directamente en el agua ni cerca del agua, como tampoco en drenajes de lluvia, conductos de desagüe, alcantarillas o zanjas de drenaje. No aplique el producto a una distancia de menos de siete metros y medio (25 pies) de ríos, estanques de peces, lagos, arroyos, depósitos de agua, pantanos, estuarios, bahías y océanos. No aplique el producto cuando haya viento. Aplique este producto directamente sobre el césped y barra hacia el área tratada cualquier resto del producto que caiga en la entrada de coches, la acera, las canchales de desague o la calle. Para evitar escarmentas del producto, no riegue en exceso las áreas tratadas, ni lo aplique cuando esté lloviendo o cuando haya un pronóstico de lluvia.

INSTRUCCIONES:

NuLife® Weed & Feed contiene el herbicida Trimec®. Trimec® controla una amplia gama de hierbas del césped, entre las que se cuentan el diente de león, la hierba gallina, el bellis mayor, la ortiga mayor, la espiguilla y muchas otras que se encuentran comúnmente en las céspedes domésticos. Además, un fertilizante 24-0-8 proporciona alimento a las plantas. Podría ser necesario un nuevo tratamiento si (a) el césped tiene demasiadas hierbas, o (b) si prevalecen condiciones adversas de humedad excesiva y las hierbas se encuentran en un estado de crecimiento deficiente. La segunda aplicación podrá hacerse 30 días después del tratamiento inicial. Las áreas tratadas podrán sembrarse tres o cuatro semanas después de la aplicación.

- Podé el césped a la altura normal uno o dos días antes de la aplicación.
- Riegue el césped por completo al menos un día antes de la aplicación para mantener la humedad hasta el próximo riego (ver paso 4).
- Aplique el producto cuando las hierbas sean jóvenes y crezcan activamente, preferentemente por la mañana, cuando el pasto esté cubierto de rocío. Si el pasto no está húmedo al momento de la aplicación, rocíelo ligeramente con agua para que los granúlos se adhieran y queden en la superficie de las hojas de las hierbas.
- No lave el producto de las hojas de las hierbas durante uno o dos días después de la aplicación. Una vez transcurrido ese tiempo, deberá regarse el césped completamente.

ESPARCIDORES Y CALIBRACIÓN:

- Los esparcidores de caída y los giratorios deben calibrarse para una aplicación precisa de este producto.
- Cierre la apertura del esparcidor (el orificio).
- Ajuste la configuración utilizando la tabla de sugerencias del esparcidor.
- INSTRUCCIONES DE CALIBRACIÓN:**

- Para 1,35 kg (3 lb) de producto por cada 93 m² (1000 ft²) de césped, ajuste el esparcidor a 30,5 m² (330 ft²) y una aplicación a una tasa de 450 g (1 lb) por cada 30,5 m².
- Para 1,45 kg (3,2 lb) de producto por cada 93 m² (1000 ft²) de césped, ajuste el esparcidor a 29 m² (310 ft²) y una aplicación a una tasa de 450 g (1 lb) por cada 29 m².
- Para 1,60 kg (3,6 lb) de producto por cada 93 m² (1000 ft²) de césped, ajuste el esparcidor a 25,5 m² (275 ft²) y una aplicación a una tasa de 450 g (1 lb) por cada 25,5 m².
- Para 1,80 kg (4 lb) de producto por cada 93 m² (1000 ft²) de césped, ajuste el esparcidor a 23 m² (250 ft²) y una aplicación a una tasa de 450 g (1 lb) por cada 23 m².

- Llene el esparcidor. Proceda a llenar el esparcidor en la entrada de coches o en la acera, a fin de eliminar la posibilidad de que el producto se derrame sobre el césped.
- Aplique el producto al césped. Consulte las tablas de parches a continuación: La tasa máxima de aplicaciones de diseminación es de 1,80 kg (4 lb) de producto por cada 93 m² (1000 ft²) de césped por aplicación. El número máximo de aplicaciones de diseminación se limita a dos por año con un mínimo de 30 días entre aplicaciones. La tasa máxima de temporada es de 1,80 kg (4 lb) de producto por cada 93 m² (1000 ft²) de césped.
- Cierre las aberturas del esparcidor cuando gire para cambiar de dirección o cuando se detenga.
- Si utiliza un esparcidor centrífugo o giratorio, evite diseminar el producto en huertas, flores o jardines adyacentes.

NOTA: Se requieren aplicaciones complementarias de fertilizante para césped para lograr un mínimo de 450 g (1 lb) de nitrógeno por cada 93 m² (1000 ft²). Esta bolsa de 13,5 kg (30 lb) rinde para 929 m² (10,000 ft²) aproximadamente.

Almacenamiento y eliminación

No contamine el agua ni los alimentos humanos o animales mediante el almacenamiento o la eliminación.

ALMACENAMIENTO DEL PESTICIDA: Almacene el producto en el contenedor original y mantenga las bolsas con producto sin usar en un área de almacenaje bajo llave, inaccesible para niños y animales domésticos.

ELIMINACIÓN DEL PESTICIDA Y MANEJO DEL CONTENEDOR: Contenedor no recargable. No reutilice ni rellene este contenedor. Una vez vacío, deséchelo en la basura o recíclalo si hay una instalación disponible para tal fin. Si el contenedor todavía tiene producto, llame a su agencia local de desechos sólidos. Jamás arroje el producto no utilizado en drenajes domésticos o públicos.

Declaraciones de advertencia

Peligroso para los humanos y los animales domésticos

ADVERTENCIA: Dañino si se absorbe a través de la piel. Peligroso si se inhala. Causa irritación moderada de los ojos. Evite el contacto con la piel, los ojos o la ropa. Evite respirar el polvo. Utilice camisa de manga larga, pantalones largos, zapatos, calcetines y guantes de material impermeable para productos químicos. Lávese a fondo con agua y jabón después de manipular el producto y antes de comer, beber, mascar chicle, fumar o ir al baño.

Primeros auxilios

SI EL PRODUCTO CAE SOBRE LA PIEL O LA ROPA	- Quítese la ropa contaminada. - Enjuague la piel de inmediato con agua abundante de 15 a 20 minutos. - Llame a un médico o a un centro de intoxicaciones para recibir información sobre el tratamiento adecuado.
SI SE INHALA EL PRODUCTO	Lleve a la persona a un lugar con aire fresco. Si la persona no respira, llame al número de emergencias (en Estados Unidos, el 911) o a una ambulancia y luego proceda a darle respiración artificial, preferentemente de boca a boca si es posible. Llame a un médico o a un centro de intoxicaciones para recibir más información sobre el tratamiento adecuado.
SI EL PRODUCTO CAE EN LOS OJOS	- Mantenga el ojo abierto y enjuáguelo con agua lenta y suavemente de 15 a 20 minutos. En caso de que se lleven puestos lentes de contacto, retírelos después de los primeros cinco minutos y luego siga enjuagando. - Llame a un médico o a un centro de intoxicaciones para recibir información sobre el tratamiento adecuado.
SI SE INGERIRE EL PRODUCTO	- Llame a un médico o a un centro de intoxicaciones de inmediato para recibir información sobre el tratamiento adecuado. - Si la persona puede tragar, haga que beba poco a poco un vaso de agua. - No induzca el vómito a menos que así se lo indique un médico o un centro de intoxicaciones. - No dé nada por vía oral a una persona inconsciente.

Traga la mano el contenedor o la etiqueta del producto cuando llame al médico o a un centro de intoxicaciones o cuando acuda al hospital para recibir tratamiento. También puede llamar al número gratuito 1-877-469-6356 para obtener información sobre el tratamiento médico de emergencia.

Riesgos para el medio ambiente

Este pesticida es tóxico para los peces y los invertebrados acuáticos y podría afectar a las plantas a las que no va dirigido. No aplique el producto en el agua directamente. No contamine el agua al desmenujar el líquido de lavado o enjuague del equipo. Este producto químico tiene propiedades y características relacionadas con las sustancias químicas presentes en las aguas subterráneas. El uso de este producto químico en áreas en las que el suelo sea permeable, en particular en donde el manto acuífero es poco profundo, puede dar como resultado la contaminación de las aguas subterráneas. La aplicación alrededor de una cisterna o un pozo de agua podría dar lugar a la contaminación del agua potable o subterránea.

Distributed by
Waupaca Northwoods LLC
N2564 County Rd. QQ • Waupaca, WI 54981
1-800-365-4032