

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

PREPARATION OF CLEANING USE SOLUTION: Add 0.5 ounce of SANI QUIK to 1 quart of water.

FOR USE AS A GENERAL CLEANER: Apply cleaning solution to surfaces. Wipe up excess liquid with a paper towel. Allow to air dry. For heavy-duty use, use 1 to 2 ounces of use solution to clean surfaces.

DISINFECTION PERFORMANCE IN INSTITUTIONS AND NON-MEDICAL FACILITIES:

At 4-6 oz this product per 1 gallon of water use level (or equivalent use dilution) (488-732 ppm active) and with a 10-minute contact time, this product is bactericidal according to the AOAC Use Dilution Test method on hard non-porous environmental surfaces against the following: *Pseudomonas aeruginosa*, *Salmonella enterica*, *Staphylococcus aureus*.

VIRUCIDAL* PERFORMANCE: At 4 ounces of this product per one gallon of water use level (or equivalent use dilution) (488 ppm active), this product was evaluated in the presence of 5% serum with a 10-minute contact time and found to be effective against the following viruses on hard, non-porous inanimate environmental surfaces: Human Coronavirus.

PREPARATION OF DISINFECTION/VIRUCIDAL* USE SOLUTION: For heavily soiled areas, a preliminary cleaning is required. Add 4-6 ounces of this product per one gallon of water (or equivalent use dilution) (488-732 ppm active) to disinfect hard, non-porous environmental surfaces. Apply use solution using a brush, cloth, mop, sponge, paper towel, auto scrubber or mechanical spray device hand pump, coarse pump or trigger spray device or by immersion so as to thoroughly wet surface and rub. For sprayer applications, spray 6-8 inches from surface. Do not breathe spray. Allow surfaces to remain wet for 10 minutes. Allow to air dry. Change cloth, sponge or towels frequently to avoid redeposition of soil. Prepare a fresh solution at least daily or when use solution becomes visibly dirty.

FOOD CONTACT SANITIZING DIRECTIONS:

Before use as a sanitizer in public eating places, food products and packaging materials must be removed from the room or carefully protected. Prior to application, remove gross food particles and soil by a pre-flush or pre-scrape and when necessary, presoak. Then thoroughly wash or flush objects with a good detergent or compatible cleaner, followed by a potable water rinse before application of the sanitizing solution.

FOOD CONTACT SANITIZING PERFORMANCE: At 8 ounces of this product per 5 gallons of water (or equivalent use dilution) (200 ppm active), this product eliminates 99.999% of the following bacteria in 1 minute in 250 ppm hard water (calculated as CaCO₃) according to the Germicidal and Detergent Sanitizing Action of Disinfectants test: *Escherichia coli*, *Staphylococcus aureus*.

FOOD CONTACT SURFACE SANITIZING DIRECTIONS: Apply a use solution of 8-16 ounces of Sani Quik per 5 gallons of water as is to sanitize hard nonporous surfaces with a brush, cloth, sponge or trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Rub with brush, cloth, or sponge. Let stand for at least 1 minute. Wipe with clean cloth, sponge or paper towel. Allow surfaces to air dry. Do not rinse after use as a sanitizer. Change cloth, sponge or towels frequently to avoid redeposition of soil. Prepare a fresh solution at least daily or when use solution becomes visible dirty. The used sanitizing solution must not be reused for sanitizing, but can be reused for other purposes such as cleaning.

DIRECTIONS FOR ALTERNATE CONTAINERS/DELIVERY SYSTEMS AUTOMATED DILUTION SYSTEM INSTRUCTIONS: Remove spray nozzle from empty container. Fill empty container with a newly prepared use-solution. Replace spray nozzle. Place correct use-dilution label on newly filled container.

TRIGGER SPRAYERS: Fill bottle from dispenser. Apply to surfaces according to directions above. See insert for other directions for use and organisms.

SANI QUIK

CLEANER, SANITIZER, DISINFECTANT, VIRUCIDE*

ACTIVE INGREDIENTS:

n-Alkyl (60%C₁₄, 30%C₁₆, 5%C₁₂, 5%C₁₈) dimethyl benzyl ammonium chloride 0.781%

n-Alkyl (68%C₁₂, 32%C₁₄) dimethyl ethylbenzyl ammonium chloride 0.781%

INERT INGREDIENTS: 98.438%

TOTAL 100.000%

EPA REG. NO. 10324-166-150 EPA EST. NO. 150-MN-1

KEEP OUT OF REACH OF CHILDREN WARNING ADVERTENCIA

ADVERTENCIA: SI NO PUEDE LEER EN INGLES, PREGUNTE A SU SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO.

WARNING: IF YOU CANNOT READ ENGLISH, ASK YOUR SUPERVISOR TO EXPLAIN THE APPROPRIATE DIRECTIONS FOR USE BEFORE WORKING WITH THIS PRODUCT.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

See side panel for additional precautionary statements.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING. KEEP OUT OF REACH OF CHILDREN. Causes substantial but temporary eye injury. Harmful if swallowed, inhaled, or absorbed through the skin. Do not get in eyes or on clothing. Avoid contact with skin. Wear goggles or face shield when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARD

This product is toxic to fish.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame. Do not mix with oxidizers, anionic soaps and detergents.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

CONTAINER DISPOSAL/PESTICIDE STORAGE: Non-refillable container. Store only in original container. Do not reuse empty container. Store pesticides away from food, pet food, feed, seed, fertilizers, and veterinary supplies. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use. Triple rinse as follows: Fill container ¼ full with water and reclose the container. Agitate vigorously and dispose of rinsate. Repeat two more times. Wrap container and put in trash or offer for recycling if available.

RESIDUE REMOVAL INSTRUCTIONS: Triple rinse container promptly after emptying. Triple rinse as follows: Fill the container ¼ full with water and recap. Shake for 10 seconds. Follow Pesticide Disposal instructions for rinsate disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

NET CONTENTS: 0.5 U.S. GALLON / 1.9 L.

Anderson Chemical Company
325 South Davis Avenue, Litchfield, MN 55355
320.693.2477

ESL 053112

111 DOSE
by SURFLEX®

111 DOSE
by SURFLEX®

111 DOSE
by SURFLEX®

111 DOSE
by SURFLEX®