

SEEDGE ENDER®

Ready to Use

Kills yellow & purple nutsedge,
kyllinga & over 60 other tough weeds

Kills roots, shoots and nutlets

For northern and southern
turf Grasses

ACTIVE INGREDIENT:	By Wt.
Sulfentrazone	0.05%
OTHER INGREDIENTS:	99.95%
TOTAL:	100.00%

EPA Est. No. 4-NY-1 EPA Reg. No. 279-3354-4

Keep Out Of Reach Of Children

CAUTION (See back booklet for additional
Precautionary Statements and First Aid)

Net Contents 1 Quart (946 ml.)

XXXXXXXXXX



Nutsedge

SEDGE ENDER[®] Ready to Use

- ✓ Spot treatment for all turfgrasses listed on label
- ✓ Rainproof in 2 hours
- ✓ Also kills plantain, clover, spurge, woodsorrel, knotweed, and other listed annual, biennial, and perennial broadleaf weeds
- ✓ Dual Action Killing: Uptake by both leaves and roots

EPA Est. No. 4-NY-1 EPA Reg. No. 279-3354-4
©Bonide Products, Inc. All Rights Reserved

Distributed by:
Bonide Products, Inc.
6301 Sutliff Road
Oriskany, NY 13424
Quart

BN



DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Observe all cautions and limitations on this label. The use of this product not consistent with this label may result in plant injury. Keep container closed to avoid spills and contamination.

PRODUCT INFORMATION

This product selectively controls tough weeds like purple and yellow nutsedge (nutgrass), kyllinga, wild onion and garlic, goosegrass, broadleaf plantain, purslane, redroot pigweed, dandelion, spurge, and other listed annual, biennial, and broadleaf weeds in a great variety of lawns, including:

Cool Season Grasses	
Creeping Bentgrass	Kentucky Bluegrass
Tall Fescue	Rough Bluegrass
Fine Fescue	Ryegrass (perennial)

Creeping Bentgrass	Kentucky Bluegrass
Tall Fescue	Rough Bluegrass
Fine Fescue	Ryegrass (perennial)

Warm Season Grasses	
Bermudagrass	Buffalograss
St. Augustinegrass	Bahiagrass
Zoysiagrass	Kikuyugrass
Carpetgrass	Seashore Paspalum
Centipedegrass	

Bermudagrass	Buffalograss
St. Augustinegrass	Bahiagrass
Zoysiagrass	Kikuyugrass
Carpetgrass	Seashore Paspalum
Centipedegrass	

This unique formula kills weeds fast. This product involves uptake by both weed roots and shoots. Complete kill should occur in 2-3 weeks. This product also controls nutlets in the soil.

APPLICATION INSTRUCTIONS AND PRECAUTIONS

Twist open nozzle. Spot spray weed directly onto weed until well covered. Some weeds may require repeat application (see detailed instruction below). Wait at least 4 weeks after treatment before reseeding, winter overseeding, or plugging lawns. For best results, apply to weeds when less than 3 inches high. Apply only when wind is no more than 10mph. Avoid applying when windy to prevent product drifting to other plants. Try to avoid overlap spraying. Do not spray over-the-top of flowers, ornamentals (including herbaceous) or garden vegetables as injury may result. Do not use in turfgrasses other than those listed on the label. Do not use in green houses. Do not graze or feed treated grass clippings.

CONTROL OF SEDGES (INCLUDING NUTSEDGES) AND GRASSES

Spray directly on emerged weeds to control or suppress sedges and some grasses. This product is effective against newly emerged and established sedges. Good spray coverage is needed for optimum control.

Grass and sedge weed species control or suppressed:

Common Name	Scientific Name
Annual bluegrass	(<i>Poa annua</i>)
Goosegrass*	(<i>Eleusine indica</i>)
Kyllinga, green	(<i>Kyllinga brevifolia</i>)
Kyllinga, false green	(<i>Kyllinga gracillima</i>)
Nutsedge, purple*	(<i>Cyperus rotundus</i>)
Nutsedge, yellow	(<i>Cyperus esculentus</i>)
Sedge, globe	(<i>Cyperus globulosus</i>)
Sedge, cylindrical	(<i>Cyperus retrorsus</i>)
Sedge, Surinam	(<i>Cyperus surinamensis</i>)
Sedge, Texas	(<i>Cyperus polystachyos</i>)

* For optimal control of Purple Nutsedge and Goosegrass, repeat treatment every 3-4 weeks.

CONTROL OF ANNUAL, BIENNIAL & PERENNIAL BROADLEAF WEEDS

Spray directly on newly emerged weeds to control or suppress a wide range of broadleaf weeds.

Broadleaf weeds controlled or suppressed by this product.

Broadleaves	Scientific Names
Bittercress	<i>(Cardamine spp.)</i>
Black medic	<i>(Medicago lupulina)</i>
Buttercups	<i>(Ranunculus spp.)</i>
Carolina geranium	<i>(Geranium carolinianum)</i>
Carpentweed	<i>(Mollugo verticillata)</i>
Chickweed, common	<i>(Stellaria media)</i>
Chickweed, mouseear	<i>(Cerastium vulgatum)</i>
Cinquefoil	<i>(Potentilla spp.)</i>
Clover	<i>(Trifolium spp.)</i>
Cudweed	<i>(Gnaphalium spp.)</i>
Dandelion	<i>(Taraxacum officinale)</i>
Dock, Curly	<i>(Rumex crispus)</i>
Evening primrose	<i>(Oenothera biennis)</i>
Fiddleneck	<i>(Amsinckia spp.)</i>
Filaree	<i>(Erodium spp.)</i>
Goldenrod	<i>(Solidago spp.)</i>
Ground ivy	<i>(Glechema hederacea)</i>
Henbit	<i>(Lamium amplexicaule)</i>
Knotweed, prostrate	<i>(Polygonum aviculare)</i>
Kochia	<i>(Kochia scoparia)</i>
Lambsquarters, common	<i>(Chenopodium album)</i>
Lawn burweed	<i>(Soliva pterosperma)</i>
Lespedeza, common	<i>(Lespedeza striata)</i>
Mallow, common	<i>(Malva neglecta)</i>

CONTROL OF ANNUAL, BIENNIAL & PERENNIAL BROADLEAF WEEDS

Broadleaves	Scientific Name
Parsley piert	<i>(Alchemilla arvensis)</i>
Pennywort (Dollarweed)	<i>(Hydrocotyle spp.)</i>
Pigweed, Redroot	<i>(Amaranthus retroflexus)</i>
Pigweed, Smooth	<i>(Amaranthus hybridus)</i>
Pigweed, Tumble	<i>(Amaranthus albus)</i>
Pineapple weed	<i>(Matricaria matricarioides)</i>
Plantain Broadleaf	<i>(Plantago commanlata)</i>
Plantain, buckhorn	<i>(Plantago lanceolata)</i>
Plaintain Narrow leaf	<i>(Plantago natowiforma)</i>
Puncture weed	<i>(Tribulus terrestris)</i>
Purslane, common	<i>(Portulaca oleracea)</i>
Pusley, Florida	<i>(Richardia scabra)</i>
Redweed	<i>(Melochia corchorifolia)</i>
Rocket, London	<i>(Sisymbrium irio)</i>
Smartweed, Pennsylvania	<i>(Polygonum pensylvanicum)</i>
Sorrel, Red	<i>(Rumex acetosella)</i>
Speedwell	<i>(Veronica spp.)</i>
Spurge, (annuals)	<i>(Euphorbia spp.)</i>
Spurge, prostrate	<i>(Euphorbia humistrata)</i>
Spurge, spotted	<i>(Euphorbia maculata)</i>
Spurweed	<i>(Sovia pterosperma)</i>
Star of Bethlehem	<i>(Ornithogalum umbellatum)</i>
Velvetleaf	<i>(Abutilon theophrasti)</i>
Violet, wild	<i>(Viola pratincola)</i>
Wild garlic	<i>(Allium vineale)</i>
Wild onion	<i>(Allium canadense)</i>
Woodsorrel, creeping	<i>(Oxalis corniculata)</i>
Woodsorrel, yellow	<i>(Oxalis stricta)</i>

STORAGE AND DISPOSAL

Pesticide Storage

Keep from freezing. Do not store below 32°F. Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place, preferably in a locked storage area and avoid excess heat. After partial use, replace lids and close tightly. Do not put concentrate or dilute material into drink containers.

Pesticide Container Disposal

If partially filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

If empty: Non refillable container. Do not reuse or refill this container. Offer for recycling, if available, or dispose of in trash.

FIRST AID

If swallowed:	• Call a poison control center or doctor immediately for treatment advice. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If on skin or clothing:	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 to 20 minutes. • Call a poison control center or doctor for treatment advice.
If in eyes:	• Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-858-7378 for emergency medical treatment information.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Harmful if swallowed or absorbed through skin. Avoid breathing vapor or spray mist. Avoid contact with skin, eyes, and clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove contaminated clothing and wash before reuse. Keep children and pets out of the treated area until sprays have dried.

ENVIRONMENTAL HAZARDS

This product is toxic to marine/estuarine invertebrates. Do not apply directly to or near water, storm drains, or drainage ditches. Do not apply when windy or when heavy rainfall is expected. Care should be used when spraying to avoid fish and reptile pets in/around ornamental ponds.

Notice: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions beyond the control of Seller.

All such risks shall be assumed by Buyer and User, and, to the extent consistent with applicable law, Buyer and User agree to hold Seller harmless for any claims relating to such factors.

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the Directions for Use when used in accordance with the directions under normal conditions of use. TO THE CONSISTENT WITH APPLICABLE LAW, SELLER MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, NOR ANY OTHER EXPRESS OR IMPLIED WARRANTIES WITH RESPECT TO THE SELECTION, PURCHASE, OR USE OF THIS PRODUCT. Any warranties, express or implied, having been made are inapplicable if this product has been used contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to (or beyond the control of) seller, and, to the extent consistent with applicable law, buyer assumes the risk of any such use.

To the extent consistent with applicable law, seller shall not be liable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF SELLER, THE REPLACEMENT OF THE PRODUCT.