

5 minute acting disinfectant. Use in: Bathrooms, Hospitals, and Institutions. Use on washable hard, nonporous surfaces of bathroom fixtures, counters, floors and walls. Quat-Stat 5 is effective against: **5 MINUTE CONTACT TIME:** Pseudomonas aeruginosa, Salmonella enterica, Staphylococcus aureus, Enterobacter cloacae NDM 1 – Carbapenem Resistant, Enterococcus faecalis - Vancomycin resistant, Klebsiella pneumoniae, Staphylococcus aureus - Community Associated Methicillin-Resistant, Staphylococcus aureus - Methicillin-Resistant and Staphylococcus aureus - Vancomycin Resistant. Is virucidal* including HIV-1, the AIDS Virus, Hepatitis B Virus, Hepatitis C Virus and Influenza A Virus (H7N9).

Dilution: Disinfection (1:256) ½ oz. per gallon of water.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Preparation of Disinfectant Use-Solution: Mix ½ oz. per gallon of water [1:256] For heavy duty use, mix 2 oz. per gallon of water [1:64].

DISINFECTION/VIRUCIDAL: Apply use-solution to hard, nonporous surfaces, thoroughly wetting surfaces with a cloth, mop, sponge, sprayer or by immersion. Treated surfaces must remain wet for 5 minutes. Wipe dry with a cloth, sponge or mop or allow to air dry. For heavily soiled areas, a preliminary cleaning is required. For sprayer applications, use a coarse spray device. Spray 6 - 8 inches from the surface; rub with a brush, sponge or cloth. Do not breathe spray. Rinse all surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse. Do not use on utensils, glassware and dishes.

To disinfect food processing facilities: Spray surfaces with solution and allow to remain wet for 5 minutes. Rinse food contact surfaces with potable water prior to reuse.

Prepare a fresh solution daily or more often if the solution becomes visibly dirty or diluted.

This product is effective in one step against Candida albicans at ½ oz. per gallon in 250 ppm hard water and 5% serum. Treated surfaces must remain wet for 5 minute contact time.

This product is not for use on medical device surfaces.

***KILLS HIV AND HBV AND HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS) or Hepatitis B Virus (HBV) or Hepatitis C Virus (HCV). **SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OR HBV OR HCV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.** Personal protection: Clean-up must always be done wearing protective gloves, gowns, masks and eye protection. **Cleaning Procedure:** Blood and other body fluids containing HIV-1 or HBV or HCV must be thoroughly cleaned from surfaces and objects before application of this product. **Contact Time:** Leave surface wet for 5 minutes with a ½ oz. per gallon use-solution. **Disposal of Infectious Material:** Blood, body fluids, cleaning materials and clothing must be disposed of according to local regulations for infectious waste disposal.

NON-ACID TOILET BOWL AND URINAL DISINFECTANT/CLEANER DIRECTIONS: Remove gross filth prior to disinfection. **From Concentrate:** Add ½ oz. to the bowl and mix. Brush over exposed surfaces and under the rim, allow to stand for 5 minutes and flush. **From Use Solution:** Empty toilet bowl or urinal and apply ½ oz. per gallon use-solution to exposed surfaces and under the rim with a cloth, mop, sponge or mechanical spray. Brush or swab thoroughly; allow to stand for 5 minutes and flush. **TO CLEAN AND DEODORIZE:** Mix ½ oz. of Quat-Stat™ 5 per gallon of water or 1 - 4 oz. per gallon to clean and deodorize surfaces. Apply using a sprayer. Wipe or allow to air dry.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

DANGER. Corrosive. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin, or on clothing. May be fatal if inhaled or absorbed through skin. Harmful if swallowed. Do not breathe vapor or spray mist. Wear appropriate protective eyewear such as goggles, face shield, or safety glasses. Wear protective clothing and protective (rubber or chemical resistant) gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE

Open dumping is prohibited. Store in original container in areas inaccessible to children.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Nonrefillable Container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Fill container ¼ full with water and reclose the container. Agitate vigorously, and dispose of rinsate consistent with pesticide disposal instructions. Repeat two more times. Then offer for recycling if available or puncture and dispose in sanitary landfill or by other procedures approved by state and local authorities. Follow pesticide disposal instructions for rinsate. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state, and federal regulations.



Quat-Stat™ 5

**One-Step Disinfectant Virucide*
Cleaner**

Active Ingredients:

Diocetyl dimethyl ammonium chloride 16.11%

Alkyl (67% C₁₂, 25% C₁₄, 7% C₁₆, 1% C₁₈)

dimethyl benzyl ammonium chloride..... 10.74%

Other Ingredients: 73.15%

Total: 100.00%

EPA EST. NO. 4170-OH-1

EPA EST. NO. 4170-OH-2

EPA REG. NO. 6836-361-4170

The EST. NO. appears on the container

**DISINFECTANT
341**

NET CONTENTS: 1 U.S. GALLON (3.78 L)

**KEEP OUT OF REACH OF CHILDREN
DANGER
For Hospitals, Institutional and Industrial Use.**

FIRST AID:

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor immediately for treatment advice. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor or going for treatment.

See back panel for additional precautionary statements.

SDS No. 341



RLB7492

©2017 Betco Corporation

1001 Brown Avenue | Toledo, Ohio 43607

400 Van Camp Road | Bowling Green, Ohio 43402

Made In U.S.A. | All Rights Reserved.

888-GO BETCO (888-462-3826) | Betco.com



0434117