

Barrier

EXTENDED CONTROL VEGETATION KILLER

CONCENTRATE

► KILLS AND PREVENTS LISTED WEEDS AND GRASS FOR UP TO 1 YEAR



► FOR PATIOS, FENCE ROWS, AND OTHER LISTED PLACES WHERE NO VEGETATION IS DESIRED

Covers up to 1,777 sq. ft.

TOTAL 100.00%

ACTIVE INGREDIENTS:

THIS PRODUCT CONTAINS:

0.12 lb Imazapyr (2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo-1*H*-imidazol-2-yl]-3-pyridinecarboxylic acid) per gallon or 1.42%. 0.24 lb Glyphosate (N-(phosphonomethyl)glycine) per gallon or 2.83%.

See attached booklet for complete Precautionary Statements and Directions for Use, including First Aid and Storage and Disposal.

KEEP OUT OF REACH OF CHILDREN

CAUTION

NET CONTENTS: ONE QUART (32 FL. OZ.)

813/8-2016



Barrier

EXTENDED CONTROL VEGETATION KILLER

CONCENTRATE

→ Getting Started


- Kills: Tough weeds and grasses as listed and prevents new growth for up to one year.
- Where To Use: Apply where no vegetation is desired in areas such as fencerows, driveways, around patios, residential buildings, residential storage areas, parking areas, pathways, and more areas as listed on label.
- Amount To Use: Mix 18 fl. oz. of product with 3 to 5 gallons of water to cover 1,000 sq. ft.
- Coverage: This one quart bottle treats up to 1,777 sq. ft.



For questions or comments call toll-free **800.884.3179** Mon.-Fri. 8:00 a.m. - 4:30 p.m. CST



or visit: GordonsUSA.com



See inside pages for complete Precautionary Statements and Directions for Use, including First Aid and Storage and Disposal.

813/9-2016 AP080216 EPA REG. NO. 2217-924 EPA EST. NO. 2217-KS-2



(UNE QUAKI)





EXTENDED CONTROL VEGETATION KILLER

ACTIVE INGREDIENTS:

Imazapyr, isopropylamine salt 3.82% Glyphosate, isopropylamine salt 94.44% TOTAL 100.00%

THIS PRODUCT CONTAINS:

0.12 lb Imazapyr (2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo-1 H-imidazol-2-yl]-3-pyridinecarboxylic acid) per gallon or 1.42%

0.24 lb Glyphosate (N-(phosphonomethyl)glycine) per gallon or 2.83%.

KEEP OUT OF REACH OF CHILDREN CAUTION



PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear long-sleeved shirt and long pants, socks, and shoes. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

First Aid	
If in eyes:	 Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For additional information in case of emergency, call toll free 1-877-800-5556.

Environmental Hazards

This product is toxic to plants. Drift and run-off may be hazardous to plants in water adjacent to treated areas. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters or rinsate. See Directions for Use for additional precautions and requirements.

Physical or Chemical Hazards Statement

Combustible. Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

1. Product Application Restrictions

- Do not allow people or pets to enter treated areas until sprays have dried.
 Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.
- Do not use on feed or food crops.
- · For residential use only.

2. What It Does

Barrier® Extended Control Vegetation Killer Concentrate is a nonselective herbicide which kills most annual and perennial grasses, broadleaf weeds, and vines. The product is absorbed through leaves, stems, and roots and moves throughout the plant. Treated plants stop growing soon after application. This product will also provide residual control for up to 12 months in the treated area. Heavy rainfall will reduce the length of residual control. Heavy clay soils may increase the length of residual control.

Barrier Extended Control Vegetation Killer Concentrate may be used to control weeds in: In fencerows, hedgerows, shelter belts. Around domestic (residential) dwellings, residential storage areas, residential buildings, structures and shelters such as dog kennels. Paved areas (including crack and crevice), curbs, sidewalks, driveways, brick walks, gravel paths, paths, patios, recreational areas, and play areas. Along fences.

IMPORTANT: Use only in areas where you want to 1) kill all existing vegetation and 2) suppress regrowth for up to 12 months. Do not use in gardens, flower beds or in areas intended to be seeded or planted within 12 months. Newly planted trees, shrubs and flowers are especially sensitive. Do not use for treatment of aquatic plants. In lawns, do not use for individual weed control.

If you do not desire to suppress regrowth, use a product which only contains glyphosate instead.

4. Application Directions

The maximum number of applications is 1 broadcast and 1 spot treatment per year OR 2 spot treatments per year. The maximum annual rate is 36 fl.oz. per 1,000 sq.ft. per year.

Equipment Cleanup: Thoroughly flush application equipment with water after using this product. Do not flush equipment near desirable plants or their root zones.

4.1 For Total Vegetation Control (Including Bareground Treatment)

Use hand-operated spray equipment such as backpack sprayers, pump-up sprayers, or sprinkling can. Mix 18 fl.oz. of product with water to produce 3 to 5 gallons of spray solution. Weeds should be growing vigorously at the time of application for maximum herbicide activity. Addition of a surfactant to the spray solution will enhance performance.

For Broadcast Treatments: Uniformly spray the area where bareground is desired. 18 fl.oz. of product will cover 1000 sq.ft.

For Spot Treatments: Spray the foliage of clumps of weeds. Apply no more than 18 fl.oz. of product per 1000 sq.ft. 1 spot treatment may be used after a broadcast treatment to control weed escapes.

5. For All Application Types: Avoiding Injury to Non-Target Plants

Movement of the product from the target plant or site may injure non-target plants. Follow these precautions to manage off-target movement.

- Runoff: Do not over apply causing runoff from the treated foliage. Do not apply to slopes.
- 2. Spray Drift: Spray drift from applying this product may result in damage to sensitive plants adjacent to the treatment area. Avoiding spray drift is the responsibility of the applicator. Applications with wind speeds greater than 10 mph are prohibited. Applications into temperature inversions are prohibited.

- 3. Roots of Trees and Shrubs: Untreated plants can be affected by root uptake. Do not use over the root zone of desirable trees and shrubs. Roots extend beyond the drip line and can extend under fences, driveways, patios, sidewalks, paths, and similar landscape elements.
- 4. **Movement of Treated Soil:** Do not treat powdery, dry or light sandy soils when the soil may be blown by wind. If necessary soil surface should be settled by rain or irrigation.

6. Weeds Controlled

Barrier Extended Control Vegetation Killer Concentrate will control or suppress most grasses, broadleaf weeds, and vines as listed. The degree of control and residual varies by plant species.

GRASSES				
Annual bluegrass Bahiagrass Barnyardgrass Beardgrass Bermudagrass Big bluestem Broadleaf signalgrass Canada bluegrass Cheat Cogongrass Crabgrass	Crowfootgrass Dallisgrass Downy brome Fall panicum Feathertop Fescue Foxtail Giant reed Goosegrass Guineagrass Italian ryegrass	Itchgrass Johnsongrass Kentucky bluegrass Lovegrass Orchardgrass Panicum spp. Prairie cordgrass Prairie three awn Quackgrass Reed canarygrass Sand dropseed	Sandbur Smooth brome Timothy Torpedograss Vaseygrass Wild barley Wild oats Wirestem muhly Witchgrass Woolly cupgrass	

BROADLEAF WEED			
Arrowwood Broom snakeweed Broom snakeweed Bull thistle Burclover Burdock Camphorweed Canada thistle Carolina geranium Carpetweed Chickweed, mouseear Clover Cocklebur Common chickweed Common ragweed Cudweed Dandelion Desert camelthorn Diffuse knapweed Dock	Dogfennel Fiddleneck Filaree Fleabane Giant ragweed Goldenrod Gray rabbitbrush Henbit Hoary vervain Horseweed Indian mustard Japanese bamboo/knotweed Knotweed, prostrate Kochia Lambsquarters Little mallow Milkweed Miner's lettuce	Mullein Nettleleaf goosefoot Oxeye daisy Pepperweed Pigweed Plantain Pokeweed Primrose Puncturevine Purple loosestrife Purslane Pusley, Florida Rocket, London Rush skeletonweed Russian knapweed Russian thistle Saltbush Shepherd's purse Silverleaf nightshade	Smartweed Sorrell Sowthistle Spurge, annual Stinging nettle Sunflower Sweet clover Tansymustard Texas thistle Velvetleaf Western ragweed Wild carrot Wild lettuce Wild parsnip Wid turnip Woollyleaf bursage Yellow starthistle Yellow woodsorrel

VINES			
Field bindweed Hedge bindweed Honeysuckle Morningglory	Poison ivy Redvine Trumpetcreeper	Virginia creeper Wild buckwheat Wild grape	Wild rose (Including: Multiflora and Macartney rose)

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE: Store in original container in a locked storage area. Keep from freezing.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

LIMITED WARRANTY AND DISCLAIMER

FOR USE ONLY AS DIRECTED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY EXPRESSLY DISCLAIMED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO CASE SHALL THE MANUFACTURER BE LIABLE FOR INCIDENTIAL, CONSEQUENTIAL, OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. If these terms are not acceptable, return this product unopened immediately to the point of purchase, and the purchase price will be refunded in full. The terms of this LIMITED WARRANTY STATEMENT cannot be varied by any written or verbal statements or agreements at the point of sale or elsewhere.

Barrier® and Gordon's® logo are registered trademarks of PBI-Gordon Corporation.

813/9-2016 AP080216 EPA REG. NO. 2217-924 EPA EST. NO. 2217-KS-2

MANUFACTURED BY PBI/GORDON CORPORATION 1217 WEST 12TH STREET KANSAS CITY, MISSOURI 64101 www.GordonsUSA.com

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear long-sleeved shirt and long pants, socks, and shoes. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

_			
ы	ıret	ΔΙ	IO.

If in eyes:

- Hold eye open and rinse slowly and gently with water for 15 - 20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For additional information in case of emergency, call toll free 1-877-800-5556.

813/9-2016 AP080216 EPA REG. NO. 2217-924 EPA EST. NO. 2217-KS-2

MANUFACTURED BY PBI/GORDON CORPORATION 1217 WEST 12TH STREET KANSAS CITY, MISSOURI 64101 www.GordonsUSA.com