

# Brush-No-More BRUSH KILLER

CONCENTRATE

CONTROLS BRUSH INCLUDING POISON IVY, POISON OAK, AND POISON SUMAC



**WORKS ON ACTIVELY GROWING WOODY PLANTS** 

# Makes up to 16 gallons of spray solution

#### **ACTIVE INGREDIENTS:**

Triclopyr, triethylamine salt	7.81%
2,4-D, diethanolamine salt	16.49%
Dicamba, dimethylamine salt	1.38%
OTHER INGREDIENTS:	74.32%
TOTAL	100.00%

#### THIS PRODUCT CONTAINS:

0.50 lb. 3,5,6-trichloro-2-pyridinyloxyacetic acid per gallon or 5,60%. 1,00 lb. 2,4-dichlorophenoxyacetic acid equivalent per gallon or 11.17%. 0.10 lb. 3,6-dichloro-o-anisic acid equivalent per gallon or 1,15%. Isomer specific by AOAC Methods.

See attached booklet for complete Precautionary Statements and Directions for Use, including Storage and Disposal, and back panel for First Aid.

# KEEP OUT OF REACH OF CHILDREN WARNING - AVISO

Si Usted no entiende la etiqueta, busque a alguien para que se la explique a Usted en detalle. (If you do not understand the label, find some one to explain it to you in detail.)

NET CONTENTS: ONE QUART (32 FL. OZ.)

245/10-2016



# Brush-No-More

# BRUSH KILLER

CONCENTRATE

# Getting Started

- Kills: Poison ivy, poison oak, and other listed brush, woody plants, and vines
- Where To Use: Around homes, patios, walkways, wooded areas, gardens, and along fences and driveways.
- How Much to Use:


Amount of product per 1 gallon of water	When to Use, Growing Conditions, Plant Stage
2.0 fl. oz.	Young, actively growing, easy-to-control species
3,0 fl. oz.	Mid-size, actively growing, easy-to-control species
4.0 fl. oz.	Large plants or stress conditions such as drought or high temperatures
5.0 fl. oz.	Large, dense plant populations or hard-to-control species



For questions or comments call toll-free **800.884.3179** Mon.-Fri, 8:00 a.m. - 4:30 p.m. CST



or visit: GordonsUSA.com



245/1-2017 AP111816 EPA REG. NO. 2217-1017 EPA EST, NO. 2217-KS-1



(ONE QUART



# Brush-No-More

CONCENTRATE

**ACTIVE INGREDIENTS:** 

 Triclopyr, triethylamine salt
 7.81%

 2,4-D, diethanolamine salt
 16.49%

 Dicamba, dimethylamine salt
 1.38%

 OTHER INGREDIENTS:
 74.32%

THIS PRODUCT CONTAINS:

TOTAL 100.00%

0.50 lb. 3,5,6-trichloro-2-pyridinyloxyacetic acid per gallon or 5.60%. 1.00 lb. 2,4-dichlorophenoxyacetic acid equivalent per gallon or 11.17%. 0.10 lb. 3,6-dichloro-o-anisic acid equivalent per gallon or 1.15%.

Isomer specific by AOAC Methods.

# WARNING - AVISO

Si Usted no entiende la etiqueta, busque a alguien para que se la explique a Usted en detalle. (If you do not understand the label, find some one to explain it to you in detail.)



## PRECAUTIONARY STATEMENTS

#### **Hazards to Humans and Domestic Animals**

**WARNING:** Causes substantial but temporary eye injury. Harmful if swallowed. Avoid contact with skin or clothing. Do not get in eyes or on clothing. Wear protective eyewear (goggles, face shield, or safety glasses). Wear long-sleeved shirt and long pants, socks, shoes, and waterproof gloves.

## **User Safety Recommendations**

- Users should wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. If pesticide gets on skin, wash immediately with soap and water.
   Users should remove PPE immediately after handling this product. Wash the outside of gloves before
- Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

First Aid		
If in eyes:	Hold eye open and rinse slowly and gently with water for 15 - 20 minutes.     Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.     Call a poison control center or doctor for treatment advice.	
If swallowed:	<ul> <li>Call a poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to by a poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>	
If on skin or on clothing:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice.	
If inhaled:	<ul> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>	
Have the product container or label with you when calling a poison control center or doctor or going		

# **Environmental Hazards**

This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash waters or rinsate.

These chemicals (triclopyr, 2,4-D and dicamba) have properties and characteristics associated with chemicals detected in groundwater. The use of these chemicals in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

# **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

for treatment. You may also contact 1-877-800-5556 for emergency medical information.

# 1. Product Application Restrictions

- Do not apply this product in a way that will contact any person or pet, either directly or through drift.
   Keep people and pets out of the area during application.
- Do not enter or allow people (or pets) to enter treated area until sprays have dried.
- This product will kill or injure all broadleaf and woody plants contacted. Do not directly spray areas
  containing desirable broadleaf plant species, unless injury or loss of the plants can be tolerated. Do
  not allow this product to come into direct contact with flowers, fruit or ornamental trees, or other
  desirable broadleaf plants.
- It is the responsibility of the applicator to avoid spray drift at the application site. Do not allow the herbicide solution to mist, drip, drift, or splash from treated areas onto desirable broadleaf plants, as small amounts of this product can damage sensitive plants near the treated area. If desirable plants are accidently sprayed, immediately rinsing leaves with water may reduce or eliminate plant damage.
- For ground application only. Aerial applications are not permitted. Do not apply this product through any type of irrigation system.
- Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply
  within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans.
  Do not apply when windy. To prevent product run-off, do not over water the treated area(s) to the point
  of runoff or apply when raining or when rain is expected that day. Rinse applicator over lawn area only.
- Do not reseed lawns in treatment area until at least three weeks after treatment.

# 2. What It Does

Brush-No-More® Brush Killer Concentrate is a herbicide that enters plants through their leaves, woody stems, and cut surfaces. Once in the plant, the product moves throughout the plant. Visual symptoms after treatment include foliage wilting and yellowing, depending on environmental conditions and plant species. It is effective in controlling woody plants, vines, and brush.

#### 3. Directions To Control Brush, Woody Plants, and Vines

#### 3.1 Where To Use

Apply to brush, woody plants, and vines around residential areas such as homes, sheds, barns, patios, gardens, fence rows, driveways, and landscaped areas.

#### 3.2 Mixino

Mix 2 to 5 fl.oz. per gallon of water. See Table 1 to choose application rates.

Table 1. Choosing application rates			
Amount of product per 1 gallon of water	When to Use, Growing Conditions, Plant Stage		
2 fl.oz.	Young, actively growing, easy to control species		
3 fl.oz.	Mid size, actively growing, easy to control species		
4 fl.oz.	Large plants or stress conditions such as drought or high temperatures		
5 fl.oz.	Large, dense plant populations or hard to control species		

#### 3.3 Spraying

Spray brush, woody plants, and vines until foliage and green stems are thoroughly wet but not dripping. Adjust sprayer nozzle to a coarse spray (low pressure, big droplet). Spray equipment options include backpack sprayers and hand-held sprayers.

**Maximum Application Rates:** An individual woody plant may be treated only once per year. Do not apply more than 1 gallon of product per acre per year.

#### 3.4 For Best Results

- Make treatments when plants are actively growing, in the full leaf stage in the spring to early summer and growing under favorable environmental conditions.
- Extreme growing conditions such as drought or cold temperatures prior to, at the time of, or following an application may reduce or delay control.
- Wet foliage at the time of application may decrease control.
- Delay clipping 2 days before or until 2 days after the application of this product.
- Applications of this product are rainfast within 6 hours after application.

#### 3.5 Brush, Woody Plants, and Vines Controlled

Table 2. Brush, woody plants, and vines controlled.			
alder ash beech birch black locust boneset cascara	Ceanothus spp. cottonwood dogwood elderberry hawthorn honeysuckle maples	poison ivy poison oak sassafras¹ scotch broom sumac (including poison sumac) sycamore	tamarack wax myrtle¹ wild grape wild roses willow
¹Top growth control or	nlv	•	•

## STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

**PESTICIDE STORAGE:** Store in original container in a cool, dry area away from heat or open flame and in an area inaccessible to children and pets. Keep from freezing.

**PESTICIDE DISPOSAL AND CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

## LIMITED WARRANTY AND DISCLAIMER

FOR USE ONLY AS DIRECTED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY EXPRESSLY DISCLAIMED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO CASE SHALL THE MANUFACTURER BE LIABLE FOR INCIDENTIAL, CONSEQUENTIAL, OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. If these terms are not acceptable, return this product unopened immediately to the point of purchase, and the purchase price will be refunded in full. The terms of this LIMITED WARRANTY STATEMENT cannot be varied by any written or verbal statements or agreements at the point of sale or elsewhere.

Gordon's® logo and Brush-No-More® are registered trademarks of PBI-Gordon Corporation.

245/1-2017 AP111816 EPA REG. NO. 2217-1017 EPA EST. NO. 2217-KS-1

MANUFACTURED BY PBI/GORDON CORPORATION 1217 WEST 12TH STREET KANSAS CITY, MISSOURI 64101 www.GordonsUSA.com Ether L. A. C. J.

First Aid		
If in eyes:	Hold eye open and rinse slowly and gently with water for 15 - 20 minutes.     Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.     Call a poison control center or doctor for treatment advice.	
If swallowed:	Call a poison control center or doctor immediately for treatment advice.     Have person sip a glass of water if able to swallow.     Do not induce vomiting unless told to by a poison control center or doctor.     Do not give anything by mouth to an unconscious person.	
If on skin or on clothing:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice.	
If inhaled:	Move person to fresh air.     If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.     Call a poison control center or doctor for treatment advice.	
Have the product container or label with you when colling		

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-877-800-5556 for emergency medical information.

NOTICE: This product can expose you to diethanolamine, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

245/1-2017 AP111816 EPA REG. NO. 2217-1017 EPA EST. NO. 2217-KS-1 MANUFACTURED BY PBI/GORDON CORPORATION 1217 WEST 12TH STREET KANSAS CITY, MISSOURI 64101 www.GordonsUSA.com