

## CRABGRASS PREVENT PLUS FERTILIZER.

**Controls Crabgrass and Broadleaf Weeds Before They Germinate** 

up to


## **5 MONTH**

Weed & Grass Control!

**Prevents Crabgrass and Fertilizes** Your Lawn in One Application

Covers up to 7,500 Square Feet

30-0-4



**NET WT. 21 lbs (9.53 kg)** 



WEB

up to

5 IVON

Weed & Grass

**CRABGRASS PREVENTER** PLUS FERTILIZER.

Weed & Grass Control!

5 MONTH Weed & Grass Contro

GRASS PREVENTER LUS FERTILIZER

CRAB



penalties, and the buyer and the user waive any right that they may have to such damages. resulting from the use, handling, application, storage, or disposal of this product or for damages in the nature of recommendation different from or inconsistent with the label of this groduct. To the extent consistent with applicable law, for 0 Fc, Inc., the manufacturer, or the seller shall not be label of this conference in the conference of the seller shall not be labeled for the conference in the properties of the conference Expert Gardener is a trademark of Wal-Mart Stores, Inc., Bentonville, AR XX716 applicable law, buyer's or user's exclusive remedy, and Gro Tec, Inc., the manufacturer's or the seller's total liability shall be limited to damages onto exceeding the cost of the product. No agent or employee of Gro Tec, Inc., or the seller is authorised to admages onto exceeding the cost of the product. Also product is a presentation or authorised to amond the terms of this warranty disclaimer or the product. Table of to make a presentation or Manufactured by Gro Tec, Inc. P O. Box 290, Madison, GA 30650 otherwise, with regard to the product sold or use of the product, including, but not limited to, merchantability, fitness for a particular purpose or use, or eligibility of the product for any particular trade usage. To the extent constrem with registered trademark of Earthway Products, In representations of any kind to the buyer or the user, either express or implied, or by usage of trade, statutory or SpeedyGreen is a registered trademark of Everris International B.V. EV-N-SPRED is a the seller are subject only to the manufacturer's warranties, if any, which appear on the label of the product sold to you Except as warranted by this label Gro Tec, Inc., the manufacturer, or the seller makes no warranties, guarantees, or extent consistent with applicable law, the products sold to you are furnished "as is" by Gro Tec, Inc. The manufacturer and Accugreen, EdgeGuard and Scotts are registered manner of use or application, all of which are beyond the control of Gro Tec, Inc., the manufacturer, or the seller. To the consequences may result due to such factors as weather conditions, presence or absence of other materials, or the The directions for use of this product are believed to be adequate and must be followed carefully, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended

**YTNAЯЯAW** Letter in parenthesis is first letter of lot number. (S) 10-XT-1047 (R), 7401-TX-01 (S) 9404-FL-1 (E), 961-PA-01 (F), 961-IL-01 (G), 35497-OR-1 (H) 49991-TX-2 (Q), EPA Est. No, 59144-GA-1 (A), 32802-MO-1 (B), 37351-CO-1 (C), 8378-IN-1 (D), EPA Reg. No. 32802-70-59144 day or night, for emergency medical treatment information. PM PST. You may also contact the National Poison Control Center, 1-800-222-1222, information on this product, contact the National Pesticide Information Center, 1-800-858-7378, Monday-Friday, 6:30 AM to 12:00

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For

http://www.aapfco.org/metals.htm Information regarding the contents and levels of metals in this product is available on the infernet at For Chemical Spill, Leak, Fire, Exposure, Call CHEMTREC (800) 424-9300.

local solid waste agency for disposal instructions. Never place any unused product down any indoor or outdoor drain or toilet. IF EMPTY: Nonrefillable container: Do not reuse or refill this container. Offer for recycling, if available. IF PARTLY FILLED: Call your PESTICIDE STORAGE: Store in original container in a locked storage area out of reach of children and domestic animals. o not contaminate water, food or feed by storage or disposal. STORAGE AND DISPOSAL


determine if there are local restrictions on fertilizer use or application. local turf best management practiced. Check with your county or city government to Check with your local Cooperative Extension Agency to obtain specific information on sweep any product that lands in the driveway, sidewalk or street back onto your lawn. Scotts Accuureen ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn and DROP SPREADER Apply only to actively growing turf. Do not apply near water, storm drains or drainage to ensure correct rate of application. spreader and apply to a measured area. Then adjust spreader setting if necessary in orde Scotts® Edge Guard® Mini applying product evenly. To check calibration, accurately weigh a few pounds into your calibration of spreader frequently to ensure spreader is functioning properly and Scotts® Edge Guard® Deluxe Note: The spreader settings listed at right are approximate. It is important to check ord nwas 2 Lawn Pro mportant. On hot days (above 80°F), water the lawn to rinse particles off the grass \_uəəɹ¬λpəədς \_sttooς BROADCAST SPREADER

3. Apply evenly over dry grass, avoiding streaks, skips and overlaps – thorough coverage is determine coverage area in square feet (length x width). Next, subtract non-lawn areas. SPREADER SETTINGS  $\ensuremath{\text{1.}}$  Determine size of area to be treated – measure length and width in feet, then multiply to SPREADER USE INSTRUCTIONS  $species. \ The length of time of residual weed control provided by this product is related to the rate applied. \\$ product applied does not exceed the maximum annual application rates recommended for each turf germinating throughout the year. Sequential applications may be made so long as the total amount of This product may be applied as a single application or in sequential applications to control weeds Newly sprigged or plugged Bermudagrass stolon rooting may be temporarily retarded.

overseeding/ reseeding results.  $\label{lem:coperative} Cooperative Extension Service for current information on an annual application for lawn and an analysis of the properties of the pr$ Follow rates and intervals in table for best exceed 5 applications per year to Centipedegrass in the central and south regions. Consult your State seed if overseeded too soon after application.  $^2\,\text{ln}\,\text{Florida:}$  Do not exceed 2 applications per year to Bahiagrass and Centipedegrass in the north. Do not This product will inhibit germination of turf WHEN TO OVERSEED AFTER APPLICATION ft ps 000f\sdl E.0f ft ps 000f\sdl 8.0f κentucky Bluegrass 11 ps 000 f\2 2.75 lbs/1000 sq ft 7.9 lbs/1000 sq ft/year Tall Fescue (including turf-type) 13 ps 000f\zdl 6.7 ft ps 000f\zdl E.ð Centipedegrass<sup>2</sup>, Zoysiagrass

that may be applied per year is given for each turf grass species. Do not exceed the maximum yearly rate listed: This product is recommended for use on the turf grass species listed in the following table. The maximum amount of this product any product that lands on the driveway, sidewalk or street back onto your lawn. water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn and sweep type of irrigation system. Do not apply aerially. Do not graze or feed livestock forage cut from treated areas. Do not apply near Dichondra, Colonial Bentgrass, Velvet Bentgrass or annual Bluegrass (Poa annua) are desirable species. Do not apply through any with cultural practices (such as core aeration) may result in reduced weed control. Do not apply to putting greens, or areas where Application to turf stressed by drought, low fertility, or pest damage may result in turf injury. Disturbing the herbicide barrier secondary roots are in the second inch of soil (not thatch plus soil). Do not apply to newly set sod until the following year. after the second mowing, whichever is longer. Injury to desirable seedlings is likely if this product is applied before seedling emerged annual Bluegrass and newly overseeded grasses. Do not apply to overseeded turf within 60 days after seeding or until

The following precautions apply to the use of this product in turf grasses and lawns. Application of this product may thin



days after application. incorporation, prior to weed seed germination and within 14 nch of rainfall or irrigation, or with shallow (1-2 inches) will be obtained when this product is activated by at least 0.5 has been properly calibrated. Most effective weed control Apply this product uniformly, using a suitable spreader that APPLICATION DIRECTIONS seed, as it will not control established weeds. This product must be applied prior to germination of weed WHEN TO APPLY TO ESTABLISHED TURF

**DIRECTIONS FOR USE** 

National Pesticide Telecommunications Network at 1-800-858-7378.

nerbicide to control listed weeds. Please consult your local extension office for questions regarding a regular fertilizer program. product will supplement your regular fertilizer program by providing 0.84 pounds of Nitrogen per 1,000 square feet and A lawn typically will utilize 1 to 4 pounds of Nitrogen per 1,000 square feet per growing season. When used as directed, this \*\*Consult your State Cooperative Extension Service for current information on annual application limitations for lawn fertilizers in

This product may stain driveways, walks, patios, pools, etc. Sweep off thoroughly immediately after each use.

For this weed, apply in late summer, fall or winter prior to germination. "Minimum and Maximum Application Rate by Turfgrass Species" table in the Rates of Application section of this label). restrictions, followed after 60 to 90 days by a second application at doses that would not exceed the maximum annual rate (see control may be obtained with an initial application of 5.2 to 7.9 pounds/1000 square feet, to areas not prohibited by fertilizer use control Goosegrass. However, under heavy Goosegrass pressure and/or an extended growing season, most effective weed In many areas where not prohibited by fertilizer use restrictions\*\* a single application of 5.2 to 10.6 pounds/1000 square feet will

Shepherd's Purse.¿; Signalgrass, Broadleaf; Speedwell, Persian; Sprangletop; Spurge, Prostrate; Witchgrass, Woodsorrel, Yellow

Lambsquarter, common; Lovegrass; Panicum (Texas, fall, browntop); Pigweed; Purslane, common; Pusley, Florida; Rescuegrasss; Cupgrass, Woolly; Foxtails, annual; Goosegrass, Henbit; Itchgrass; Johnsongrass (from seed); Junglerice; Knotweed; Kochia; (Poa Annua); Carpetweed; Chickweed, common; Chickweed, Mouseear (from seed); Crabgrass (large, smooth); Crowfootgrass; seeds germination and root development. When used according to directions, it will control: Barnyardgrass; Bluegrass, annual established lawns and ornamental turf (excluding golf course putting greens). It controls susceptible weeds by inhibiting weed This product is a selective preemergence herbicide that provides residual control of many grass and Broadleaf weeds in Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Call a poison control center or doctor for further treatment advice. preferably mouth-to-mouth, if possible. If person is not breathing, call 911 or an ambulance, then give artificial respiration, Do not induce vomiting unless told to do so by the poison control center or physician. . Have person sip a glass of water if able to swallow. • Call a poison control center or physician immediately for treatment advice. • Rinse skin immediately with plenty of water for 15-20 minutes. If on Skin

lave the product container or label with you when calling a poison control center or doctor, or going for treatment. For

Call a poison control center or doctor for treatment advice. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Hold eye open and rinse slowly and gently with water for 15-20 minutes. lf in Eyes Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help waters. Applying this product in calm weather will help to ensure that wind does not blow this product off the treated area. To protect the environment, do not allow this product to enter or run off into storm drains, drainage ditches, gutters or surface

CAUTION: Causes moderate eye injury (irritation). Harmful if inhaled or absorbed through the skin. Avoid contact with skin, eyes, or clothing. Avoid breathing dust. Wash thoroughly with soap and water after Hazards to Humans and Domestic Animals PRECAUTIONARY STATEMENTS

IF TERMS ARE NOT ACCEPTABLE, RETURN THE UNOPENED PRODUCT CONTAINER AT ONCE TO THE SELLER. READ THE ENTIRE "DIRECTIONS FOR USE" AND "WARRANTY STATEMENTS" BEFORE USING THIS PRODUCT. \*6.7% of the urea has been coated to provided slow-release nitrogen Derived from: Urea, Polymer-Coated Urea and Muriate of Potash. ...(O₂X) dsato (K₂O)... \*n9gortiN s9vU %0.08 ...(V) negoriiV latoT

handling. Prolonged or repeated skin contact with product may cause allergic reactions in some individuals.

GUARANTEED ANALYSIS SLOW-RELEASE NITROGEN - Helps Provide Extended Grass Feeding

Control Weed & Grass **HTNOM** 

30-0-4 PLUS FERTILIZER. CRABGRASS PREVENTER

