71995-6-59144 Eliminator Weed & Grass Killer Concentrate 20161011 111 59144 .pdf PRIME LABEL (Underneath Booklet) 2.835" ---.4375" .4375" **ELIMINATOR**° **ELIMINATOR®** WEED&GRASS WEED&GRASS **KILLER** CONCENTRATE CONCENTRATE Kills grass and weeds in drives, sidewalks, around trees, shrubs and fences NPROON 6.73" 6.48" PRODUCT FACTS KILLS All types of weeds and grasses Patios, walkways or driveways, around fruit & vegetable plants, **USE ON** flowers, shrubs or trees, along fences IN LARGE For lawn replacement/renovation or garden preparation AREAS CRABGRASS DANDELIONS ¡Manufactured by Gro Tec, Inc. P.O. Box 290, Madison, GA 60350 Eliminator is a registered trademark of Wal-Mart Stores, Inc. Bentonville, AR 72716 Made in the USA with foreign and domestic parts EPA REG. NO. 71995-6-59144 EPA Est. 59144-GA-1_A, 44616-MO-1_B, 67572-GA-1_C ACTIVE INGREDIENT: KEEP OUT OF REACH OF CHILDREN [Glyphosate, isopropylamine salt* 18.0% CAUTION Subscript used is first letter of run code on container. Other ingredients..... See back panel booklet for additional |*Contains 1.2 lbs. glyphosate acid equivalent per US gallon. precautionary statements Eliminator Weed & Grass Killer Net Contents: 32 fl oz (1 qt / 946 mL)

6.48"

CLOVER

BOOKLET OUTSIDE

← 2.71" → 2.96" →

NOTES

11

and the second s

ELIMINATOR®

PENTERE

WEED&GRASS KILLER

CONCENTRATE

	PRODUCT FACTS		
and the second s	KILLS	All types of weeds and grasses	
	USE ON	Patios, walkways or driveways, around fruit & vegetable plants, flowers, shrubs or trees, along fences	
	IN LARGE AREAS	For lawn replacement/renovation or garden preparation	

Manufactured by Gro Tec, Inc. P.O. Box 290, Madison, GA 60350 Eliminator® is a registered trademark of Wal-Mart Stores, Inc. Bentonville, AR 72716 Made in the USA with foreign and domestic parts EPA REG. NO. 71995-6-59144
EPA ESt. 59144-GA-1_A, 44616-MO-1_B, 67572-GA-1_C
Subscript used is first letter of run code on container.

Eliminator Weed & Grass Killer Concentrate/32 fl oz



OR CHEMICAL SPILL, LEAK, FIRE, OR EXPOSURE, CALL CHEMTREC (800) 424-9300.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL. USE ONLY ACCORDING TO LABEL INSTRUCTIONS.

HOW TO USE

IMPORTANT: Eliminator® Weed & Grass Killer Concentrate is an all-purpose weed and grass killer which will kill almost all plants contacted. Spray to evenly wet the weed. Spray carefully when air is calm to prevent spray or drift onto desirable plants, lawn grasses, shrubs or trees. If necessary, use cardboard or plastic to shield desirable plants. If plants are accidentally sprayed, rinse off immediately with water.

To apply this product use:

- Plastic or stainless steel tank sprayer
- ORTHO DIALN SPRAY®
- Other hose-end sprayer recommended for weed killers
- Hand trigger sprayer

13

Do not use or store solutions of this product in galvanized steel or unlined steel sprayers, or apply through any type of irrigation system or with a sprinkling can.

Rinse sprayer and flush all sprayer components with water 3 times after use. Spray rinse water on bare soil or gravel. After a very thorough cleaning, sprayer may be used to apply other products.

Use the following table to determine the amount of Eliminator® Weed & Grass Killer Concentrate you need. Close cap tightly after use. Mix only what you can use in a day.

APPLICATOR	MIXING INSTRUCTIONS	AREA TO TREAT
Tank Sprayer	Use 6 fl oz (12 Tbs) in 1 Gallon of water	Spray to evenly wet. Covers 300 sq. ft. (30 ft X 10 ft)
Hose-End Sprayer	Add 6 fl oz (12 Tbs) to sprayer jar. DO NOT ADD WATER. Set dial to 6 fl oz and spray	
Hand trigger Sprayers	Use 2 Tbs in 24 fl oz of water	Use for spot treatments or single weeds.

1 fl oz = 2 Tablespoons (Tbs)

For easy to kill weeds such as seedlings, use 3 fl oz (6 Tbs) to 1 gallon of water.

WEEDS CONTROLLED INCLUDE: Bahiagrass, Barnyardgrass,
Bermudagrass, CanadaThistle, Chickweed, Common Ragweed,
Crabgrasses, Dandelion, Fescues, Field Bindweed, Field Sandbur,
Foxtail, Johnsongrass, Kentucky Bluegrass, Kudzu, Lambsquarter,
Orchardgrass, Perennial Ryegrass, Poison Ivy, Poison Oak, Quackgrass,
Red Clover, Shepardspurse, Smooth Bromegrass, Sowthistle, White
Clover, Yellow Nutsedge and other broadleaf & grassy weeds.

WHEN TO USE

Use anytime weeds and brush are actively growing. Most treated weeds usually show initial symptoms within 1 week and complete killin 1 to 2 weeks. Larger more established weeds may take up to 4 weeks for complete kill. For best results, apply on a warm sunny day when daytime temperature is above 60° F and no rainfall is forecast for 24 hours. Warm, sunny weather will speed up weed control. Apply pnly when air is calm. Reapply if it rains within 2 hours after application. Rainfall or watering 2 hours after application will not wash away effectiveness. Hard-to-control weeds (e.g., Bermudagrass) may require a repeat application if they regrow. Do not use for spot weed control in lawns since this product kills green plants, including lawn grass.

WHERE TO USE

Weed Control: Use along fences, paths, patios, sidewalks (walkways) and driveways, around trees, shrubs, ornamental plantings and flower beds (flowers), around buildings, and in brick and gravel walkways. Use to trim and edge landscape areas. Do NOT use for spot weed control in lawns since this product kills green plants, including lawn grass.

Spot Spraying: Use on actively growing weeds in and around flower beds, ornamental trees, fruit and nut trees, grapevines, shrubs, fences, driveways and walkways. Spray when air is calm. Make sure this product does not contact the leaves, green stems, or exposed roots of plants you don't want to kill. If necessary, use cardboard or plastic to shield plants. This product will not move in or on the soil to untreated plants. If this product is used to control weeds around fruit or nut trees or grapevines, allow 21 days before eating the fruit or huts.

Landscaping: Use this product to prepare areas for planting of prnamentals, trees, shrubs, desert landscapes, rock gardens, flower beds or similar plantings. Treated areas can be replanted 1 day after treatment.

3.21"

3 21

INSIDE TEXT (Even Pages-2)

INSIDE TEXT (Odd Pages-3)

Lawn Renovation: Use this product to kill existing weeds and grasses including the old lawn.

- For best results, apply in Spring or Fall, when daytime temperatures are at least 60° F.
- ► Under dry conditions, water lawn every other day for a week before using this product.
- Do not mow for 7 days before and after treatment.
- After 7 days, prepare the soil for planting by raking or rototilling the lawn. Rake up and remove loosened thatch or debris. If green patches remain after 7 days, reapply.
- Apply seed according to directions on seed package, or install sod.
 Grass seed must have good contact with soil to germinate and grow.
- ► Keep area moist for 2 weeks to establish new lawn, then water as needed.

Brush Control: Use when brush is green and growing. Use on green, actively growing parts of unwanted plants. If plants are taller than 5 feet, cut back and spray regrowth. Brush sprayed in the fall may not be fully controlled until the following season. Hard-to-control species including Blackberry, Kudzu, Poison lvy or Poison Oak may require a second application.

Stump Treatment: Stumps can be treated to prevent regrowth. For best results, treat when the vegetation is actively growing and within 5 minutes of being cut down.

- Cut the stump close to the soil surface.
- Drive 4-5 nail holes into the stump.
- Flood the stump with undiluted product.

IMPORTANT: Some trees may share the same root system. Adjacent trees having a similar age, height and spacing may signal a shared roots system. Injury may occur to non-treated trees when one or more trees sharing common roots are treated.

To Kill Vines:

If vine is growing up a pole, fences, or mature tree trunk, cut vine to a height of 3 to 4 feet and spray to thoroughly cover remaining vine. If vine is climbing a shrub or immature (green) tree trunk, cut vines at base and spray its regrowth. Shield shrubs and green bark from spray drift with a sheet (piece) or cardboard or plastic.

RE-SEEDING AND REPLANTING IN SPRAYED AREAS WHEN TO REPLANT:

- All ornamental flowers, trees and shrubs may be planted
 1 day after application.
- The following berries may be planted 1 day after application:
- Blackberry, Blueberry, Boysenberry, Currant, Dewberry, Elderberry,
- ¹ Gooseberry, Huckleberry, Loganberry, Olallieberry and Raspberry.
- The following fruits, vegetables & herbs may be planted
- 1 day after application: Artichoke, Beans, Beet Greens, Broccoli,
- Brussel Sprouts, Cabbage, Carrot, Cauliflower, Celery, Chard (Swiss), Chicory, Collards, Endive, Horseradish, Kale, Kohlrabi, Leek, Lentils,
- Lettuce, Mustard Greens, Okra, Onion, Rape Greens, Parsley,
- Parsnips, Potato, Turnips & Yams.
- The following fruits, vegetables & herbs may be planted
- 3 days after application: Corn, Cucumber, Eggplant, Garlic, Gourds, Melons, Peas, Peppers, Pumpkin, Squash (summer & winter),
- Tomatillo, Tomato (by seed)
- Watercress.
- Lawn grasses may be planted **7 days after** application.
- Tomatoes from transplant & unlisted fruits, vegetables & herbs may be planted **30 days after** application.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store in original container in a safe place away from direct sunlight. Keep container closed and protect from freezing.

PESTICIDE DISPOSAL & CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. To avoid wastes, use all material in this container by application according to label directions. If Empty: Place in trash or offer for recycling, if available. If recycling option is not available, discard in the trash. If Partly Filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

3.21"

3.21"

INSIDE TEXT (Even Pages-4)

INSIDE TEXT (Odd Pages-5)

