

BUILT-IN APPLICATOR



CREATES A WEED BARRIER



LANDSCAPE WEED PREVENTER

HOLD HERE. TIP OVER. SHAKE OUT.

PREVENTS WEEDS + GRASSES UP TO

6 MONTHS

- WON'T HARM DESIRABLE PLANTS
- STOPS WEEDS FROM GROWING

Keep Out Of Reach Of Children
CAUTION See back panel for additional precautionary statements

Mantener Fuera Del Alcance De Los Niños
PRECAUCIÓN ¡Atención! Lea primero toda la etiqueta. Observe todas las Precauciones y siga atentamente las instrucciones.

ACTIVE INGREDIENT: Permethrin 17.1%
OTHER INGREDIENTS: 82.9%
Total 100.0%
EPA Reg. No. 498-01

NET WEIGHT/
CONTENIDO NETO:
13 LBS (5.9KG)



LANDSCAPE WEED PREVENTER

PREVENTS WEEDS + GRASSES UP TO

6 MONTHS

BUILT-IN APPLICATOR



CREATES A
WEED BARRIER




LANDSCAPE WEED PREVENTER

PREVENTS WEEDS + GRASSES UP TO

6 MONTHS

- WON'T HARM DESIRABLE PLANTS
- STOPS WEEDS FROM GROWING



HOLD HERE. TIP OVER. SHAKE OUT.

Keep Out Of Reach Of Children

CAUTION See back panel for additional precautionary statements

Mantener Fuera Del Alcance De Los Niños

PRECAUCIÓN ¡Atención! Lea primero toda la etiqueta. Observe todos los avisos de precaución y siga atentamente las instrucciones.

ACTIVE INGREDIENT:
Pendimethalin¹ 1.71%
OTHER INGREDIENTS 98.29%
Total 100.00%

¹CAS# 40407-42-1

NET WEIGHT/
CONTENIDO NETO:
13 LBS (5.9KG)



LANDSCAPE
**WEED
PREVENTER**

PREVENTS WEEDS + GRASSES UP TO

6 MONTHS

EPA Reg No. 538-192(13lb)
Roundup Landscape Weed Preventer

LANDSCAPE WEED PREVENTER

DON'T PULL WEEDS & GRASSES— PREVENT THEM!

WHAT IT DOES

- CREATES A WEED BARRIER
- PREVENTS WEEDS UP TO 6 MONTHS
- APPLY ONCE EVERY YEAR

WHERE TO USE

- AROUND ANNUALS
- AROUND ESTABLISHED FLOWERS, BULBS
- AROUND TREES & SHRUBS

HOW TO APPLY

- APPLY TO SOIL AROUND PLANTS
- APPLY BEFORE MULCHING
- WASH GRANULES FROM PLANTS AND ACTIVATE BY WATERING IN

DIRECTIONS FOR USE

Use as a substitute of Federal law uses this product on a manner inconsistent with its labeling. Do not use on plants being grown for sale or other commercial use such as for commercial seed production, or for recreational purposes. For use on plants intended for purposes of aesthetic modification and maintenance of ornamental gardens or parks.

APPLICATION

ESTABLISHED TREES, SHRUBS, PERENNIALS, GROUNDCOVERS, ORNAMENTAL GRASS, BULBS	SEEDING PLANTS*
<ul style="list-style-type: none"> Apply soil around plants in spring before weeds germinate and before mulching. Wash granules from plants and activate product by lightly watering in. Apply once every 12 months. 	<ul style="list-style-type: none"> Apply after planting and watering the area to pack soil around roots. Wash granules from plants and activate product by lightly watering in. Apply once every 12 months.

WHEN TO APPLY

- Apply after planting and watering the area to pack soil around roots.
- Wash granules from plants and activate product by lightly watering in.
- Apply once every 12 months.

HOW TO APPLY

- Apply in a straight line at a rate of 1/2 cup per 10 sq ft.
- Appearance of application should meet Example A.
- Activate product by lightly watering in.

RESTRICTIONS

- Do not apply this product to any that will contact any persons or other direct or through drift. Keep people and pets out of the area being treated.
- Do not allow people or pets to enter the treated area until it has been set-dried. Do not enter or allow others to enter treated area until well washing is complete and soil is well saturated.

PRECAUTIONS

- Make sure plants being grown for sale or other commercial use are placed around roots before applying this product.
- Apply in a straight line at a rate of 1/2 cup per 10 sq ft.

PRECAUTIONS (CONTINUED)

Some immediately to avoid contact. If granules are crushed into soil surface, they may be absorbed by plants. Do not eat, drink, or use any food or feed that has been in contact with this product. Do not use on plants that are intended for use as food or feed for humans or animals. Do not use on plants that are intended for use as food or feed for humans or animals. Do not use on plants that are intended for use as food or feed for humans or animals.

TREES

Apply to the soil around the base of trees to prevent the establishment of weeds, bulbs, shrubs, trees, and ground covers.

PERENNIALS

Apply to the soil around the base of perennial plants to prevent the establishment of weeds, bulbs, shrubs, trees, and ground covers.

SHRUBS

Apply to the soil around the base of shrubs to prevent the establishment of weeds, bulbs, shrubs, trees, and ground covers.

SEEDING PLANTS

Apply to the soil around the base of seeding plants to prevent the establishment of weeds, bulbs, shrubs, trees, and ground covers.

RESTRICTIONS

Do not apply this product to any that will contact any persons or other direct or through drift. Keep people and pets out of the area being treated. Do not allow people or pets to enter the treated area until it has been set-dried. Do not enter or allow others to enter treated area until well washing is complete and soil is well saturated.

GROUND COVERS

Apply to the soil around the base of ground cover plants to prevent the establishment of weeds, bulbs, shrubs, trees, and ground covers.

PERENNIALS

Apply to the soil around the base of perennial plants to prevent the establishment of weeds, bulbs, shrubs, trees, and ground covers.

SHRUBS

Apply to the soil around the base of shrubs to prevent the establishment of weeds, bulbs, shrubs, trees, and ground covers.

SEEDING PLANTS

Apply to the soil around the base of seeding plants to prevent the establishment of weeds, bulbs, shrubs, trees, and ground covers.

RESTRICTIONS

Do not apply this product to any that will contact any persons or other direct or through drift. Keep people and pets out of the area being treated. Do not allow people or pets to enter the treated area until it has been set-dried. Do not enter or allow others to enter treated area until well washing is complete and soil is well saturated.

BROADLEAF WEEDS

Apply to the soil around the base of broadleaf weed plants to prevent the establishment of weeds, bulbs, shrubs, trees, and ground covers.

PERENNIALS

Apply to the soil around the base of perennial plants to prevent the establishment of weeds, bulbs, shrubs, trees, and ground covers.

SHRUBS

Apply to the soil around the base of shrubs to prevent the establishment of weeds, bulbs, shrubs, trees, and ground covers.

SEEDING PLANTS

Apply to the soil around the base of seeding plants to prevent the establishment of weeds, bulbs, shrubs, trees, and ground covers.

RESTRICTIONS

Do not apply this product to any that will contact any persons or other direct or through drift. Keep people and pets out of the area being treated. Do not allow people or pets to enter the treated area until it has been set-dried. Do not enter or allow others to enter treated area until well washing is complete and soil is well saturated.

INSTRUCCIONES DE USO

Utilizar este producto de modo consistente con las declaraciones de su etiqueta con respecto a la violación de las leyes federales. No utilice en césped cultivado para venta o otros usos comerciales, como hoyos, ni para la producción de semillas comerciales o para la siembra.

APLICACIÓN

ARBOLES, ENRIQUES, ESTRELLADOS, ARBUSTOS, PLANTAS PERENNIALES, CUBIERTOS DE VEGETALES, CUBIERTOS CONTRACTO, BULBOS	PLANTAS DE MACIZO*
<ul style="list-style-type: none"> Aplicar a la tierra alrededor de las plantas una vez que se haya establecido el suelo y antes de que comience a crecer. Aplicar a la tierra alrededor de las plantas una vez que se haya establecido el suelo y antes de que comience a crecer. 	<ul style="list-style-type: none"> Aplicar a la tierra alrededor de las plantas una vez que se haya establecido el suelo y antes de que comience a crecer. Aplicar a la tierra alrededor de las plantas una vez que se haya establecido el suelo y antes de que comience a crecer.

CÓMO APLICAR

- Aplicar a la tierra alrededor de las plantas una vez que se haya establecido el suelo y antes de que comience a crecer.
- Aplicar a la tierra alrededor de las plantas una vez que se haya establecido el suelo y antes de que comience a crecer.

APLICACIÓN (CONTINUACIÓN)

Aplicar a la tierra alrededor de las plantas una vez que se haya establecido el suelo y antes de que comience a crecer. Aplicar a la tierra alrededor de las plantas una vez que se haya establecido el suelo y antes de que comience a crecer.

RESTRICCIONES

Do not apply this product to any that will contact any persons or other direct or through drift. Keep people and pets out of the area being treated. Do not allow people or pets to enter the treated area until it has been set-dried. Do not enter or allow others to enter treated area until well washing is complete and soil is well saturated.

PRECAUCIONES

Make sure plants being grown for sale or other commercial use are placed around roots before applying this product. Apply in a straight line at a rate of 1/2 cup per 10 sq ft.

WEEDS CONTROLLED OR SUPPRESSED

Use Roundup® Landscape Weed Preventer for general control of the weed species listed. Applications should be made before the start of the growing season.

GRASS WEEDS

Roundup® Landscape Weed Preventer may be applied for control of susceptible annuals and perennials listed on the label (not listed on the label).

AVISO DE PRECAUCIÓN

RIESGOS PARA LOS SERES HUMANOS Y LOS ANIMALES DOMÉSTICOS

PRECAUCIÓN: Evitar el contacto con los ojos. Evitar el contacto con la piel. Evitar el contacto con la ropa. Evitar el contacto con la ropa. Evitar el contacto con la ropa.

RECOMENDACIONES DE SEGURIDAD PARA EL DOMICILIO

Evitar el contacto con los ojos. Evitar el contacto con la piel. Evitar el contacto con la ropa. Evitar el contacto con la ropa. Evitar el contacto con la ropa.

PRIMERS AUXILIOS

Si entra en los ojos: Mantenga el ojo abierto y enjuague con agua corriente y agua oxigenada 15 minutos. Si entra en la piel: Lavar con agua corriente y jabón. Si entra en la ropa: Retirar la ropa inmediatamente.

RIESGOS AMBIENTALES

Este producto puede ser dañino para las plantas, animales y organismos acuáticos. Evitar el contacto con las plantas, animales y organismos acuáticos.

ALMACENAMIENTO Y ELIMINACIÓN

Almacenamiento: Guardar el producto en un lugar seco y fresco. Evitar el contacto con el agua. Evitar el contacto con el agua.

100% SIZE

1.25 LBS (567g)

FOR POSITION ONLY

5 2 3 2 4 7 1 3 8 3 2 0

HOW TO APPLY

- Sprinkle around plants at a rate of ¼ oz (2 Tbsp) per 10 sq ft.
- Appearance of application should match Example A.
- Activate product by lightly watering-in. This product may be raked into the top inch of soil before watering-in.

Apply Roundup® Landscape Weed Preventer directly to the soil around ornamental landscape plants to prevent weeds from germinating. Applications where soil is uniformly covered with this product will result in best weed control and ornamental tolerance.

*After planting bedding plants, make sure newly planted area has been watered and soil is packed around roots before applying this product.

NOTE: Established plants are those that have been planted for more than 2 weeks.

RESTRICTIONS

- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.
- Do not allow people or pets to enter the treated area until dusts have settled. Do not enter or allow others to enter treated areas until watering-in is complete and the soil surface is dry.
- Do not use when planting seeds.
- Do not use on lawns.
- Do not apply more than one time every 12 months.
- Do not treat plants grown for food or feed.
- Do not use treated plants for food or feed.
- This product is not for use on lawns or vegetable gardens.

PRECAUTIONS

- Make sure newly planted areas have been watered and soil is packed around roots of desirable plants before applying this product.
- Keep product off of plant leaves. If product is applied to the plant leaves, rinse the leaves with water.
- Avoid unintentional contact of granules with stone, wood, or other porous surfaces as staining may occur.

EXAMPLE A / EJEMPLO A:



SHRUBS

Abelia, glossy • Althaea • Aucuba, gold • Azalea • Bamboo, heavenly • Barberry • Barberry, Japanese • Blue indigo bush • Bottlebrush, lemon • Boxwood, common • Boxwood, Japanese • Brittlebush • Buttonbush • Butterfly bush • Camellia • Cape jasmine • Cassia, feathery • Cordyline • Correa • Cotoneaster • Cotoneaster, bearberry • Cotoneaster, rock • Cypress, Italian • Cypress, Leyland • Deutzia, slender • Dogwood, red twig • Elaeagnus • Escallonia • Euonymus • Euonymus, golden • Euonymus, winged • Firethorn • Forsythia, border • Fragrant olive • Fuschia, California • Gardenia • Hawthorne, Indian • Hibiscus • Holly, Chinese • Holly, Foster's • Holly, Japanese • Holly, Savannah • Holly, yaupon • Honeysuckle, bush • Hopbush • Hopseed bush • Hydrangea • Juniper • Juniper, Chinese • Juniper, shore • Juniper, trailing • Laurel, cherry • Laurel, mountain • Laurel, Otto Luyken • Laurel, Schipka • Laurustinus • Lavender, English • Leucothoe • Leucothoe, coast • Lilac, cut-leaf • Lily-of-the-Nile • Mahonia • Mock orange • Myrtle, compact • Myrtle, wax • Nandina • Oleander • Oregon grape • Osmanthus • Palm, European fan • Palm, Mediterranean fan • Phlox, prickly • Photinia, Fraser • Pieris, Japanese • Pine, mugo • Plum, natal • Privet, California • Privet, glossy • Privet, variegated • Privet, waxleaf • Pyracantha • Quince, flowering • Ranger, Texas • Redroot • Rhododendron • Robinia • Rose • Rose-of-Sharon • Spice plant • Spiraea • Spiraea, Anthony Waterer • Spiraea, Japanese • Sweet bay • Trumpet bush • Verbena, lemon • Viburnum • Vitex • Weigela • Wild lilac • Wisteria • Xylocopa • Yellowbells • Yew • Yew, Japanese • Yew, Southern • Yucca, Adam's needle • Yucca, weeping

BEDDING PLANTS*

Ageratum • Alyssum • Anemone, poppy-flowered • Artemisia • Balloon flower • Begonia • Cabbage, ornamental • Caladium • China aster • Crocosmia, Montebretia • Dahlia • Dianthus • Dusty miller • Gayfeather • Gazania, trailing • Gazania, treasure flower • Geranium • Gloriosa • Impatiens • Kale, ornamental • Marigold, African • Moss rose • Mum, garden • Pansy • Periwinkle • Periwinkle, rose • Petunia • Plumosa cockscomb • Portulaca • Salvia • Snapdragon • Statice • Sweet William • Vinca • Zinnia

*After planting bedding plants and before this product is applied, area to be treated should be watered sufficiently to pack soil around roots.

Roundup® Landscape Weed Preventer may be used on plant species not listed on this label. The suitability for such uses should be determined by treating a small number of such plants at the specified rate. Treated plants should be evaluated 1 to 2 months following treatment for possible injury.

APLICACIÓN (CONTINUACIÓN)

Refiérase al Manual de uso para conocer más sobre el uso de Roundup® Landscape Weed Preventer en las especies de las plantas.

Beach grass • Fescue, blue • Fescue, sheep • Fountain grass • Pampas grass • Reed canary grass • Reed, giant • Ribbon grass • Tufted hair grass

ORNAMENTAL BULBS

Roundup® Landscape Weed Preventer may be applied for control of susceptible annual weeds in ornamental bulbs listed on the label (crocus, daffodil (narcissus), gladiolus, tulip, etc.). Apply this product prior to, during, or after bulb emergence.

If weeds have already germinated, use a labeled postemergence herbicide to control emerged weeds.

WILDFLOWERS

Roundup® Landscape Weed Preventer may be applied for control of susceptible annual weeds in plantings of wildflowers listed on the label (black-eyed susan, California poppy, coreopsis, alyce daisy, etc.). This product may be applied to established perennial wildflowers before emergence of weeds or wildflowers. For wildflowers being established from seed, apply this product after wildflowers have emerged but prior to weed germination. If weeds have already germinated, use a labeled postemergence herbicide to control emerged weeds. Due to the diversity of species and varieties which exist in areas where wildflowers are grown, the response to this product may vary greatly. Carefully testing on desirable species is recommended to determine if area-wide applications can be made.

WEEDS CONTROLLED OR SUPPRESSED:

Use Roundup® Landscape Weed Preventer for preemergence control of the weed species listed. Applications can be made around and over the top of the ornamentals listed on this label.

GRASS WEEDS

Barnyardgrass • Bluegrass, annual • Crabgrass, large • Crabgrass, smooth • Crowfootgrass • Foxtail, giant • Foxtail, green • Foxtail, yellow • Goosegrass • Itchgrass • Johnsongrass (from seed) • Junglerice • Lovegrass (from seed) • Panicum, browntop • Panicum, fall • Panicum, Texas • Sandbar, field • Signalgrass • Sprangletop, Mexican • Sprangletop, red • Witchgrass • Woolly cupgrass

AVISO: En la medida contemplada por las leyes aplicables, el comprador asume todos los riesgos de uso, almacenamiento o manejo de este producto si no se siguen las instrucciones.

then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor, or going for treatment.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems. In case of spills, either collect for use or dispose of properly.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store in a dry place for your next application. Product can be used until container is empty.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonre-usable container. Do not reuse or refill this container.

If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

QUESTIONS OR COMMENTS: PREGUNTAS O COMENTARIOS:

Call 1-888-572-0035 or Visit our Website at www.roundup.com

Sold by: The Scotts Company
14111 ScottsLawn Rd
Marysville, OH 43041



©2018 The Scotts Company LLC.
World rights reserved
EPA Reg. No. 538-192 EPA Est. No. 084175-TX-001

INSTRUCCIONES DE USO

Utilizar este producto de modo inconsistente con las declaraciones de su etiqueta constituye una violación de las leyes federales.

No lo utilice en césped cultivado para su venta u otros usos comerciales, como tepes, ni para la producción de semilla comercial o con fines de investigación.

APLICACIÓN

ÁRBOLES BIEN ESTABLECIDOS, ARBUSTOS, PLANTAS PERENNES, CUBIERTAS VEGETALES, CÉSPED DECORATIVO, BULBOS	PLANTAS DE MACIZO*
CUÁNDO APLICAR <ul style="list-style-type: none"> • Aplíquelo a la tierra alrededor de las plantas en la primavera antes de que las malezas germinen y antes de usar mantillo. • Lave los gránulos que hayan caído sobre las plantas y active el producto regando ligeramente. • Aplique el producto una vez por 12 meses. 	CUÁNDO APLICAR <ul style="list-style-type: none"> • Aplíquelo después de plantar y regar el área para compactar la tierra alrededor de las raíces. • Lave los gránulos que hayan caído sobre las plantas y active el producto regando ligeramente. • Aplique el producto una vez por 12 meses.
CÓMO APLICAR <ul style="list-style-type: none"> • Esparza el producto alrededor de las plantas en una proporción de 21 g (2 cucharaditas) por cada 0.92 m². • El aspecto del producto tras la aplicación debe ser el que se muestra en el Ejemplo A. • Riegue el producto ligeramente para activarlo. Este producto puede rastillarse para mezclarlo con los 2.5 cm de la capa superior de tierra antes de regar. 	

APLICACIÓN (CONTINUACIÓN)

Aplique el Herbicida para prevenir malezas de jardín de RoundUp® directamente a la tierra al redor de las plantas ornamentales de jardín para prevenir la germinación de las malezas. El mejor control de las malezas y la mayor tolerancia de las plantas ornamentales se obtiene con aplicaciones que cubran uniformemente la tierra con el producto.

*Después de transplantar plantas de macizo, asegúrese de regar y compactar la tierra en el área recién plantada antes de aplicar el producto.

IMPORTANTE: Las plantas bien establecidas son aquellas que han estado plantadas durante más de 2 semanas.

RESTRICCIONES

- No aplique este producto de manera que entre en contacto con cualquier adulto o mascota, ya sea en forma directa o por efecto de la corriente de aire. Mantenga a la gente y las mascotas fuera del área durante la aplicación.
- No permita el ingreso de gente o mascotas al área tratada hasta que el polvo se haya asentado. No entre ni permita que otros entren a las áreas tratadas hasta que el riego se haya completado y la superficie del suelo esté seca.
- No lo use cuando esté plantando semillas.
- No lo aplique sobre césped.
- No lo aplique más de una vez por 12 meses.
- No trate plantas cultivadas para comida o forraje.
- No use plantas tratadas para comida o forraje.
- Este producto no se debe usar en césped o huertas.

PRECAUCIONES

- Compruebe que las áreas recién plantadas hayan sido regadas y que el suelo esté compactado alrededor de las raíces de las plantas deseadas antes de aplicar este producto.
- No aplique el producto a las hojas de las plantas. En caso de aplicarse a las hojas de las plantas, enjuáguelas con agua.
- Evite el contacto intencional de los gránulos con piedras, madera u otras superficies porosas, ya que puede mancharlas. Barra inmediatamente para evitar las manchas. Si los gránulos se trituran contra la superficie, enjuague minuciosamente.
- Las condiciones climáticas anormalmente frías, excesivamente húmedas, o calurosas y secas que demoran la germinación o la extienden por un período prolongado pueden reducir el control de malezas.
- Para evitar manchas en superficies indeseadas, como hormigón, sendas de piedra, superficies vinílicas, etc., barra los gránulos dispersos lo más pronto posible.
- No use el producto en frutas, verduras o hierbas comestibles.
- Este producto impide la germinación de maleza. No mata las malezas existentes. Si tiene malezas visibles, quítelas primero y después rastille la superficie del suelo antes de aplicar. Evite aplicar una cantidad excesiva para evitar problemas residuales en plantas sensibles la temporada siguiente.
- Este producto previene la germinación de la mayoría de las malezas por hasta 6 meses en lechos de flores y alrededor de coberturas de suelo, árboles y arbustos.

AVISO: En la medida contemplada por las leyes aplicables, el comprador asume todos los riesgos de uso, almacenamiento o manejo de este producto si no se siguen las instrucciones.

RESULTADOS GARANTIZADOS o le devolvemos su dinero. Si por alguna razón no está satisfecho luego de utilizar este producto, simplemente envíenos el comprobante de compra original y le devolveremos el precio de compra.

Para obtener los mejores resultados con las malezas presentes en el jardín y en los lechos ajardinados, use el herbicida RoundUp® Mata Malezas y Gramas III con la Varilla Sure Shot®, núm. de registro de la EPA 71995-33.

AVISOS DE PRECAUCIÓN

RIESGOS PARA LOS SERES HUMANOS Y LOS ANIMALES DOMÉSTICOS

PRECAUCIÓN: Causa irritación en los ojos. Evite el contacto con los ojos, la piel o la ropa. Puede ser nocivo si se ingiere. Evite la inhalación.

RECOMENDACIONES DE SEGURIDAD PARA EL USUARIO

Lávese las manos antes de comer, masticar goma de mascar, consumir tabaco o usar el inodoro. El usuario deberá quitarse la ropa inmediatamente si le cae adentro el pesticida. Luego deberá lavarse bien y ponerse ropa limpia.

PRIMEROS AUXILIOS

Si entra en los ojos: Mantenga el ojo abierto y enjuáguelo lentamente y con cuidado con agua durante 15 a 20 minutos. Si tiene lentes de contacto, quítelos después de lavarse los primeros 5 minutos y continúe lavando el ojo. **Si cae en la piel o la ropa:** Quítese la ropa contaminada. Enjuague la piel de inmediato con abundante agua por 15 a 20 minutos. **Si se ingiere:** Llame a un centro de control de envenenamientos o a un médico inmediatamente para recibir instrucciones de tratamiento. Haga que la persona beba un vaso de agua si puede tragar. No induzca el vómito a menos que así lo indique el centro de control de envenenamientos o el médico. No le dé nada por vía oral a una persona que haya perdido el conocimiento. **Si se inhala:** Lleve a la persona al aire fresco. Si la persona no respira, llame al 911 o a una ambulancia y luego, de ser posible, déle respiración artificial (boca a boca, preferiblemente). Llame a un centro de control de envenenamientos o a un médico para recibir recomendaciones de tratamiento. Tenga el envase o la etiqueta del producto con usted cuando llame al centro de control de envenenamientos o al médico, o al acudir a recibir tratamiento.

RIESGOS AMBIENTALES

Este pesticida es tóxico para los peces. Los escorrentamientos pueden ser peligrosos para los organismos acuáticos de las zonas adyacentes a las áreas tratadas. Para proteger el ambiente, no permita que el pesticida entre o se escurra en drenajes pluviales, ranjas de drenaje, cunetas o aguas superficiales. Aplicar este producto en clima tranquilo cuando no haya pronóstico de lluvia en las siguientes 24 horas ayudará a asegurarse de que el viento o la lluvia no soplen o laven el pesticida fuera del área de tratamiento. Barra el producto que caiga sobre la entrada de automóviles, la acera o la calle hacia el área tratada del césped para evitar que se escurra a cuerpos de agua o sistemas de drenaje.

ALMACENAMIENTO Y ELIMINACIÓN

ALMACENAMIENTO DEL PESTICIDA: Guarde el producto en un lugar seco para la próxima aplicación. El producto puede usarse hasta vaciar el envase.

ELIMINACIÓN DEL PESTICIDA Y MANEJO DEL ENVASE: Este envase no se puede rellenar. No vuelva a usar ni llenar este envase. Si está vacío: Tirelo a la basura o recíclolo, de ser posible. Si está parcialmente lleno: Llame a la agencia local de control de desechos sólidos para solicitar instrucciones sobre cómo eliminarlo. Nunca elimine el producto no utilizado en drenajes internos o externos.



EPA Reg No. 538-192(13lb)
Roundup Landscape Weed Preventer