

GUARANTEED
Listed **Insect Kill!**



Preen®

WEED PREVENTER *plus* **Ant, Flea & Tick Control**

prevenidor de malezas más hormiga de fuego, pulgas y garrapatas asesino

**STOP LISTED WEEDS
Before They Start!**

**An Effective
HOME BARRIER
Treatment**

**Blocks Listed Weeds For Up To
4 Months Guaranteed!**

**Do Not Use on Vegetable
Gardens or Lawns**

Covers 1000 sq ft

ACTIVE INGREDIENTS:
Dithiopyr..... 0.27%
Bifenthrin..... 0.11%
OTHER INGREDIENTS99.62%
TOTAL100.00%
dithiopyr CAS No. 97886-45-8
bifenthrin CAS No. 82657-04-3
†Cis Isomers 97% minimum,
trans Isomers 3% maximum

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See back panel for First Aid and
additional Precautionary Statements.

Net Wt. 4.25 lbs. (1.93 kg)

Preen

WEED PREVENTER Plus Ant, Flea & Tick Control

prevenidor de malezas más hormiga de fuego, pulgas y garrapatas asesino

**Do Not Use on Vegetable
Gardens or Lawns**

Precautionary Statements Hazards to Humans and Domestic Animals **CAUTION**

Harmful if swallowed, absorbed through the skin or inhaled. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

First Aid

If in eyes:	• Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If swallowed:	• Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If on skin or clothing:	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If inhaled:	• Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For emergency medical treatment information call (888) 208-1368.

Note to Physician: This product contains a pyrethroid. If large amounts have been ingested, milk, cream or other digestible fats and oils may increase absorption and so should be avoided.

Environmental Hazards

This product is extremely toxic to fish and aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather will help to ensure that wind does not blow pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the flower garden will help to prevent run off to water bodies or drainage systems.

Manufactured by / Fabricado por:
LEBANON SEABOARD CORPORATION
1600 EAST CUMBERLAND STREET
LEBANON, PA 17042

1-800-233-1067 • www.preen.com

Preen® is a registered trademark of Lebanon Seaboard Corporation. Superscript used is first letter of lot number.

dithiopyr CAS No. 97886-45-8
bifenthrin CAS No. 82657-04-03
EPA Reg. No. 961-423

(L) (D)
EPA Est. 961-PA-01-961-IL-01

Manufactured by Lebanon Seaboard Corporation
1600 East Cumberland Street | Lebanon, PA 17042



0 88685 64070 4

PROOF OF PURCHASE | Comprobante de compra

1/16


SEE INSIDE BOOKLET FOR COMPLETE DIRECTIONS FOR USE AND PLANT LISTINGS
Consulte el folleto en el interior para ver el modo de empleo completo y listas de plantas

LIFT HERE TO OPEN | PRESSE TO RESEAL • Levante aquí para abrir | Presione para volver a cerrar

Killing Weeds vs. Weed Prevention



Pulling or spraying only eliminates weeds already above ground.



Preventing creates a weed barrier that stops listed weeds from germinating.

This product contains an insecticide for controlling listed insects and an herbicide that prevents listed weeds from germinating. Weeds grow throughout the season. It's never too late or too early to apply. Sprinkle around listed flowers, trees & shrubs every 4 months.

The Preen Routine

Easy Steps to Listed Weed Prevention and Listed Insect Control



Remove Existing Weeds



Sprinkle Product Evenly



Water Product Into Soil

Precautionary Statements

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed, absorbed through the skin or inhaled. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

REFILL INSTRUCTIONS

This container with applicator cap is reusable with this product. Refill the container with desired amount of this product and use as directed. When done, store or dispose this container as listed on the label.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store product in its original container in a cool, dry, locked place out of the reach of children and animals. **Pesticide Disposal and Container Handling:** Nonrefillable container. Do not reuse or refill this container except as described in the REFILL INSTRUCTIONS (see Refill Instructions). If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.



1-800-233-1067

www.preen.com



EPA Reg. No. 961-423 | EPA Est. No. 961-PA-01:961-IL-01

Superscript used is first letter of lot number.

Preen® is a registered trademark of Lebanon Seaboard Corporation.

4.125"

FRONT COVER

(Page 1)

Preen



Do Not Use on Vegetable Gardens or Lawns

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See container label for First Aid and Additional Precautionary Statements

**STOP LISTED WEEDS
Before They Start!**

ACTIVE INGREDIENTS:
 dithiopyr 0.27%
 bifenthrin[†] 0.11%
 Other ingredients 99.62%
 Total 100.000%
 dithiopyr CAS No. 97886-45-8
 bifenthrin CAS No. 82657-04-3
[†]Cis isomers 97% minimum, trans isomers 3% maximum.

Directions For Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

Product Information

This product contains an insecticide for controlling listed insects and an herbicide that prevents listed weeds from germinating.

One application of this product provides up to 4 months control of listed broadleaf weeds and annual grasses in flower beds, xeriscapes settings, rock gardens and around ground covers, trees and shrubs. Although this product will not kill existing weeds, it will prevent new listed weeds from sprouting – eliminating the need for difficult and time-consuming hand weeding. Without listed weeds and insect pests your valuable plants can grow larger and stronger.

This product kills listed insects.

Product Restrictions

Use only on established ornamental plants listed in this label.

Do not apply near fish pools, ponds, streams or lakes.

Do not use on vegetable gardens or lawns.

Entry Restrictions

Do not allow people or pets to enter the treated area until dusts have settled. If product is watered-in, do not enter or allow others to enter the treated areas (except those involved in the watering) until the watering-in is complete and the surface is dry.

Weeds Controlled

Grassy weeds:	Buttercup	Crowfootgrass	Yellow	Sandbur
Barley	Crabgrass:	Dallisgrass	Kikuyugrass	Smutgrass
Barnyardgrass	Large,	(seedling)	Oats, Wild	
Bluegrass, Annual	Smooth,	Goosegrass	Ryegrass:	
Brome	Southern	Foxtail: Green,	Annual, Perennial	
Broadleaf weeds:	Knotweed, Prostrate	Pineappleweed	Speedwell, Corn	
Bittercress	Lespedeza, Common	Pigweed, Redroot	Spurge: Garden,	
Carpetweed	Lambsquarters	Parsely-piert	Prostrate,	
Chickweed	Marestail	Purslane, Common	Spotted	
Geranium, Carolina	Medic, Black	Rocket, London	Woodsorrel:	
Henbit	Mustard	Shepherdspurse	Creeping, Yellow	

Insects Controlled

Annual Bluegrass	(Adult)	Ataenius (Adult)	Grasshoppers	Mole Cricket
Weevils	Armyworms	Centipedes	Leafhoppers	(Nymph)
(Hyperodes)	Billbugs (Adult)	Chinch Bugs	Mealybugs	Sod Webworm
(Adult)	Crickets	Earwigs	Millipedes	
Ants	Cutworms	Fleas (Adult)	Mole Cricket	
Imported Fire Ants	Black Turfgrass	Fleas (Larvae)	(Adult)	

[†]Ticks (including ticks that may transmit Lyme Disease and Rocky Mountain Spotted fever)

When to Apply

Apply this product during the growing season around established plants and transplants in flower beds, xeriscapes settings, rock gardens, and around ground covers, trees and shrubs.

To keep ornamental beds free all season long of listed weeds and insects, reapply this product every 4 months.

How to Apply

This product will not kill existing weeds, remove any weeds that have already begun to grow before applying this product around established plants and transplants.

For best results, remove all existing weeds before applying this product around established plants and transplants. Do not use this product on flower seeds. This product can be used after flowering plants have germinated and are 2-3 inches tall.

SURFACE APPLICATION RATE

To avoid plant injury, do not apply this product when plant foliage is wet. When plants are dry, sprinkle this product evenly over the soil surface at rate of 0.68 oz. per 10 sq.ft. (see picture on right), being sure to keep granules away from plant roots and foliage. Wash or brush off stray granules from plant foliage to avoid damage or discoloration.



Sprinkle this product as shown on soil.

After application, water this product into soil surface. Do not water to the point of run-off. Once activated by watering, this product forms a barrier in the top layer of soil, preventing listed weed seeds from germinating and killing listed insects on contact. Disturbance to the soil surface after activation may result in erratic control.

4.125"

INSIDE TEXT

(2)

4.125"

INSIDE TEXT

(3)

For best listed weed and insect control, apply this product after spreading mulch on your flower and shrub beds. Sprinkle this product on top of mulch at surface rate (see picture below left), being sure to keep granules away from plant foliage. Water this product into mulch. Always wash or brush off stray granules from plant foliage to avoid damage or discoloration.

Name	Tolerant Cultivars	Name	Tolerant Cultivars
abelia	nana grand surprise		crimson pygmy dwarf pygmy green kobold pygmy red rose glow atropurpurea
acacia, redolens		barberry, purple	
abyssinian red banana	maureli	basket flower	
Ajuga carpet bugle	bronze bronze beauty	beach grass	
		bearberry (common)	Massachusetts
almond, flowering		bee balm	
apple†		begonia	
aralia, Japanese		birch, river	
arborvitae	nigra pyramidalis smaragh techny woodwardii aurea nana	birch, European white	
		blackeyed Susan	goldstrum
arborvitae, dwarf golden		blanket flower	
ash, green		blood grass	rubra
ash, autumn purple	autumn purple	blue fescue	
aster, Chinese	dwarf queen	bluebeard	dark knight
azalea	brilliant buccaneer carror chimes (Belgian) Elsie Lee exbury fashion Girard's Rose hardijzer beauty hershey red higasa hinocrimson Holland (hybrid) Marion Lee northern lights Nuccio's Wild Cherry orange cup orchid lights snow southern charm	blueberry†	bluecrop blue jay Jersey north blue northland Little John James Walker pink dream purple queen rosenka Scarlet O'Hara rosea japonica green beauty winter gem moonlight Vancouver gold debutante mathotiana supreme chansonette Setsukgekka snow white
azalea, flame		bottlebrush	
azalea, kirishima		bougainvillea	
bamboo, heavenly			
		bower vine	
		boxwood	
		boxwood, green beauty	
		boxwood, welleri	
		broom	
		camellia	
barberry, Japanese	compacta nana plum passion aurea	candy tuft	
		carex, variegated	
		carpet bugle	bronze bronze beauty

Name	Tolerant Cultivars	Name	Tolerant Cultivars
cedar, red		fan palm, European	
celosia		fan palm, Mexican	
centaurea		fern (various)	
Chinese pistache		fescue	
chrysanthemum	mandarin time	fescue, blue	Elijah blue
clivia		fetterbush	rainbow
cockscornb, plumosa	scarlet plumosa	ficus	nitidia
coleus	red kewpie	fir fraser	
columbine		fortnight lily	
coneflower, purple	magnus purple	Forsythia	arnold dwarf
copper leaf			bronzensis dwarf
coreopsis	moonbeam		lynwood gold
corn flower			meadowlark
coloneaster			spring glory
coyotebrush			weeping
cyad		fountain grass, purple	rubrum
cypress, bald		fuchsia	
cypress, Italian	glauca	galium	
	tiny tower	gardenia	mystery
cypress, hinoki false	gracilis		radicans
	torulosa		veitchii
cypress, leyland	Hybrid		white gem
daffodil	King Alfred	Garlic, variegated society	variegata
daylily	Aztec gold	gayfeather	floristan violet
	bright yellow (hybrid)	geranium	
	single gold (evergreen)	globe thistle	
	Wilson's yellow	gum	
dianthus (sweet William)	firewatch	hawthorn	cockspur white
delphinium	magic fountain		crimson cloud
dogwood			enchantress
dogwood, American	flavariumea		Jack Evans
Douglas fir			Washington white
dracaena		hawthorn, Indian	ballerina
dusty miller		heather, twisted	Mediterranean pink
elm	drake	heliotrope	Iowa
Eulaliagrass/maiden grass	gracilimus	hemlock, Canada	
	variegatus	hibiscus	blue bird
	morning light		brilliant
euonymus	Argenteo-variegata		hula girl
	colorata		Seminole pink
	emerald gaiety	holly	Nellie R. Stevens
	emerald n' gold		fosteri
	gold edge		Savannah
	golden princess	holly, blue	blue boy
	tricolor		blue girl
	vegetus		China girl
	Aureomarginata	holly, cassine	
	microphylla variegata	holly, Chinese	burfordii
	"Moness" silver princess		needlepoint
	silver king	holly, Japanese	compacta
	Manhattan		hellerie
leucopops, green leaved	viridis		Japanese northern

(4)

(5)

Name	Tolerant Cultivars	Name	Tolerant Cultivars
holly, yaupon	beauty		spartan
honeysuckle	Steeds		tamariscifolia
	Claveyi dwarf		weberi
	halliana		Youngstown
	Canadian white	juniper	Yukon belle
	Zabelli	(Juniperus chinensis)	blue point
	dropmore scarlet		gold coast
hop bush, purple	purpurea		torulosa - Hollywood
hosta	albo marginata		twisted
ice plant		juniper, shore	sea of gold
ice plant, rosea		juniper	prostrate Japanese
ice plant, white trailing		(Juniperus procumbens nana)	garden
ice plant, purple		juniper	tamarix
ice plant, red spike		(Juniperus sabina	
impatiens		tamariscifolia)	
iris	dwarf blue	juniper	Scopulorum skyrocket
	wedgewood	(Juniperus scopulorum)	
ivy, English	Bulgaria	king palm	
	thorndale	lantana	
jasmine, Asian		laurel, Carolina cherry	bright n' tight
jasmine, star		laurel, mountain	
juniper	Arcadia	leucothoe	
(Juniperus spp.)	Armstrong	ligustrum, Japanese	
	bar harbor	lily	streamline
	blue chip	Lily of the Nile	albus
	blue Pacific		Peter Pan
	blue rug	lilyturf	evergreen giant
	blue star		lilac beauty
	broadmoor		majestic
	buffalo		monroe white
	calgary carpet		silvery sunproof
	emerald sea	lilyturf, creeping	variegata
	emerald spreader	magnolia, saucer	
	endora compacta	mandevilla	Red Riding Hood
	fruitlandi		crimson jewel
	green	maple, amur	emerald elf
	gold tip	maple, Japanese	
	hetzi	maple, Norway	
	hughes	maple, red ‡	red sunset
	icee blue	maple, silver	
	Manhattan blue	maple sugar ‡	
	parsoni	marguerite, blue	
	pfitzeriana	marigold	honeycomb
	plumosa		variegata
	Prince of Wales		wheelers dwarf
	procumbens dwarf	mock orange ‡	golden
	San Jose		snowflake double white
	sargent blue	mondo grass	
	sargent green	moss rose	sunnyside
	scandia	mountainash	
	scopulorum moon glow	myrtle, crape	laurei

Name	Tolerant Cultivars	Name	Tolerant Cultivars
	langer	plittosporum	Wheeler's dwarf
	muskogee		shimi creme de menth
	standard pink		golf ball
	zuni		royal cape
myrtle, wax		plumbago, cape	
narcissus		plume grass	
New Zealand flax	rainbow chief	potentilla	abbotswood
	rainbow queen	privet	golden vicary
	Jack Spratt		regal
			texanum
oak, laurel x x			yellow tipped
oak, pin		privet, glossy	
oak, red		pyracantha or firethorn	gnome
oak, southern			lalandei
oak, willow			victory
Oleander	hardy red	queen palm	
	Mrs. Roeding	quince, Japanese ‡	
	petite pink	red hot poker	flamenco
	sister agnes	redbud, eastern	
	goshiki	redwood, coast	
	whirligig	rhododendron	album
osmanthus, holly leaf			Cunningham white
osteospermum			PJM
pachysandra			purple gem
palm, bangalow			silvery pink
palm, bismark			
palm, California fan		rhododendron, Carolina	
palm, cardboard		rhododendron, catawba	
palm, majesty		rhododendron, rhodie max	
palm, paurotis		- rosebay	
palm, queen		ribbon grass	
pampas grass	ivory feathers	rockcress	snowcap
pansy		rose ‡	luta
paper flower	Barbara Karst	rose, groundcover	flower carpet red
peach ‡			flower carpet white
pepper tree, California			flower carpet pink
periwinkle, dwarf			knockout
petunia	picoti	rose, knockout shrub	
philodendron, tree		rosemary ‡	
photinia, red tip		rosemary, bog	nana
pieris		Salvia	rhea
pieris, Japanese	mountain fire	sedge, leather leaf	
pine, Afghan		sedum	dragon blood red
pine, aleppo			red carpet
pine, Austrian black			yellow
pine, Canary Island			
pine, Japanese black		silk tree	
pine, loblolly		smoketree, royal purple	royal purple
pine, longleaf		snapdragon	
pine, mugo or Swiss Mt.		snow-in-summer	
pine, Scotch		snowball, common	sterile
pine, slash		sourwood	
pine, Virginia		spiraea	fanall
pine, white		(Astilbe X arendsii)	
pineapple, guava ‡		spiraea	Anthony Waterer red
		(Spiraea spp.)	

4.125"

INSIDE TEXT

(6)

4.125"

INSIDE TEXT

(7)

Name	Tolerant Cultivars
	dolchica froebel pink goldenflame red snowmound white Van Houtte white
spiraea, garland	
spruce, Black Hills	glauca
spruce, Colorado blue	conica
spruce, dwarf Alberta	
spruce, Norway	conica
spruce, white	green sheen
spurge, Japanese	
sweet bay	ogon
sweetflag	
sweetgum	
sweet olive	
sycamore	American California
tea tree, New Zealand	ruby glow martini
tree fern (tiki fern)	
trumpet flower or Carolina Jessamine	apeldoorn
tulip	
tufted hairgrass	
verbena, shrub	St. Paul
Verbena, St. Paul's	American cranberry bush
wiburnum	arrowood European cranberry bush linden Mohican wright
vinca (periwinkle)	
windmill palm	Texas purple
wisteria, Japanese	
xylosma	
yarrow	dwarf
yaupon	
yellow bells	floribunda
yesterday-today-and- tomorrow	
yew	capitata denisiformis
yucca, red	

† Ornamental species only. Do not use on plants grown for food.

PREEN GUARANTEE

NOTE: To the extent consistent with applicable law, Lebanon Seaboard Corporation guarantees you will be satisfied with the performance of this product when used as directed, or your money back. If not satisfied, describe the nature of your problem, and send with proof of purchase to: Lebanon Seaboard Corporation, 1600 East Cumberland Street, Lebanon, PA 17042.

Warranty

Note: To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

Eliminación de las malezas en comparación con la prevención de las malezas



Extraer o rociar solo elimina las malezas que ya están sobre la tierra.



Evitar el crecimiento crea una barrera contra las malezas mencionadas que detiene su germinación.

Este producto contiene un insecticida para el control de los insectos mencionados y un herbicida que evita la germinación de las malezas mencionadas. Las malezas crecen durante la temporada. Nunca es demasiado tarde ni temprano para aplicar este producto. Rocíe las flores, los árboles, y los arbustos mencionados cada 4 meses.

La rutina de Preen

Pasos sencillos para la prevención de las malezas mencionadas y el control de los insectos mencionados.



Retire las malezas existentes.



Esparra el producto de manera uniforme.



Riegue el producto en la tierra.

Declaraciones de precaución

RIESGOS PARA SERES HUMANOS Y ANIMALES DOMÉSTICOS

PRECAUCION

El producto es nocivo si se ingiere, se absorbe por la piel o se inhala. Provoca una irritación moderada en los ojos. Evite el contacto con los ojos, la piel o la ropa. En algunas personas, el contacto prolongado o frecuente con la piel puede provocar reacciones alérgicas. Lávese cuidadosamente con jabón y agua después de manipular el producto y antes de comer, beber, masticar chicle, usar tabaco o usar el baño. Quítese la ropa contaminada y lávela antes de volver a usarla.

INSTRUCCIONES PARA EL LLENADO

Este envase con tapa aplicadora es reutilizable con este producto. Rellene el envase con la cantidad deseada de este producto y úselo como se indica. Cuando termine, almacene o elimine este envase como se indica en la etiqueta.

ALMACENAMIENTO Y ELIMINACIÓN

No contamine el agua, los alimentos o alimentos para animales al almacenarlo o eliminarlo.

Almacenamiento del pesticida: Almacene el producto en su envase original en un lugar fresco, seco, seguro y fuera del alcance de los niños y animales. **Eliminación del pesticida y manipulación del envase:** El envase no se puede rellenar. No reutilice ni rellene este envase a menos que así se indique en las INSTRUCCIONES PARA EL RELLENADO (consulte las Instrucciones para el rellenado). **Si está vacío:** Colóquelo en la basura o, si está disponible, ofrézcalo para reciclaje. Si está parcialmente lleno: Llame a su agencia local de desechos sólidos para obtener instrucciones sobre cómo eliminar el producto. Nunca coloque productos que no utiliza debajo de ningún drenaje externo o interno.

4.125"

INSIDE TEXT

(8)

4.125"

INSIDE TEXT

(9)

Preen

CONTROLADOR DE MALEZAS más

Preventor de malezas más hormiga de fuego, pulgas y garrapatas asesino



No apto para uso en jardines de hortalizas o céspedes

DETIENE LAS MALEZAS MENCIONADAS antes de que aparezcan

MANTENGA ALEJADO DEL ALCANCE DE LOS NIÑOS PRECAUCIÓN

Consulte la etiqueta del envase para obtener información sobre primeros auxilios y declaraciones de precaución adicionales.

INGREDIENTES ACTIVOS:

ditiopir 0,27%
bifentrín¹ 0,11%
Otros ingredientes 99,62%
Total 100,000%

ditiopir CAS No. 97886-45-8

bifentrín CAS No. 82657-04-3

¹Isómeros cis 97% como mínimo, isómeros trans 3% como máximo.

Instrucciones de uso

Es una violación a la ley federal utilizar este producto de manera contraria a lo indicado en la etiqueta.

¡DETÉNGASE! LEA LA ETIQUETA COMPLETA PRIMERO. CUMPLA TODAS LAS PRECAUCIONES Y SIGA LAS INSTRUCCIONES DETALLADAMENTE.

Información del producto

Este producto contiene un insecticida para el control de los insectos mencionados y un herbicida que evita la germinación de las malezas mencionadas.

Una aplicación de este producto proporciona hasta 4 meses de control de las malezas de hoja ancha mencionadas y pastos anuales en macizos de flores, xeriscapes, jardines de piedra y alrededor de cubiertas vegetales, árboles y arbustos.

Aunque este producto no mata las malezas existentes, evitará la germinación de nuevas malezas, lo que elimina la dificultad y la pérdida de tiempo de desmalezar a mano. Sin las malezas y las plagas de insectos mencionados, sus valiosas plantas podrán crecer más grandes y fuertes.

Este producto mata los insectos mencionados.

Restricciones del producto

¹Use solo en plantas ornamentales establecidas que se enumeran en esta etiqueta.

²No aplique cerca de albercas con peces, estanques, arroyos o lagos.

³No apto para uso en jardines de hortalizas o céspedes.

Restricciones de entrada

¹No permita que las personas o mascotas ingresen al área tratada hasta que el polvo se haya asentado. Si se va a regar el producto, no ingrese ni permita que otros ingresen en las áreas tratadas (excepto quienes deben regar el producto) hasta que el riego esté completo y la superficie esté seca.

Malezas controladas

Malezas herbosas:	Grande, Suave, Del sur	Pata de gallina	perenne
Barley		Cola de zorro: Verde, amarilla	Rosetilla
Capin		Césped Kikuyo	Pasto alambre
Césped azul, anual	Zacate egipcio	Avena silvestre	
Bromo	Pasto miel	Ballico: Anual,	
Botón de oro Digitaria:	(plántula)		
Malezas de hoja ancha:	Sanguinaria postrada	Hierba de la piña	Verónica arvensis
Mastuerzo amargo	Lespedeza, Common	Yuyo colorado	Hierba de golondrina:
Culantrillo	Trébol de los prados común	Alquimila arvense	Jardín, Postrada,
Pamplina	Cenizo	Verdolaga común	De golondrina
Geranio Carolina	Corregüela hembra	Matacandil	Acedera menor:
Ortiga mansa	Mustard	Bolsa de pastor	Rastrera, amarilla

Insectos controlados

Césped azul anual	importadas	Ataenius negro del césped (Adulto)	Pulgas (larvas) (Adulto)
Escarabajos rubios	Adulto	Ciempies	Saltamontes
(Hyperodes)	Gusanos soldados	Chinches	Saltahojas
(Adultos)	Picudos (Adultos)	Tijeretas	Gorgojos
Hormigas	Grillos	Pulgas (Adulto)	Milpiés
Hormigas rojas	Orugas cortadoras		Grillos topo
Garrapatas (lo que incluye las garrapatas que pueden transmitir la enfermedad de Lyme y la fiebre de las Montañas Rocosas)			

Cuándo aplicar

Aplique este producto durante la temporada de crecimiento alrededor de plantas crecidas y plantas trasplantadas en macizos de flores, xeriscapes, jardines de piedra y alrededor de cubiertas vegetales, árboles y arbustos.

Para mantener los macizos ornamentales libres de las malezas y los insectos mencionados durante toda la temporada, vuelva a aplicar este producto cada 4 meses.

Cómo aplicar

Este producto no matará las malezas existentes. Retire cualquier maleza que haya empezado a crecer antes de aplicar este producto alrededor de plantas crecidas y plantas trasplantadas.

Para lograr mejores resultados, retire todas las malezas existentes antes de aplicar este producto alrededor de plantas crecidas y plantas trasplantadas. No utilice este producto en semillas de flores. Este producto puede utilizarse después de que las plantas en floración hayan germinado y tengan de 5,08 a 7,62 cm de alto.

Para evitar daños en las plantas, no aplique este producto cuando el follaje de la planta esté mojado. Cuando las plantas estén secas, esparza este producto de forma

uniforme sobre toda la superficie del suelo en una proporción de 20,11 cm³ por cada 0,93 m² (consulte la imagen a la derecha), asegurándose de mantener los gránulos alejados de las raíces y el follaje. Lave o limpie los gránulos sueltos del follaje de la planta para evitar daños o la decoloración.



Rocíe este producto en el suelo como se muestra.

Después de la aplicación, riegue de inmediato el producto para que penetre en el suelo. No riegue hasta el punto en que escorra. Una vez que se haya activado mediante el riego, este producto forma una barrera contra malezas en la capa superior del suelo, lo que evita que las semillas de las malezas mencionadas germinen y mata los insectos mencionados al contacto.

4.125"

INSIDE TEXT
(10)

4.125"

INSIDE TEXT
(11)

Cómo aplicar este producto sobre el compuesto orgánico

Para obtener un mejor control de las malezas y los insectos mencionados, aplique este producto después de esparcir compuesto orgánico en los macizos de flores y arbustos. Rocíe este producto sobre el compuesto orgánico según la dosis para la superficie (consulte la imagen de abajo a la izquierda), asegurándose de mantener los gránulos alejados del follaje de las plantas. Riegue el producto para que penetre en el compuesto orgánico. Lave siempre o limpie los gránulos sueltos del follaje de la planta para evitar daños o la decoloración.

SE SUGIERE EL USO DE ESTE PRODUCTO ALREDEDOR DE ESTAS PLANTAS ESTABLECIDAS

Nombre	Cultivos tolerantes	Nombre	Cultivos tolerantes
Abelia	Nana	Agracejo japonés	Aurea
	Azucena mágica		Crimson pygmy
Acacia, redolens			Dwarf pygmy
Platanera de Abisinia	Maureli		verde
Búgula ajuga	Bronce		Kobold
	Bronze beauty		Pygmy red
Almendo en floración			Rose glow
Manzano†		Agracejo púrpura	Atorpúrpura
Aralia japonesa		Centaurea americana	
Tuya	Nigra	Barrón	
	Pyramidalis	Gayuba (común)	Massachusetts
	Smaragh	Bergamota silvestre	
	Techny	Begonia	
	Woodwardii	Abedul de río	
Tuya golden enana	Aurea nana	Abedul blanco europeo	
Fresno verde		Margarita amarilla	Goldstrum
Fresno Autumn Purple	Autumn Purple	Gallardia	
Aster chino azalea	Dwarf queen	Barón rojo	Rubra
azalea	Brilliant	Festuca azul	
	Buccaneer	Caríoptera	Dark knight
	Caror	Arándano azul†	Bluecrop
	Campanillas (belga)		Arrendajo azul
	Elsie Lee		Jersey
	Exbury		North blue
	Estilo		Northland
	Girard's Rose	Limpiatubos	Little John
	Hardijzer Beauty	Bugambilia	James Walker
	Hershey Red		Pink dream
	Higasa		Purple queen
	Hinocrimson		Rosenka
	Holland (hibrida)		Scarlet O'Hara
	Marion Lee	Pandorea	Rósea
	Northern Lights	Boj	Japonica
	Cerezo silvestre Nuccio's	Boj, Green Beauty	Green Beauty
	Orange cup	Boj weller	Boj Winter Gem
	Orchid Lights	Retama	Moonlight
	Snow		Vancouver gold
	Southern Charm	Camellia	Debutante
Azalea Flame			Mathotiana Supreme
Azalea Kirishima			Chansonette
Bambú divino	Compacta		Setsukgekka
	Nana	Cestillo de plata	Snow White
	Plum passion	Cárex variegado	

Nombre	Cultivos tolerantes	Nombre	Cultivos tolerantes
Búgula	bronce		Silver King
	Bronze beauty		Manhattan
Cedro rojo		Margaritero de hojas verdes	Viridis
Celosia		Palmito europeo	
Centaurea		Palmito mexicano	
Pistacho chino		Helecho (varios)	
Crisantemo	Mandarin time	Festuca	
Clivia		Festuca azul	Elijah Blue
Cresta de gallo plumosa	Scarlet Plumosa	Lyona lucida	Rainbow
Cóleo	Red Kewpie	Ficus	Nitidia
Aguileña		Abeto Frasier	
Equinácea morada	Magnus púrpura	Dieles iridioides	
Hoja de cobre		Forsitia	Arnold dwarf
Coreopsis	Moonbeam		Bronxensis dwarf
Aciano			Lynwood Gold
Cotoneaster			Meadowlark
Arbusto coyote			Spring Glory
Cicades			Llorón
Ciprés calvo		Cola de zorro púrpura	Rubrum
Ciprés italiano	Glaucia	Fucsia	
	Tiny Tower	Galium	
Falso ciprés Hinoki	Gracilis	Gardenia	Mystery
	Torulosa		Radicans
Ciprés de Leyland	Híbrido		Veitchii
Narciso	King Alfred		White Gem
Hemerocalis	Aztec gold	Ajo de sociedad variegado	Variegado
	Bright yellow (hibrida)	Liatris	Violeta floristan
	Single gold (perenne)	Geranio	
	Wilson's yellow	Cardo Globe	
Clavel (del poeta)	Firewatch	Goma	
Delphinium	Magic fountain	Espino	Cockspur white
Cornejo			Crimson Cloud
Cornejo americano	Flavarimea		Enchantress
Abeto Douglas			Jack Evans
Drácena			Washington white
Centaurea cineraria		Espino indio	Ballerina
Olmo	Drake	Brezó torcido	Mediterranean pink
Eulaliagrass/hierba doncella		Heliotropo	Iowa
gracillimus	Gracillimus	Falso abeto del Canadá	
	Morning light	Hibisco	Blue Bird
Evónimo	Argenteo-variegata		Brilliant
	Colorata		Hula Girl
	Emerald gaiety	Acebo	Seminole pink
	Emerald'n gold		Nellie R. Stevens
	Gold Edge		Fosteri
	Gold Princess	Acebo Blue	Savannah
	Tricolor		Blue Boy
	Vegetus		Blue Girl
	Auereo-marginata	Acebo Cassine	China girl
	Microphylla variegata	Acebo chino	Burfordii
	Moness' silver princess		Needlepoint

4.125"

INSIDE TEXT

(12)

4.125"

INSIDE TEXT

(13)

Nombre	Cultivos tolerantes	Nombre	Cultivos tolerantes
Acebo japonés	Compacta Hellerie Japanese northern belleza Steeds		Sargent Green Scandia Scopulorum Moonglow Spartan Tamariscifolia Weberi Youngstown Yukon belle
Acebo Yaupon			Blue Point Gold Coast Torulosa - Hollywood Enroscada Sea of Gold Postrado japonés Jardín Tamarix
Lonicera	Claveyi dwarf Halliana Canadian white Zabelli Dropmore scarlet Purpurea Albo marginata	Junipero (Juniperus chinensis)	
		Junipero conferta Junipero (Juniperus procumbens nana)	
Dodonea viscosa purpurea		Junipero Juniperus sabina famariscifolia)	
Hosta		Junipero (Juniperus scopulorum)	Scopulorum Skyrocket
Delosperma		Lantana	
Delosperma rósea		Laurel cerezo de Carolina	bright n' tight
Delosperma White trailing		Laurel de montaña	
Delosperma púrpura		Leucothoe	
Delosperma red spike		Ligustro japonés	
Alegría de la casa		Lirios	Estilizado
Lirio	Dwarf Blue Wedgewood Bulgaria Thorndale	Azucena del Nilo	Albus Peter Pan Evergreen Giant Lilac Beauty Majestic Monroe White Silvery Sunproof Variegado
Hiedra		Liriope	
Jazmín de leche		Liriope rastrea	
Jazmín estrella		Magnolia Saucer	
Junipero (Juniperus spp.)	Arcadia Armstrong Bar Harbor Blue Chip Blue Pacific Blue Rug Blue Star Broadmoor Buffalo Calgary Carpet Emerald sea Emerald spreader Endora Compacta Fruitlandi verde Gold Tip Hetzi Hughes Icee Blue Manhattan blue Parsoni Pfitzeriana Plumosa Prince of Wales Procumbens dwarf San Jose Sargent Blue	Jazmín de Chile	Red Riding Hood Crimson Jewel Emerald Elf
		Arce del amor Arce japonés Arce de Noruega Arce rojo ‡ Arce plateado Arce azucarero ‡ Margarita azul Maravilla	Red Sunset
		Celinda ‡	
			Honeycomb Variegata Azarero enano Golden Copo de nieve, doble blanca

Nombre	Cultivos tolerantes	Nombre	Cultivos tolerantes
Convalaria		Pino Slash	
Portulaca	Sunnyside	Pino de Virginia	
Mountain Ash		Pino blanco	
Árbol de Júpiter	Faurei Langer Muskogee Standard pink Zuni	Feijoa ‡ Pitosporo	Azarero enano shimi creme de menth Bola de golf Royal Cape
		Jazmín del cabo Carricera Cincoenrama Ligustro	Abbotswood Golden Vicary Regal Texanum Con puntas amarillas
Mirto de cera		Ligustro arbóreo	
Narciso	Rainbow Chief Rainbow Queen Jack Spratt	Piracanta o espino de fuego	Gnome Lalandei Victory
Lino de Nueva Zelanda		Palma de la reina Membrillo japonés ‡ Triloma Árbol del amor oriental Secoya de costa Rododendro	Flamenco Album Cunningham White PJM Purple gem Silvery Pink
Roble laurel x x		Rododendro Carolina Rododendro Catawba Rododendro Rhodie Max - rosebay Falaris	
Roble de los pantanos	Hardy Red Mrs. Roeding Petite Pink Sister Agnes Goshiki Whirligig	Arabis rosa ‡ rCubierta para tierra de rosas	Snowcap Luta Flower carpet red Flower carpet white Flower carpet pink Knockout
Roble rojo		Rosa, arbusto Knockout Romero ‡ Andrómeda Salvia	Nana Rhea
Roble del sur		Carex hoja de cuero Sedum	Dragon blood red Red Carpet Amarillo
Roble sauce		Roble australiano Árbol del humo Royal Purple Boca de dragón Cerastio Bola de nieve común Oxydendrum arboreum	Royal Purple
Adelfa			Estéril
Osmanthus, hoja de acebo			
Caléndula			
Pachysandra			
Palma Bangalow			
Palma Bismark			
Palma, fan de California			
Palma Zamia			
Palma majestad			
Palma Paurotis			
Palma de la reina			
Hierba de la pampa	Plumas de marfil		
Pensamiento			
Flor de papel	Barbara Karst		
Melocotonero ‡			
Aguaribay			
Vinca pervinca enana			
Petunia	Picoti		
Filodendro, árbol			
Photinia de punta roja			
Pieris			
Pieris japónica	Mountain fire		
Pino afgano			
Pino carrasco			
Pino negro austriaco			
Pino de las Islas Canarias			
Pino negro japonés			
Pino de incienso			
Pino de hoja larga			
Pino Mugo o Swiss Mt.			
Pino escocés			

4.125"

INSIDE TEXT
(14)

4.125"

INSIDE TEXT
(15)

Nombre Cultivos tolerantes

Espirea (Astilbe X arendsii)	Fanall
Espirea (Spiraea spp.)	Anthony Waterer red
	Dolchica
	Froebeli Pink
	Goldenflame red
	Snowmound White
	Van Houtte White
Espirea Garland	
Picea Black Hills	
Abeto azul de Colorado	Glaucia
Picea enana de Alberta	Conica
Picea de Noruega	
Picea blanca	Conica
Diamante	Green sheen
Albahaca dulce	
Cálamo	Ogon
Liquidámbar	
Olivo dulce	
Sycamore	American
	California
Árbol del té, Nueva Zelanda	Ruby Glow
	Martini
Helecho (helecho Tiki)	
Bignonia o Carolina	
Jazmín	
Tulipán	Apeldoorn
Deschampsia	
Arbusto de verbena	
Verbena, St. Paul's	St. Paul
Viburno	Arbusto de arándano americano
	Arrowood
	Arbusto de arándano europeo
	Tilo
	Mohican
	Wright
Vinca (pervinca)	
Palmito elevado	
Wisteria japonesa	Texas purple
Espina corona	
Milenrama	
Yaupon	Enano
Emmanthe penduliflora	
Brunfelsia pauciflora	Floribunda
Tejo	Capitata
	Denisiformis
Yuca roja	

‡ Solo especies ornamentales. No utilice en plantas cultivadas para alimentos.

Declaraciones de precaución Riesgos para seres humanos y animales domésticos PRECAUCIÓN

El producto es nocivo si se ingiere, se absorbe por la piel o se inhala. Provoca una irritación moderada. Evite el contacto con los ojos, la piel o la ropa. En algunas personas, el contacto prolongado o frecuente con la piel puede provocar reacciones alérgicas. Lávese cuidadosamente con jabón y agua después de manipular el producto y antes de comer, beber, masticar chicle, usar tabaco o usar el baño. Quítense la ropa contaminada y lávela antes de volver a usarla.

Primeros auxilios

Si entra en contacto con los ojos:	• Mantenga los ojos abiertos y enjuague con agua lentamente, con cuidado, durante 15 a 20 minutos. • Si hay lentes de contacto, retírelos después de los primeros 5 minutos, luego continúe enjuagando los ojos. • Llame a un centro de control de envenenamientos o a un médico para obtener asesoramiento sobre el tratamiento.
Si se ingiere:	• Llame inmediatamente a un centro de control de envenenamientos o a un médico para obtener asesoramiento sobre el tratamiento. • Si la persona puede tragar, haga que beba a tragos un vaso de agua. • No induzca el vómito, a menos que se lo indique un médico o el centro de control de envenenamientos. • Jamás administre nada por la boca a una persona que haya perdido el conocimiento.
Si entra en contacto con la piel o la ropa:	• Quítense la ropa contaminada. • Enjuague inmediatamente la piel con abundante agua entre 15 y 20 minutos. • Llame inmediatamente a un centro de control de envenenamientos o a un médico para obtener asesoramiento sobre el tratamiento.
Si es inhalado:	• Lleve la persona a un lugar con aire fresco. • Si la persona no respira, llame al 911 o una ambulancia, luego administre respiración artificial, preferentemente boca a boca, si es posible. • Llame a un centro de control de envenenamientos para obtener ayuda adicional sobre el tratamiento.

Quando llame a un centro de control de envenenamientos o a un médico, o busque tratamiento, tenga a mano el envase o la etiqueta del producto. Para obtener información sobre tratamientos médicos de emergencia, llame al (888) 208-1368.

Nota para el médico: Este producto contiene piretroide. Si se toma en grandes cantidades, la leche, crema u otras grasas y aceites digeribles pueden aumentar la absorción, por lo que deben evitarse.

Riesgos ambientales

Este producto es extremadamente tóxico para los peces y los invertebrados acuáticos. Para proteger el medio ambiente, no deje que el pesticida ingrese o escurra hacia desagües pluviales, zanjas de desagüe, canaletas ni aguas superficiales. Aplicar este producto en un clima tranquilo ayudará a asegurar que el viento no sople el pesticida fuera del área de tratamiento. Barra el producto que caiga sobre una entrada de garaje, acera o calle llevándolo de vuelta al área tratada del jardín de flores para evitar que escurra hacia aguas superficiales o sistemas de desagüe.

4.125"

INSIDE TEXT
(16)

4.125"

INSIDE TEXT
(17)

GARANTÍA PREEN

NOTA: En la medida en que lo permita la ley vigente, Lebanon Seaboard Corporation le garantiza que, si usted no queda satisfecho con el producto luego de usarlo como se indica, se le reembolsará su dinero. Si no está satisfecho, describa la naturaleza de su problema y envíelo con el comprobante de compra a: Lebanon Seaboard Corporation, 1600 East Cumberland Street, Lebanon, PA 17042.

Garantía

Nota: En la medida que lo permita la ley vigente, el comprador asume toda la responsabilidad por la seguridad y el desempeño si este producto no se usa de acuerdo con las indicaciones.

Mata los insectos dañinos mencionados AL CONTACTO

Un tratamiento eficaz barrera de casa

Mata hormigas rojas, pulgas y garrapatas

Insecticida para hormigas rojas GARANTIZADO

Protege las plantas del daño de los insectos mencionados

Bloquea el crecimiento de las malezas mencionadas hasta por 4 meses, garantizado.

Peso neto 1,93 kg (4.25 lb)

Cubre 92,90 m²



1-800-233-1067
www.preen.com



(L) (D)
EPA Reg. No. 961-423 | EPA Est. No. 961-PA-01:961-IL-01
El superíndice usado es la primera letra del número de lote.
Preen® es una marca registrada de Lebanon Seaboard Corporation.

4.125"

INSIDE TEXT

(18)